


# KIOSK01 (gen 2)

# Android

---


PROPER

User Guide




## What is Included

1x Android KIOSK01




1x KIOSK01 Power Supply



## Basic Dimensions

For dimensions of the Android KIOSK01, refer to the drawings below.

Units: mm



## Site Selection and Placement

- Install the display in a high-traffic, intuitive location that aligns with customer flow and does not obstruct walkways or emergency exits.
- Ensure clear sightlines to menus, branding, and instructions without glare from direct sunlight or overhead lighting.
- Allow adequate queuing space in front of the screen to avoid congestion during peak periods.
- Position units so that staff can observe and assist customers if required.

## Mounting & Physical Installation

- Install on a stable, level surface or approved wall/floor mount rated for the display's weight.
- Confirm all fixings comply with local building codes and safety standards.
- If floor-mounted, ensure the base is securely anchored to prevent tipping or movement.
- Avoid installing near sources of excessive vibration, heat, moisture, or grease.

## Accessibility & Ergonomics

- Mount the touchscreen at a height that supports comfortable use for most users, including wheelchair access where required.
- Ensure the display supports reach, visibility, and leg clearance in accordance with relevant accessibility guidelines (e.g., ADA or local equivalents).
- Provide clear visual prompts and sufficient text size for ease of use.

## Power & Connectivity

- Use only approved power supplies and cables provided or specified by the manufacturer.
- Ensure access to a dedicated, reliable power outlet, ideally with surge protection.
- Route all cables through internal or concealed cable management where possible to reduce trip hazards and improve aesthetics.
- Verify stable network connectivity (Ethernet or Wi-Fi) before commissioning.
- Devices should be powered off at the end of each day. Device On/Off automatic scheduling can be setup in settings.

## Environmental Considerations

- Operate the display within the recommended temperature and humidity ranges.
- Avoid exposure to direct water spray, steam, or cleaning chemicals.
- For food service environments, position displays away from cooking surfaces and fryers.

## Initial Setup & Commissioning

- Power on and verify touchscreen responsiveness across the full display area.
- Confirm correct orientation, brightness, and audio settings (if applicable).
- Test all peripherals (payment terminals, printers, scanners) before customer use.
- Perform a test transaction to confirm end-to-end system functionality.

## Cleaning & Maintenance

- Clean the screen regularly using a soft, lint-free cloth and manufacturer-approved cleaning solutions whilst powered off.
- Do not use abrasive materials or excessive liquid directly on the screen.
- Periodically inspect mounts, cables, and connectors for wear or loosening.
- Schedule routine software updates and system health checks.

## Safety Notices

- Do not lean on, climb, or hang items from the display.
- In the event of damage, overheating, or unusual behaviour, power down immediately and contact support.
- Keep liquids and foreign objects away from ventilation openings.