



USER MANUAL

8K HDMI Repeater

Enjoy the vivid world

Introduction :

This HDMI repeater can realize signal enhancement by signal equalization and reorganization, so that the signal can be transmitted to longer distance. The Resolution of this HDMI repeater can be up to:7680x4320/60Hz.




Features :

- * Support CEC;
- Support 3D video format;
- * Support repeater up to 7680x4320/60Hz;
- * Product shape is small and beautiful.

Specifications:

HDMI resolution	up to 8K/60Hz
Support audio format	DTS-HD/Dolby-trueHD/DTS/Dolby-AC3/DSD
Support video format	8/10/12bit Deep color
Max baud rate	4x12Gbps
Input cable distance	≤15M AWG24 HDMI standard cable
Output cable distance	≤10M AWG24 HDMI standard cable
Operating Temperature range	(-15 to +45 °C)
Operating Humidity range	5 to 90%RH (No Condensation)
Dimension (L x W x H)	52x25x14 (mm)
Weight	15g

Connection Diagram :



Operating and Connecting :

1. Connect the HD source to the repeater input with one HDMI cable.
2. Connect the display to the repeater output with one HDMI cable.

Accessories :

- | | |
|---------------------|-----|
| 1. 8K HDMI Repeater | 1PC |
|---------------------|-----|