

USER MANUAL


V2.0 1X4 HDMI 4K Splitter

Enjoy the vivid world!

INTRODUCTION

1X4 HDMI 4K splitter

This 1x4 hdmi splitter use a single HDMI source,accessing to multiple HDMI sinks .It allows one HDMI device to be split easily to four HDMI compatible monitors or projectors.In addition,It can also be placed at the end of a long HDMI cable to regenerate the HDMI signal. The resolution of this hdmi splitter can be up to 3840X2160/60HZ.



Features :

- Support HDMI 2.0b version
- Support 3D video format
- Support high resolution up to 3840X2160/60HZ
- Support highest rate of 6G and TMDS clock can be up to 600 MHz
- Support 8/10/12 bit deep color
- Support AWG26 HDMI standard cable: input up to 15 meters,output up to 20 meters.(resolution 1080P,4K/30Hz)
- Support AWG26 HDMI standard cable: input up to 5 meters,output up to 5 meters(resolution 4K/60HZ)
- Support one single HDMI source,accessing to multiple HDMI sinks, the source can be DVD player, A/V receiver, set top box and ect
- 5V/1A power adapter

Specifications

HDMI version.....	HDMI2.0b
HDMI resolution.....	up to 3840*2160/60Hz
Support video format.....	8/10/12 bit deep color
Support audio format.....	DTS-HD/Dolby-trueHD/DTS/Dolby-AC3/DSD
Max bandwidth.....	600MHZ
Max baud rate.....	6Gbps
Input cable distance.....	(1080p,4K/30Hz resolution)≤15m, (4K resolution)≤5m
AWG26 HDMI standard cable	
Output cable distance.....	(1080p,4K/30Hz resolution)≤20m, (4K resolution)≤5m
AWG26 HDMI standard cable	
Max working current.....	650mA
Power adapter format.....	input AC(50Hz, 60Hz)100V-240V; DC5V/1A
Operating temperature range.....	(-15 to +55℃)
Dimension (L x W x H).....	178x67x23(mm)
Weight.....	230g



Product interface pictures:



Connection and Operation:

- 1: connect the HD source to the splitter input with one hdmi cable
- 2: connect the splitter output to the displays with 4 hdmi cables
- 3: connect 5V/1A power adapter to the splitter

Package include :

1. HDMI splitter
2. Power adapter
3. User manual