Valencia

HOME THEATER SEATING

Semi-Aniline Nappa Leather 20000

Cuir Nappa Semi-Aniline 20000

www.valenciatheaterseating.com

SEMI-ANILINE NAPPA LEATHER 20000

Investigation	Test method	Measurement Unit	Result	Guaranteed
Thickness		mm	0.9 - 1.5	
Average size		sqm	5.0 - 6.0	
Tear strength - single edge tear	UNI EN ISO 3377-1	N		>=30
Color fastness to rubbing - Dry 500 cycles	UNI EN ISO 11640:1998	Grey scale		>=8
Color fastness to rubbing - Wet 250 cycles	UNI EN ISO 11640:1998	Grey scale		>=8
Color fastness to rubbing - Sweat 80 cycles	UNI EN ISO 11640:1998 ISO 11641 pH8	Grey scale		>=8
Flexing endurance -Dry 50,000 Cycles	UNI EN ISO 5402			No damage
Finish adhesion	UNI EN ISO 11644	N/Cm		>=4
Color fastnessto to artificial light -Exposition energy 16,000 kj/sqm	UNI EN ISO 105 B02 (MET.5)	Blue Scale		>=6
Burning behaviour to cigarette and match flame	BS 5852:1979 BS EN 1201-1-2:2006			pass

Characteristic

Bovine of European origin. Handcrafted exclusively with water soluble dyes, this leather is both organic and long lasting. Semi-Aniline Italian leather 20000 is extremely durable due to a high collagen fibre structure. Premium-quality leather finished with protective S-Layer, producing a soft, velvety matte appearance.

Leather-care

Avoid direct sunlight. Avoid exposure to heat sources.

SEMI-ANILINE NAPPA LEATHER 20000



SEMI-ANILINE NAPPA LEATHER 20000

Onyx

Royal Cognac

Graphite

Dark Sand

Boulder Grey

Imperial Blue

Steel Blue

Army Green

Olive Green

Moonlight Blue

French Violet

Burgundy

Merlot

Crimson Red

SEMI-ANILINE NAPPA LEATHER 20000


Scarlet Red

Almond Brown

Tahiti Gold

Cream

Ivory

Saddle Brown

Chestnut

Tuscan Sun

Latte

Dark Roast

Valencia
HOME THEATER SEATING