


Thank you for choosing Dreamhood Wallpapers! For any help regarding installation, feel free to contact us.



Preperation

Prepare the necessary tools for wallpaper hanging, and ensure adequate conditions in the room. We recommend that the room is illuminated, the floor surfaces clean (or covered) and the room temperature above 12 Celsius.

Tools



sužva

paste

brush

scalpel

meter

scissors

Installing our Wallpaper is easy if you follow the instructions and use the recommended tools. However, if you do not feel ready to install them alone, make sure to contact a professional installer.

1

Wallpaper preparation

Carefully unroll the wallpaper on a flat, clean surface. The wallpaper is made up of several segments marked with an ordinal number at the bottom. Check the segments to make sure that they are numbered and prepare them properly for setup. Inspect the all segments for any faults prior to installation.

2

Wall preperation

The wall needs to be thoroughly inspected. Any imperfections need to be removed bevor installation. What you need to pay attention to is:

- whether there are recesses or holes to be evened out
- whether there is excess paint to be scraped off
- whether there is the presence of oil or other materials that make adhesion of the wallpaper paste inconsistent
- whether there are damp parts of the wall

All wall flaws must be taken care off before installation to ensure good adhesion. The wall has to be even and dry.

It is highly recommended to install the wallpaper on impregnated wall surfaces to ensure good adhesion. If you impregnate the wall just before installing the wallpaper, allow enough time for the wall to dry.

3

Paste preperation

Prepare wallpaper paste according to the manufacturer's instructions. If you use powder adhesive, use a mixing ratio for medium to heavy wallpaper and make sure the mixture does not contain lumps.

4 Start line

Before hanging the wallpaper, ensure that the start line of the first segment is set. We can achieve this by drawing a vertical path (using a pencil) along the right edge of the first segment using a spirit level or plumb line. Setting this line will ensure that all other segments that we lean against each other are placed along the correct vertical axis.



5 Hanging the segments

First segment

Apply the paste evenly to the wall over the area of the first segment and the back of the wallpaper using a brush or roller. Let the segment soak in for 5 minutes before hanging it - this is important so that it activates the adhesive. Ensure even, sufficient application of adhesive.




Place the first segment from the top of the wall to the bottom. Pay attention to the start line on the wall and position the segment exactly along it. Handle the segment carefully, reposition if necessary if you are not satisfied with the position. Never stretch the segment or use force to avoid damaging it. After hanging, remove excess adhesive under the wallpaper using a brush (alt. roller, or wallpaper spatula). We achieve this by brushing from the middle of the segment towards the edges. Then, use a scalpel to trim off the excess parts (bottom edge with a segment mark) and wipe it with a damp cloth to remove excess paste.



Other segments


Repeat the previous step for each segment. Position the next segment edge to edge to the previous one and ensure no gap is visible between them. Once you achieved the correct position, press the seam from the top towards the bottom with a rubber roller (alternatively with a cloth or sponge) to remove excess paste.



Once all segments are hung, make sure to inspect all segments. Check for excess paste, missalignments or any other faults and correct them. Remove any excess parts of the wallpaper with the scalpel. Once fully complete, wipe the wallpaper with a damp cloth to clean up and allow it to dry at room temperature for a few hours.

6 Maintenance and removal

Wallpaper is easily maintained by wiping with a damp cloth or sponge if needed. If you decide to take it off, pull the wallpaper from the top of each segment to the bottom. The wallpaper will not leave marks on the wall and will separate from it in one piece.



Dreamhood
WALLPAPERS

If you need help or got questions, get in touch with us and our team will be happy to support you.

www.dreamhoodwallpapers.com
hello@dreamhoodwallpapers.com

Hvala na ukazanom povjerenju! Pred vama su upute za postavljanje vaših tapeta. Pročitajte ih ili proslijedite majstoru :)



Prije postavljanja

Pripremite potreban alat za postavljanje tapete, te osigurajte adekvatne uvjete u prostoru. Savjetujemo da je prostor osvijetljen, podne površine čiste (ili prekrivene zaštitnim najlonom) te temperatura prostora iznad 12 Celsius-a.

Potreban alat



Postavljanje zidne tapete je jednostavno ukoliko se detaljno slijede upute te koristi preporučeni alati. Međutim, ukoliko se ne osjećate spremno ili želite osigurati beskompromisani rezultat, svakako se obratite profesionalnom montažeru.

1

Priprema tapete

Oprezno odmotajte tapetu na ravnoj, čistoj površini. Tapeta je sačinjena od nekoliko segmenata koji su označeni rednim brojem na dnu. Prekontrolirajte segmente kako bi se uvjerili da su svi na broju te ih uredno pripremite za postavljanje. Prekontrolirajte segmente kako ne bi imali oštećenja uzrokovanih transportom.

2

Priprema zida

Zid je potrebno temeljito pregledati kako bi se nepravilnosti uklonile prije postavljanja tapete. Ono na što trebate обратити pažnju jest:

- postoje li neravnine koje treba ispuniti
- postoje li viškovi boje koje treba odstrugati
- postoji li prisustvo gipsa, ulja ili drugih materijala koje ga čine nekonzistentnim ili mu smanjuje prijanjanje ljepila
- postoje li vlažni dijelovi zida

Sve nepravilnosti potrebno je prije postavljanja ukloniti kako bi se osiguralo dobro prijanjanje bez neravnina. Ukoliko se iste ne uklone, postoji mogućnost slabijeg prijanjanja ili vizualnih nepravilnosti.

Preporučeno je tapetu postavljati na impregnirane zidne površine kako bi se osiguralo dobro prijanjanje. Ukoliko impregnirate zid neposredno prije postavljanja tapete, osigurajte dovoljno vremenskog razmaka kako bi se zid osušio.

3


Priprema ljepila

Pripremite tapetno ljepilo prema uputama proizvođača za kvadraturu vaše tapete. Ukoliko koristite ljepilo u prahu, koristite omjer mješanja za teške tapete te osigurajte da smjesa ne sadrži grudice.

4

Preparacija pravca

Prije postavljanja tapete na zid, potrebno je osigurati da je smjer prvog segmenta ispravan. To možemo postići iscrtavanjem pravca po zidu uz desni rub prvog segmenta koristeći libelu. Ukoliko nemate libelu, zavežite teži metalni predmet (primjerice škare) uz konac i objesite ga. Ucrtani pravac će osigurati pa se svi ostali segmenti koje naslanjamo jedni uz druge, postave uz vertikalnu os zida.



5

Postavljanje tapete

Prvi segment

Nanесите лепило равномерно на зид на подручје првог сегмента и последњу тапету помоћу четке или ваљка. Осигурјте довољан нанос лепила. Добар индикатор да сте нанијели довољно лепила је уколико се препознаје trag прста којим сте прошли по намазаном зиду.




Postavite prvi segment od vrha zida prema dnu. Obratite pozornost na ucrtani pravac na zidu te segment pozicionirajte točno uz pravac. Pažljivo rukujte sa segmentom, te ga po potrebi odlijepite i ponovo postavite ukoliko niste zadovoljni pozicijom. Nikako nemojte rastezati segment ili koristiti силу како га не бисте оштетили. Nakon postavljanja, poravnajte га те уклоните eventualne mjehuriće ispod tapete. To postižemo potezima četkom od sredine segmenta prema rubovima. Nakon toga, skalpelom обреžite viškove (donji rub sa oznakom segmenta) te га prebrišite vlažnom krpom како би одstranili viškove лепила.



Ostali segmenti

Na svaki idući сегмент nanosimo лепило te га од врха према дну постављамо на намазани зид. При томе га опрезно осланjamо на руб претходног сегмента te осигуравамо да је спој neprimjetan. Када сте постигли одговарајући спој, притисните га од врха према дну гуменим ваљком (alternativno krpom ili spužvom).




Spojevi ne smije ukazivati praznine niti se preklapati. Уколико нiste zadovoljni sa spojem, radije skinite segment te га iznova postavite.

Nакон постављања свих сегмената, prebrišite ih vlažном крпом како бiste уклонили вишкве лепила te ih ostavite суши на собној температури.

6

Održavanje i skidanje

Tapeta se lako održava brisanjem sa vlažnom крпом или spužvom ukoliko постоји потреба. Ако ју одлучите skinuti, povlačите tapetu од врха сваког сегмента према дну. Tapeta при томе неће ostavljati tragove по зиду te ће се odvojiti од njega u jednom комаду.



Dreamhood
WALLPAPERS

Imate dodatnih pitanja?

Rado vas savjetujemo oko постављања наших тапета.
Уколико имате било каквih питања, слободно нам се обратите.

www.dreamhoodwallpapers.com

hello@dreamhoodwallpapers.com