



① The device weight is less than 1 kg. The installation height of

E





(3)



eWeLink App pairing






After powering on, the device will enter the Bluetooth Pairing Mode during the first use. The Wi-Fi LED indicator changes in a cycle of two short and one long flash and release.

① The device will exit the Bluetooth Pairing Mode if not be paired within 3mins. If you want to enter this mode again, please long vine device will exit the Bluetooth Pairing Mode if not be paired within 3mins. If you want to enter this mode again, please long press the pairing button for about 5s until the Wi-Fi LED indicator changes in a cycle of two short and one long flash and release.



## Amazon Frustration-Free Setup (FFS)




When you hear "New plug found" about 1-2 mins after powering on, refresh the device list in the Alexa App and you will see the device is added successfully.





LIKE IT! **a** f 9 Get the latest news by following us: New arrival **Promotion** How-to videos



Model	S40TPB, S40TPB Lite
Input	120V~ 60Hz
Max. Load	15A/1800W
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
App operating systems	Android & iOS
Bluetooth Standard	4.2BLE
Color	White
Working temperature	-10~40°C
Shell material	PC V0
Dimension	76x40x32mm

Flashes (one long and two short): Bluetooth pairing mode

Flashes quickly once: Fail to connect to router

Flashes quickly twice: Connected to router but fail to connect to Serve Flashes quickly three times: Firmware updating

Select the "Wi-Fi Settings" in the "Device Settings" interface on the eWeLink App to change.

Deleting the device on the eWeLink App indicates you restore it to factory setting.

- Fail to pair Wi-Fi devices with eWeLink App 1. Make sure the device is in pairing mode. The device will automatically exit the pairing mode if not paired within 3mins.

  2. Please turn on the location service on your mobile phone and give the permission. Before choosing the Wi-Fi network, the location service should be turned on and the permission is given. Location information permission is used to obtain Wi-Fi list information. If you tap "Disable", the device will not be added.

  3. Make sure your Wi-Fi network runs on the 2.4GHz band.

  4. Make sure you metred a correct Wi-Fi SDJ and password, no special characters contained. A wrong password is a very common reason for pairing failure.
- reason for pairing failure.

  5. You may get the device close to the router for a good signal transmission while pairing.

Please check the following issues by the Wi-Fi LED indicator stat The LED indicator blinks once every 2s means you fail to conne

- to the router.

  1. Maybe you entered a wrong Wi-Fi SSID and password.

  2. Make sure your Wi-Fi SSID and password don't contain special characters, for example, the Hebrew, Arabic characters. Our system can't recognize these characters so that fail to connect to the Wi-Fi.
- . Maybe your router has a lower carrying capacity.
- Maybe the Wi-Fi signal strength is weak. Your router is too far away from your device, or there may be some obstacles between the router and the device so that the signal transmission is blocked.

The LED indicator flashes twice on repeated means you fail to

connect to the server. 1. Make sure the Internet connection is normal. You can use your

1. Make sure the Internet connection is normal. You can use your phone or PC to connect to the Internet, and if you fail to access, please check the availability of the Internet connection.
2. Maybe your router has a low carrying capacity. The number of devices connected to the router exceeds its maximum value.
Please check the maximum number of devices that your router can carry. If the number of connected devices exceeds the maximum value, please delete some devices or change a lager router and true again.

If none of the above methods solved this problem, please submit your issue via help & feedback on the eWeLink App.

Changes or modifications not expressly approved by the party responsible for compliance could avoid the user's authority to operate the equipment.

# FCC Radiation Exposure Statement:

This equipment compiles with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Note:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
   Increase the separation between the equipment and receiver.
   Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
   Consult the dealer or an experienced radioTV technician for help.



Scan the QR code or visit the website to check the lastest user manual and help.



Shenzhen Sonoff Technologies Co., Ltd. 3F & 6F, Bld A, No. 663, Bulong Rd, Shenzhen, GD, China













物料名称: S40TPB & Lite 说明书 V1.1

材料工艺: 105g铜板 四色印刷 手风琴6折页

尺寸规格:展开: 300x70mm 折后: 50x70mm

编制日期:2022.09.28

备注: