

## Sink Bowls

### Weld in sink Bowl

#### Bowl Size

Code	Bowl Size
M60450300	600x450x300mm
M50400300	500x400x300mm
M50400250	500x400x250mm
M50400200	500x400x200mm
M40400250	400x400x250mm
M40440200	400x400x200mm
M40340180	400x340x180mm
M340300180	340x300x180mm
C25535L/R	760x510x380mm
W2WELD	12" ROUND WELD IN
W1WELD	9" ROUND WELD IN

### Inset Bowls

D20146N	9" Round inset bowl
D20140N	12" Round inset bowl
D20142N	15" Round inset bowl
D20144N	17" Round inset bowl
C20120N	380x300x180mm
C20132N	400x400x250mm
C20136N	610x460x300mm





### Bucket Sink

Code	Description
WB440CP	440 x 310 x195mm complete complete with splashback.
G21663N	500x517x780mm complete with 2 legs and splashback.
BUCKET01	500X600X600mm complete with 4 legs and wall anchor.



### Janatorial Unit

Code	Description
G20050N	570 x 880mm floor standing unit 4 legs complete with wash hand basin on top 360 x 272 x 135mm.
JAN01	500 X 700 X 600mm floor standing unit complete with wash hand basin 330x500x170mm.



### Leg Basin

Code	Description
8500.00	340x340x200mm complete complete with mixer valve. knee valve spout and outlet.
8507.00	430x375x580mm complete with splashback and mixer valve spout and outlet.
LEG01	340x340x200 no mixer valve.



### Sluice sink

Code	Description
G22027	1600x600x300 this flushable Sink can be used as a hospital disposal unit. It is made from 304 stainless steel it has many extras.
B4052	110mm stainless P trap
B4059	110mm stainless S trap
G20605N	stainless steel cistern
B4215	stainless downpipe
G26524	stainless front leg support

Basin taps available in lever either as shown or with high neck.



Mixer taps 7" centers available in lever swivel spout.



Double hole deck mounted pre-rinse unit with 7" to 8" center's including wall bracket.



Single hole deck mounted pre-rinse unit with including wall bracket.



Wall mounted bib tap's



Mono block mixer tap's available in lever or twist turn.



Single lever mono block tap.



Push down non concussive taps



**Drinking Fountain****Wall hung including bubbler tap****Code:W1DF****Wash hand basin wall hung****457x357mm with apron support****Code:: D20163N****Wash hand basin wall hung Model A****305x270mm complete with apron support.****Code:: D20161N****Wash hand basin wall hung model B****385x330mm complete with apron support****Code:: D20162N****Stand pipe waste fittings with perforated strainer.****They come in 250mm****300mm****Code: Euro10****Code: Euro12****Waste fitting with overflow.****1 1/4"****1 1/2"****Code: F2117****Code: F2119****Waste fitting no overflow.****1 1/4"****1 1/2"****Code: F2118****Code: F2119N0****Waste adaptor****1 1/4"****1 1/2"****Code: MC14A/F****Code: MC12A/F**

Urinal Spreader back inlet slab & trough use - slotted outlet Chrome Plated finish.

Code: 205941/1



Urinal waste domed hinged. 1 1/2"  
2"  
2 1/2"

Code: 2022004

Code: 20321002

Code: 20421002




Knee Valve Assembly, colour-coded single pedal, self closing valves, for use with spout bases. Rough chrome valve body with polished chrome foot pedal.

Code: K25-4000



Push button timed valve ( shower valve) chrome plated.

Code: KNEEVALVE



Repair kit for for pre-rinse spray head (gun).

Code: K50-0200



Repair kit for pre-rinse spray head (gun).

Code: 205941/1



Encore® NSF Pre-Rinse Hose Assembly, stainless steel casing over nylon reinforced rubber core.

Code: K50-Y004-44



Stainless steel 1/2" nipple male to male

Code: NIP12



## Piano Hinge



CODE	SIZE	material	thickness	length
M48-0112	3/4"	stainless steel	0.8mm	6ft
M48-0121	1 1/16"	stainless steel	1 mm	6ft
M48-0132	1 1/2"	stainless steel	1 mm	6ft
M48-0134	1 1/2"	stainless steel	1.5 mm	6ft
M48-0144	2"	stainless steel	1.5 mm	6ft
M48-0154	2 1/2"	stainless steel	1.5 mm	6ft
M48-0164	3"	stainless steel	1.5 mm	6ft
M48-0174	4"	stainless steel	1.5 mm	6ft


1 1/2", 2" and 2.5" also available in mild steel.

### Weld on Butt Hinges

- A.M74-2078 2" x 2" open butt hinge stainless steel 2mm thick
- B.M74-3078 3" x 3" open butt hinge stainless steel 2mm thick
- C.M74-4079 4" x 4" open butt hinge stainless steel 3mm thick
- D.BALE040303 4" x 3" butt with ball bearings and holes 3mm thick




- A. M75-1002 flag hinge 50mm
- B. M75-5003 flag hinge 75mm
- C. GUDWELD2 50mm weld on hinge
- D. GUDWELD4 75mm weld on hinge




- A. P50-1010M chrome pull handle 4" centres
- B. P44-1010M Aluminium pull handle 4" centres
- C. P46-1010 Stainless steel handle 5" centres
- D. BALE1028 Stainless steel 8mm round pull handle 5" centres




- A. P63-1012 flush pull drawer handle with studs
- B. P60-1010 round flush 120mm diameter
- C. P62-1010 flush pull handle sliding door
- D. P73-1000 recessed door handle snap-in 127mm long




- A. P68-1010 drop down handle s/s heavy duty 101mm
- B. P70-1010 drop down handle s/s 86mm
- C. M37-1105 T type handle locking
- D. M37-1107 L type locking handle




- A. P90-1000 s/s paddle latch 55mm
- B. P90-2000 s/s paddle latch 84mm locking or non-locking
- C. P90-5000 s/s paddle latch 124mm locking or non-locking
- D. P80-3030 25mm chrome plated knob




- A. M12-9293 spring latch / hinge 35mm
- B. M12-9295 spring latch / hinge 70mm
- C. M12-9296 spring latch / hinge 85mm
- D. M12-9297 spring latch / hinge 100mm




- A. M22-2420 ball catch 60mm long adjustable tension
- B. M22-2430 ball catch heavy duty 76mm long
- C. M10-8332 toggle latch s/s 57mm
- D. M10-8333 toggle latch heavy duty s/s 86mm long



- A. M30-5920 magnetic catch 20 lb pull
- B. M30-2401 magnetic catch 30 lb pull
- C. M36-0201 snap in magnetic catch single
- D. M36-0611 round snap in magnetic catch



- A. P30-4760 s/s face keyed alike utility lock 22mm
- B. P30-4780 s/s face keyed alike utility lock 35mm
- C. P20-0490 plunger lock for by passing doors
- D. P10-0370 drawer lock



### Drawer Slides Zinc Plated



Code	Description
S350012	12" drawer slide zinc plated
S350014	14" drawer slide zinc plated
S350016	16" drawer slide zinc plated
S350018	18" drawer slide zinc plated
S350020	20" drawer slide zinc plated
S350022	22" drawer slide zinc plated

### Drawer Slides Stainless Steel



Code	Description
S250018	18" stainless drawer slides
S250020	20" stainless drawer slides two piece
S260018	18" stainless drawer slides
S260020	20" stainless drawer slides ball bearing separate mounting

### Stainless Under Counter Drawer



P63-100	under counter stainless steel drawer including removable gastronorm container 355mmx530mmx120mm.
P63-150	under counter stainless steel drawer including removable gastronorm container 355mmx530mmx170mm.

### Sliding Door Track and Sheaves



Code	Description
B57-0060	5FT length of door track 1500
B57-0120	10FT length of door track 3000
B58-5511	front door sheave offset
B58-5521	rear door sheave straight



- A. CAS005 4" nylon plate castors
- B. CAS006 4" nylon plate castors braked
- C. CAS007 4" nylon plate castors for 30mm box
- D. CAS008 4" nylon plate castors for 30mm box braked



- A. CAS001 4" plate castors grey rubber
- B. CAS002 4" plate castors grey rubber braked
- C. CAS003 4" grey rubber castor for 30mm box
- D. CAS004 4" grey rubber castor for 30mm box braked




- A. IN025H 25mm adjustable foot square insert
- B. IN030H 30mm adjustable foot square insert
- C. IN040H 40mm adjustable foot square insert
- D. IN050H 50mm adjustable foot square insert




- A. IN030F 30mm adjustable foot flanged
- B. IN040F 40mm adjustable foot flanged
- C. FAJ030 30mm adjustable black plastic
- D. INP040H 40mm adjustable foot grey plastic



- A. J16-0100 25mm stainless steel end cap
- B. J16-0201 25mm chrome end cap round
- C. J86-4300 22mm finger ring
- D. J86-4301 25mm finger ring




- A. END025S 25mm black end cap square
- B. END025R 25mm black end cap round
- C. END030S 30mm black end cap square
- D. END040S 40mm black end cap square



- A. J19-4960 three bar tray rail bracket
- B. J19-4955 drop down three bar tray rail bracket



- A. J17-4273 drop down tray rail bracket
- B. J19-4967 tray rail bracket stainless steel



## PVC WALL CLADDING

We are pleased to announce our new product line of PVC Hygienic White Cladding for commercial kitchens, bakeries, food storage, butchers or any commercial food preparation area.

Plastic Wall Cladding can be applied to the inside walls of a commercial kitchen, shower rooms, bathroom, public toilets etc and is often used in homes and offices.



**All of our PVC Hygienic products comply with all current food and fire regulations and contain absolutely no harmful ingredients.**

Catering PVC Panel Sheet white are available in size:

2440 x 1220 x 2.5mm

2440 x 1220 x 2.0mm

Catering PVC Wall Cladding products are the highest quality and the best value for money within Ireland.

### Adhesives and Silicone available

H section is used to easily join sheets together it has an antimicrobial gasket seal which effectively eliminates 99.9% of bacteria's.

Available in 2.44m/3.05m Lengths



J section is used as an edging particularly at the base of a sheet. We often fix this profile 100mm from the floor to allow vinyl floor to be covered under it.

Available in 2.44m/3.05m Lengths.



A small covered corner is used to provide an easy clean finish to inside corners and for example can be used at the base of shower trays to facilitate the flow of water.

Available in 2.44m/3.05m Lengths



The F profile angle is used to cover external corners; one side has a groove that slides onto the sheet the other side of the angle covers the sheet.

Available in 2.44m/3.05m Lengths.



## Gas Springs and Dampers

Whether you want to lift, lower, or dampen, Gas Springs and Dampers will provide the controlled motion you need. Gas Springs are excellent for assisting in lifting lids, covers, doors and hatches, keeping them open, and reducing the speed at which they close.



## Scrap Chutes



- A. stainless steel scrap chute with a 6" opening
- B. Grey rubber scrap with a 5 3/4" opening
- C. Black rubber scrap chute with a 8" opening

## CUP DISPENSERS

C3200CH 6 to 12oz stainless steel cup dispenser  
Horizontal Deck mounted cut out size 110mm

C3400CH 12 to 24oz stainless steel cup dispenser  
Horizontal Deck mounted cut out size 120mm



## GLASS CAPPING AND JOINING STRIP

- A. J64-1450 8ft Joining strip for stainless steel
- B. J63-1451 8ft End strip for stainless steel
- C. B70-1001-6 6Ft Glass capping 6mm stainless steel
- D. J65-4110 12ft T Section stainless steel

## Refrigeration doors and drawers

**Made in AISI-304 stainless steel throughout**

**Insulation in polyurethane foam,  
density 40/45 m3**


**Seals in EPDM to interrupt the thermal bridge  
CFC-free**

**Seals in santoprene (MONSANTO) for  
maintaining hot/cold**


**Closure fitting made in ZYTEL for total  
efficiency and durable ruggedness**



CODE	SIZE	Type
3000/10	440H x 590W	Refrigerated door
3000	440W x 590H	Refrigerated door
3002	440W x 440H	Refrigerated door
3004	440W x 380H	Refrigerated door
3004/2	870W x 380H	Refrigerated door
3002/2	870W x 440H	Refrigerated door
3020A	440W x 590H	Triple drawer unit
3024	440W x 590H	Double drawer unit




## Gastronorm Containers



For enhanced durability, BOURGEAT have developed and patented a new pressing to strengthen the angles of gastronorm containers giving added protection against accidental damage.

**Stainless-steel** : the most versatile of all material From storage of foodstuffs, through cooking to handling, transport, holding and presentation, stainless-steel provides the universal solution.



### Racking Trolleys

1/1 size	code	levels	size
	775710	10	460x630x1700
	775715	15	460x630x1700
600x400 size	code	levels	size
	775720	20	460x630x1700
	773715	15	540x700x1700
2/1 size	code	levels	size
	773720	20	540x700x1700
	774710	10	660x750x1700
	774715	15	660x750x1700
	774720	20	660x750x1700