




# SHORT INSTALLATION INSTRUCTIONS COMPACK LIVING 180° system

MILCASA STORE +1 (347) 782-3353

www.milcasastore.com - support@milcasastore.com




### **INSTALLATION INSTRUCTIONS**






### Assembling the hardware on the jamb





#### Installation door leaf on the jambs



See sequence below for fitting the door:

- 1 fold the door leaves aganist one another
- 2 mount the door on the pivot of the hinge lower
- 3 position the top hardware pieces in perfect alignment with the corner and screw in place (screws included)


Part list		
Ref.	Q.ty	Description
540	4	Screw TSP trx ø 4x20



#### ADJUSTMENT OF SECONDARY STOP

The adjustable secondary stop is used when traditional paired door handles or knobs are used for versions 1, 2 and 3 (see chapter 3. VARIANTS OF USE).


This also makes it possible to use a traditional lock.



<sup>\*</sup> Important: after adjusting the stop, a floor-mounted doorstop should also be installed.



## <u>Hardware</u>



Part list		
Ref.	Q.ty	Description
500	1	Compack Living system RH or LH
510	1	Central hinge lower
520	1	Lateral hinge lower for leaf RH or LH
530	1	Lateral hinge lower for jamb RH or LH
540	4	Screw TSP trx ø 4x20
550	16	Screw TSP trx ø 4x30
560	1	Invisible hinge for alignment leaves
570	1	Magnetic lock Compack Living with strikers and special square spindle (optional)



COMPACK living® MILCASA STORE +1 (347) 782-3353 www.milcasastore.com|support@milcasastore.com