




GE  
Lighting



1084  
kWh/1000h

E  
energy class

28  
lumens/watt

PAR 64

FFP 120V

13229

## Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

## Application areas



Club and Disco



## Product data

Product Code	13229
Bulb Shape	PAR
Bulb Diameter [mm]	203.2
Maximum Overall Length [mm]	152.4
Net weight per piece [g]	952
Gross weight per piece [g]	1058
Brand	General Electric (GE)
Cap/Base	G16d

## Performance data

Nominal/ Rated Beam Angle [°]	19
Nominal center beam candlepower (CBCP) [cd]	330000
Weighted energy consumption [kWh/1000h]	1083.58
Energy efficiency class (EEC)	E
Rated Life [h]	800
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	28000
Colour Rendering Index (CRI) [Ra]	100

## Electrical data

Coil type	CC-6
Ballast Required	Yes
Nominal power [W]	1000
Nominal lamp voltage [V]	120

## Logistic data

DUN Code	00043168132299
EAN Code	0043168132299
Pack Quantity	6
Layer quantity	1 UK
Layer quantity UK	1
Pallet quantity UK (PC)	252
Outer case size	197 x 354 x 551 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.