

XBO C 300W/EPKI



Product features and benefits

- High luminance / radiance with intense point source
- Broad, continuous spectral distribution
- High color rendering > 95
- High arc stability
- DC operation

Areas of application

- Endoscopy
- Microscopy
- Surgical Headlamps
- Fiber Illumination
- Solar Simulation
- Imaging & scanning

Product datasheet

Technical data

General product information

Product Number	55207
Product Name	XBOC300WEPKI 4/CS 1/SKU
Ordering Abbreviation	XBO C 300W/EPKI
Brand Name	OSRAM
General Description	XBO 300 watts high pressure Xenon lamp for use in 1576A PentaxIlluminator
Application	Boroscopy, Endoscopy, LaboratoryLightguide, Minimal invasive surgery, Solar simulation, Surgical headlights
Product Remark	<ul style="list-style-type: none">- This lamp has positive pressure even when cold. Please read safety/warning instructions before using this lamp.- Up to 50% of initial output.- Warranty is up to 50% of the Average Rated Life.

Electrical data

Nominal Wattage	300 W
Nominal Voltage	13 V
Current (A)	22 A
Type of Current	DC

Light technical data

Luminous Flux	7400 lm
Color Temperature	5900 K
Average Rated Life	1000 h

Physical attributes

Bulb Shape	REFLECTOR
------------	-----------

Additional product data

Operating Position	Horizontal
--------------------	------------

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
55207	4062172001014	Folding box (SKU)	1		
55207	4062172001021	(Case)	0		

Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
----------------	---------	-----------	----------	------------------------------	--------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.