Product datasheet



CYV



Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	54706		
Product Name	CYV 120V 6/CS 1/SKU		
Ordering Abbreviation	CYV		
Brand Name	OSRAM		
General Description	1,000 watt, tungsten halogen, medium to high voltage, single-ended		
Application	Stage & Studio		

Electrical data

Nominal Wattage	1000 W
Nominal Voltage	120 V
Type of Current	AC

Light technical data

Luminous Flux	27500 lm
Light Center Length - LCL (in)	4.953 in
Light Center Length - LCL (mm)	127 mm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	200 h

Physical attributes

Base	G38 Moqul Bipost		
Dase	438 Mogut Bipost		
Bulb Shape	Т7		
Maximum Overall Length (in)	7.644 in		
Maximum Overall Length (mm)	196 mm		
Length I (in)	7.644 in		
Length I (mm)	196 mm		
Length I max. (in)	7.644 in		
Length I max. (mm)	196 mm		
Diameter d (in)	0.945 in		
Diameter d (mm)	24.00 mm		
Distance a (in)	4.953 in		
Distance a (mm)	127 mm		
Filament	C-13D		

Product datasheet

Additional product data

Operating Position	Any
Total surface inside 1: appearance (cold)	Clear
Class	C (gas)
Lamp Type	SINGLE END

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54706	4008321483331	Unpacked (SKU)	1		
54706	10046135547062	Shipping box (Case)	6	11.4 in x 10.5 in x 8.4 in	5.9 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.