

# PL-L Long 4-Pin Base

## PL-L 18W/835/4P

Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum effciency and sleek design solutions are required.

#### Product data

## • General Information

Cap-Base 2G11 [ 2G11]
Life To 50% Failures 15000 h
(Nom)
Life To 50% Failures 20000 h
Preheat (Nom)

## • Light Technical

Color Code 835 [ CCT of 3500K] Initial lumen (Nom) 1200 lm Color Designation White (WH) Lumen Maintenance 92 % 10000 h (Nom) 94 % Lumen Maintenance 2000 h (Nom) Lumen Maintenance 93 % 5000 h (Nom) Chromaticity Coor-410 dinate X (Nom) Chromaticity Coor-395 dinate Y (Nom) Correlated Color 3500 K Temperature (Nom) 67 lm/W Luminous Efficacy (rated) (Nom) Color Rendering 82 Index (Nom)

#### · Operating and Electrical

Power (Rated) 18.0 W (Nom)

Lamp Current (Nom) 0.375 A Voltage (Nom) 58 V

## Controls and Dimming

Dimmable Yes

# • Mechanical and Housing

Order product name

Bulb Finish Silicon Cap-Base Information 4P


### • Product Data

EAN/UPC - Product 046677359324
Order code 359323
Numerator - Quantity Per Pack
Numerator - Packs
per outer box
Material Nr. (12NC) 927903183521
Net Weight (Piece) ILCOS Code FSD-18/35/1B-E-2G11

PL-L 18W/835/4P




# Dimensional drawing




2G11, 4P

## PL-L 18W/835/4P Silicon

Product	D	D1	С
PL-L 18W/835/4P	39.0 mm	18.0 mm	226.6 mm



# Photometric data





 $\ \odot$  2015 Philips Lighting Holding B.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.