




THE BORING STUFF



Diameter 10.5cm (4.13")
Height 2.7cm (1.06")



PIXEL SPECIFICATIONS

Lens	Silicone Optics lifetime warranty 90° beam angle
Lens Tech	DBR (Diffusion By Refraction) Technology
LED	27W Dense Cluster LED
LED Tech	Driven to 20W for max efficiency
Power Draw	20W Max
Power	36V @ 0.56A per cluster 100-240VAC, 60Hz
Cooling	Heatsink + extra dissipation <small>provided by official Illumagic mounts (see page 3)</small>
Min/Max Temp	0-32.22°C (32-90°F)
Device Weight	0.42kg (0.92lbs)
Power Supply	1 year warranty
Power Supply Weight	0.26kg (0.573lbs)

THE COOL STUFF

400nm x 1
420nm x 2
450nm x 6
470nm x 2


FRAGGER



Spectrum uniquely chosen for coral pigmentation and color pop

400nm x 1
420nm x 2
450nm x 2
470nm x 2
505nm x 1
660nm x 1
9000K x 2


REEFER



The spectrum for faster growth of coral skeleton, new tips and encrusting.

400nm x 1
420nm x 1
450nm x 1
470nm x 3
505nm x 2
660nm x 2
9000K x 2


AQUASCAPER



Broad daylight spectrum to color and grow plants


PAR AND SPECTRUM

PIXEL @ 30 (12") Each square is 15cm (6") apart



For heights of 30cm (23") and more divide by 2

THE USEFUL STUFF



Rail Sliders



Rail Mounts



Rear Mounts

