

VITAMINI

THE BORING STUFF

SIZES

Vitamiini 60	59.5cm (23.42") x 4.5cm (1.77") x 3.5cm (1.37")
Vitamiini 90	89.5cm (35.23") x 4.5cm (1.77") x 3.5cm (1.37")
Vitamiini 120	119.5cm (47.04") x 4.5cm (1.77") x 3.5cm (1.37")
Vitamiini 150	149.5cm (58.85") x 4.5cm (1.77") x 3.5cm (1.37")
Vitamiini 180	179.5cm (70.66") x 4.5cm (1.77") x 3.5cm (1.37")

Vitamiini 60



Vitamiini 90



Vitamiini 120



Vitamiini 150



Vitamiini 180



CONSTANT SPECIFICATIONS

Lens	No lens for the widest coverage
LED	0.75 Single Surface LED
LED Tech	Driven to 0.65W for max efficiency
Power	100-240 VAC, 50/60 Hz
Cooling	Heatsink on heatsink
Min/Max Temp	0-32.22°C (32-90°F)
*Optional Dual Power Supply	0.42kg (0.925lbs)
*Optional Triple Power Supply	1.08kg (2.38lbs)

SIZE SPECIFIC SPECIFICATIONS

	Vitamiini 60	Vitamiini 90	Vitamiini 120	Vitamiini 150	Vitamiini 180
Power Draw	28W Max	36W Max	50W Max	72W Max	86W Max
Power	36V @ 0.2A per 11 LEDs	36V @ 0.2A per 11 LEDs	15V @ 1.67A 11 LEDs	36V @ 0.2A per 11 LEDs	36V @ 0.2A per 11 LEDs
CLuster Quantity	44	55	77	110	132
Device Weight	0.54kg (1.19lbs)	0.81kg (17.8lbs)	1.08kg (2.38lbs)	1.35kg (2.97lbs)	1.62kg (3.57lbs)
Power Supply Weight	0.26kg (0.573lbs)	0.26kg (0.573lbs)	0.26kg (0.573lbs)	0.42kg (0.925lbs)	0.42kg (0.925lbs)



VITAMINI




For heights of 60cm (23") and more divide by 2

VITAMINI PAR AND SPECTRUM

30cm (12") Each square is 15cm (6" apart)


VITAMINI 60




VITAMINI 90




VITAMINI 120





VITAMINI 150





VITAMINI 180



SUPER ACTINIC




RGBW



VITAMiNi

THE USEFUL STUFF



Rotatable Mounts



Rotatable Holders



Universal Holders



Mirrored Shading Plate Holder

