

57

semi-rigid

A fabrication process whereby air voids of different sizes and configurations are composed within a larger mass of dark grey or white opaline glass. These air pockets are invisible when the piece is unlit, and come alive to reveal an interior universe when 57 is illuminated. By virtue of the method of making, each 57 is completely unique. A flexible suspension system enables pendants to be nestled in close-knit groups or loosely composed in a wider field, allowing each piece to be perceived individually.



57
semi-rigid

Lamping

1.5w LED
(additional 0.18w LED light
source for light mirrored
and white opaline pendant)

Material

blown and dipped glass, cast borosilicate glass
cap, powder coated steel and brass hardware,
swag hooks, braided metal coaxial cable, aircraft
cable, electrical components, and brass or white
powder coated canopy.

Patent

EU Patent # 000268581-0001 to 0006
US Patent # 7,96 732



LOW VOLTAGE LUMINAIRE
E476186




±100-165
(4"-6")


57

semi-rigid

Adjustable Length
Random canopies




adjustable up to 3000 (10') standard
adjustable up to 24600 (80') custom



adjustable up to 3000 (10') standard
adjustable up to 24600 (80') custom

Fixed Length
Random canopies




fixed length up to 3000 (10') standard
fixed length up to 24600 (80') custom

57

semi-rigid


Adjustable Length
Cluster canopies.

57.3



Ø152

57.7





Ø203

adjustable up to 3000 (10') standard

adjustable up to 24600 (80') custom



Fixed Lengths
Cluster canopies.

57.19




Ø501

57.37



Ø600

57.61







fixed length up to 3000 (10') standard

fixed length up to 24600 (80') custom

Ø707

57

colour options



White opaline

Grey

Dark mirrored

Light mirrored


57
semi-rigid



57
semi-rigid



57
semi-rigid



BOCCI

57
semi-rigid

