

Bell Lamp

MARCEL WANDERS



“Ting!” is the thing, as there is no gathering without loved ones to gather with. The Bell Lamp represents a very early and essential form of communication, generating a welcoming ring that brings people together for festivities and congregations. With a bottle of champaign and a pile of fruits, the table is decked.

Detailing



Colours

Gold - Smoke

Transparent -
Gold

White - Gold

White - Smoke

Transparent -
White

White - White

Bell Lamp / Large

Dimensions

35cm | 13.8"



14cm | 5.5"



36cm | 14.2"

Product

WIDTH 35cm | 13.8"

HEIGHT 36cm | 14.2"

DEPTH 35cm | 13.8"

DIAMETER 35cm | 13.8"

WEIGHT NETTO 4.5kg | 9.92lbs

Packaging

WIDTH 42cm | 16.5"

HEIGHT 53cm | 20.9"

CUBAGE 0.1m³ | 3.54ft³

LENGTH 45cm | 17.7"

WEIGHT 6kg | 13.23lbs

Technical CE

MATERIAL

Mouth blown glass, ceramic bow.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

50

LAMPHOLDER

G9

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

240V

MAX POWER CONSUMPTION

60W

CABLE COLOUR

Transparent with tinned cores

CANOPY

Bell Lamp Gold Canopy Gold, Bell Lamp Gold Canopy

Technical UL

MATERIAL

Mouth blown glass, ceramic bow.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

60

LAMPHOLDER

G9

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.**INSTALLATION REQUIRED**

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

110V

MAX POWER CONSUMPTION

65W

CABLE COLOUR


Transparent with tinned cores

CANOPY

Bell Lamp Gold Canopy Gold, Bell Lamp Gold Canopy

Bell Lamp / Small

Dimensions

22cm | 8.6"**14cm | 5.5"**

Product

WIDTH 22cm | 8.7"**HEIGHT** 23cm | 9.1"**DEPTH** 22cm | 8.7"**DIAMETER** 22cm | 8.7"**WEIGHT NETTO** 2kg | 4.4lbs

Packaging

WIDTH 30cm | 11.8"**HEIGHT** 47cm | 18.5"**CUBAGE** 0.05m³ | 1.59ft³**LENGTH** 32cm | 12.6"**WEIGHT** 4kg | 8.8lbs

Technical CE

MATERIAL

Mouth blown glass, ceramic bow.

ENERGY LABEL

A++ to E

NUMBER OF LIGHTSOURCES

1

INSTALLATION REQUIRED

Yes

SHAPE

Bell

INPUT VOLTAGE

240V

MAX POWER CONSUMPTION

60W

CABLE COLOUR

Transparent with tinned cores

CANOPY

Bell Lamp Gold Canopy Gold, Bell Lamp Gold Canopy

FREQUENCY

50

LAMPHOLDER

G9

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

*Technical UL***MATERIAL**

Mouth blown glass, ceramic bow.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

60

LAMPHOLDER

G9

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.**INSTALLATION REQUIRED**

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

110V

MAX POWER CONSUMPTION

60W

CABLE COLOUR

Transparent with tinned cores

CANOPY

Bell Lamp Gold Canopy Gold, Bell Lamp Gold Canopy

Dimming & Lighting Control

Mains dimmable with compatible light source

Compatible models: Large CE, Large UL, Small CE, Small UL
