









PARC 06

Parc is a collection inspired by childhood imagination and the essentiality of homemade forms — created in collaboration with Swiss designer Adrien Rovero. Evoking the archetype of a flashlight, each lamp of the Parc Collection is a playful reminder of time spent in nature, when a simple tube and piece of string could be used to fashion any number of creations. These makeshift things, at once naive and functional, harness the unique beauty of peeling an object back to its essence.


type:	table
construction:	hand blown frosted glass powder coated aluminum body vinyl cord
specifications:	source: LED lamp provided (G9 base) power consumption: 3x 4,5W lumen output: 951lm colour temperature: 2700K included *3000K available upon request colour rendering index: 80 CRI standard * ≥ 90 CRI upon request expected lifetime: 25 000h
control:	refer to our recommended list of dimmer models
cord length:	96" / 244 cm, hand switch at 18" / 46 cm from lamp 132" / 335 cm, foot switch at 60" / 152 cm from lamp
weight:	7.5lb / 3.4kg
certifications:	    IP20
warranty:	2 years




*dimensions are approximate and may vary slightly

ORDER GUIDE: SKU

COLLECTION	MODEL	BODY	CORD	SWITCH
PRC parc	06	BK black	BK black	HD hand
		MB midnight blue	WH white	FT floor
		BE blue		
		WH white		
		BG beige		
		BU burgundy		
		GN green		
		TC terracotta		
PRC	06	BK	BK	HD = PRC06BKBKHD
				example



FINISH (*polyester cords also available in all colours upon request, except terracotta)



* cords only available in black or white in Australia

NOTES:

- must be installed by an electrician
- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions

DIMMER SPECIFICATIONS

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO	MAELV-600	0%	100%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	0%	100%	no	very good
LUTRON - SKYLARK	SELV-303P	0%	100%	no	very good
LUTRON - SKYLARK	CTELV-303P	0%	100%	no	very good
LUTRON - DIVA	DVELV-300P	0%	100%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	30%	100%	no	good


DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	2%	100%	no	very good
LEGRAND - NILOÉ	3 996 35	15%	87%	no	good
NIKO	310-0280X	5%	94%	no	very good
NIKO	310-0190X	1%	100%	no	very good


*Other dimmers can yield good results and we recommend conducting your own test before final installation.


EU ENERGY LABEL

lambert&fils PARC 06



This luminaire is compatible with bulbs of the energy classes:



}


This luminaire is sold with a bulb of the energy class : A⁺

874/2012 