

#### XXX.1

### SPECIFICATION

Pendant One

Materials Brushed nickel, white or black powder coated

stainless steel cover


Cable Coaxial cable

Adjustable. 3000 standard / up to 30500

maximum

Power Supply Integral

Remote for select markets only



### XXX.1 DEEP

### SPECIFICATION

Pendant One

Materials Brushed nickel, white or black powder coated


stainless steel cover

Cable Coaxial cable

Adjustable. 3000 standard / up to 30500

maximum

Power Supply Integral



## XXX.1M

# SPECIFICATION

Pendant One

Materials Brushed nickel or white powder coated zinc

cover

Cable Coaxial cable

Adjustable. 3000 standard / up to 30500

maximum

Power Supply Remote



All dimensions are in millimeters (mm) unless otherwise specified.

## XXX.1MI

#### **SPECIFICATION**

Pendant One


Material White polyurethane

Cable Coaxial cable

Adjustable. 3000 standard / up to 30500

maximum

Power Supply Remote





#### XXX.1MO

### SPECIFICATION

Pendant One

Material White polyurethane

Cable Coaxial cable

Adjustable. 3000 standard / up to 30500

maximum

Power Supply Integral

0 038

16

#### XXX.3

### SPECIFICATION

Pendants Three

Materials Brushed nickel, white or black powder coated


stainless steel cover

Cable Coaxial cable

Adjustable. 3000 standard / up to 30500

maximum

Power Supply Integral



# 73.3 SPECIFICATION

Pendants Three

Materials Brushed nickel, white or black powder coated


stainless steel cover

Cable Coaxial cable

Adjustable. 3000 standard / up to 30500

maximum

Power Supply Integral



All dimensions are in millimeters (mm) unless otherwise specified.

## XXX.5

### SPECIFICATION

Pendants Five

Materials Brushed nickel, white or black powder coated


stainless steel cover

Cable Coaxial cable


Adjustable. 3000 standard / up to 30500

maximum

Power Supply Integral









# XXX.7

## SPECIFICATION

Pendants Seven

Materials Brushed nickel, white or black powder coated


stainless steel cover

Cable Coaxial cable

Coaxial cable Adjustable. 3000 standard / up to 30500

maximum

Power Supply Integral



All dimensions are in millimeters (mm) unless otherwise specified.