

# Smart Panels

SMART PANELS	
Fit Guide	82
Thule Windscreen	83
Thule Sun Blocker G2 - Side Panel	84
Thule Rain Blocker G2 - Side Panel	85
Thule View Blocker G2 - Side Panel	87
Thule Sun Blocker G2 - Front Panel	88
Thule Rain Blocker G2 - Front Panel	89
Thule View Blocker - Front Panel	92
Thule Rain Blocker G2 - Pack Compact Van	93
Thule Luxury Blocker Bag	94

# Smart Panels - Fit Guide

## KEY INFORMATION

### 1 Select your vehicle type



Motorhome



Caravan



Van



Compact van

### 2 Select your awning type (check the label in the awning box)

#### Wall-mounted awning

- TO 5200
- TO 8000
- TO 4900
- TO 5102
- T 3200
- T 4200
- TO 2000
- TO 5003
- TO 5002
- Tristor
- TristorII
- V10XL

#### Roof-mounted awning

- TO 9200
- TO 6300
- TO 6200
- TO 6900

#### Rail-mounted awning

- TO 1200

### 3 Select your awning length (check the label in the awning box)

- 1.90 m
- 2.30 m
- 2.50 m
- 2.60 m
- 2.70 m
- 3.00 m
- 3.15 m
- 3.25 m
- 3.50 m
- 3.75 m
- 4.00 m
- 4.25 m
- 4.50 m
- 5.00 m
- 5.50 m
- 6.00 m

### 4 Select your awning projection

- 2.00 m
- 2.50 m
- 2.75 m
- 3.00 m

### 5 Measure your mounting height

Mounting height = distance between bottom of awning cassette and ground:

	Mounting Height	Model
<input type="radio"/>	2.15 - 2.29 m	S
<input type="radio"/>	2.30 - 2.44 m	M
<input type="radio"/>	2.45 - 2.59 m	L
<input type="radio"/>	2.60 - 2.74 m	XL
<input type="radio"/>	2.75 - 2.89 m	XXL
<input type="radio"/>	2.90 - 3.10 m	3XL

# Thule Windscreen

## INFO

- Height 1.55 m
- Fabric height 1.38 m
- Length Up to 3.00 m extension
- Weight 4.50 kg
- Colour Grey (transparent screen)

## FEATURES

- Protection against wind as well as an easy way to create privacy
- Micro-aired to avoid the wind from pushing too much the fabric
- Quick & easy to install thanks to its automatic roll in/out system
- Can be fixed to the vehicle via wall fixation or into the caravan rail via the rope fixation
- Unroll it and connect it to the awning support leg or make it free standing using the delivered strap kit
- Storage bag included
- Content:
  - windscreen
  - rope fixation (caravan)
  - 2x wall fixation (motorhome)
  - adapter
  - guy-ropes
  - 4 pegs
  - storage bag



Instruction manual



306456	Thule Windscreen
--------	------------------

- Rope fixation (caravan)
- Wall fixation
- Storage bag



# Thule Sun Blocker G2 - Side

## INFO

- Mounting height (A) 1.90 m - 2.64 m
- Projection (B) 2.00 m, 2.50 m, 2.75 m, 3.00 m
- Colours Black, grey (transparent screen)
- Available for Thule (Omnistor) awnings:
  - 5200, 8000, 4900, 200, 5102, 3200, 9200, 6300, 1200\*
  - 4900, 6200, 5003
  - 5002, 6900, Tristor, TristorII, V10XL by adding **spare parts**
- \*Special model for Thule Omnistor 1200
- Not compatible with Master Movano adapter (ref. 308059)



A = Distance between bottom of awning's cassette and ground  
 B = Approximate length of the awning when opened  
 H = Awning incline

## FEATURES

- Lets the breeze in while keeping the sun out, without loss of view
- Easy and quick installation:
  - the side panel slides into an aluminium rafter with channel, installed between the awning's cassette and lead rail
- Modular system:
  - combination of a panel with the Thule QuickFit tent possible (only in case of same mounting height)
  - side panel can be installed on both sides of the awning with the same rafter
- Durable material:
  - aluminium rafter
  - micro-aired screen fabric, a transparent and light screen fabric
- Content:
  - 1 side panel
  - 1 aluminium rafter with channel
  - connection pieces for Thule Omnistor awnings for both sides of the awning
  - ground fixation: pegs and ropes



User instruction

## MODULARITY




AWNING	PROJECTION (B)	MOUNTING HEIGHT (A)		H	WEIGHT	SKU NO
5200 • 4900 • 5102 • 6300 • 6200 • 5003 • 5002 • 4200	2.00 m	1.90 m - 2.24 m	Small	21 cm	2.7 kg	307399
3200	2.50 m	1.90 m - 2.24 m	Small	21 cm	3.5 kg	301338
5200 • 4900 • 6300 • 6200 • 5003 • 5002 • 4200		2.25 m - 2.44 m	Medium	23 cm	3.6 kg	307278
		2.45 m - 2.64 m	Large	43 cm	3.6 kg	307279
1200		2.25 m - 2.49 m	TO 1200	48 cm	3.8 kg	307398
8000 • 6900	2.75 m	2.25 m - 2.44 m	Medium	23 cm	4 kg	307280
		2.45 m - 2.64 m	Large	43 cm	4 kg	307281
9200	3.00 m	2.25 m - 2.44 m	Medium	23 cm	4.4 kg	307282
		2.45 m - 2.64 m	Large	43 cm	4.4 kg	307283

# Thule Rain Blocker G2 - Side

## INFO

- Mounting height (A) 1.80 m - 3.04 m
- Projection (B) 2.00 m, 2.50 m, 2.75 m, 3.00 m
- Colours Black, white, grey
- Available for Thule (Omnistor) awnings:
  - 5200, 8000, 4200, 5102, 3200, 9200, 6300, 1200
  - 4900, 5003, 6200
  - 5002, 6900, Tristor, TristorII, V10XL by adding **spare parts**
  - Special model for TO 1200, Ducato H2: can be combined with a Thule Rain Blocker G2 Front Panel
  - Not compatible with Master Movano adapter (ref. 308059)



A = Distance between bottom of awning's cassette and ground  
 B = Approximate length of the awning when opened  
 H = Awning incline

## FEATURES

- Protects against wind and rain while keeping the incidence of light thanks to the large window
- Easy and quick installation:
  - the side panel slides into an aluminium rafter with channel, installed between the awning's cassette and lead rail
  - can easily be attached to the support leg of the awning or to another Thule Rain Blocker G2 panel thanks to the smart connections
- Modular system:
  - various possibilities to combine the different panels
  - side panels can be installed on both sides of the awning with the same rafter
- Durable materials:
  - aluminium rafter
  - top-quality PVC fabric with welded connections of the fabric
- Content:
  - 1 side panel
  - 1 aluminium rafter with channel
  - connection pieces for Thule Omnistor awnings for both sides of the awning
  - smart connections to connect the panel with the awning support leg
  - ground fixation: pegs and pins



Instruction manual



### Compact van

- VW California T5/T6 > 2003
- PSA Minivan > 2016



### Van

- Fiat Ducato > 2006
- Peugeot Boxer > 2006
- Citroën Jumper > 2006
- VW Crafter > 2017

## INSTALLATION



## MODULARITY



AWNING	PROJECTION (B)	MOUNTING HEIGHT (A)		H	WEIGHT	SKU NO
5200 • 4900 • 5102 • 4200	2.00 m	1.80 m - 1.99 m	Minivan	21 cm	4 kg	306515
5200 • 4900 • 6300 • 6200 • 5003 • 5002 • 4200		2.05 m - 2.24 m	Small*	23 cm	4 kg	307400
Caravan (1200)		2.35 m - 2.54 m	Caravan / TO 1200 V2*	32 cm	4 kg	310204
3200	2.50 m	1.80 m - 1.99 m	Minivan	27 cm	4.5 kg	301339
5200 • 4900 • 6300 • 6200 • 5003 • 5002 • 4200		2.05 m - 2.24 m	Small*	23 cm	4.8 kg	307291
		2.25 m - 2.44 m	Medium	23 cm	5 kg	307292
		2.45 m - 2.64 m	Large	43 cm	5 kg	307293
		2.65 m - 2.84 m	X-Large	63 cm	5 kg	307294
1200		2.35 m - 2.54 m	TO 1200 V2*	50 cm	4.8 kg	301422
6300 • 6200		2.30 m - 2.50 m	Van	37 cm	5 kg	307302
6300 • 6200	2.35 m - 2.54 m	Caravan	33 cm	5 kg	301332	
8000 • 6900	2.75 m	2.25 m - 2.44 m	Medium	23 cm	5.6 kg	307295
		2.45 m - 2.64 m	Large	43 cm	5.6 kg	307296
		2.65 m - 2.84 m	X-Large	63 cm	5.6 kg	307297
		2.85 m - 3.04 m	XX-Large	83 cm	5.8 kg	306516
9200	3.00 m	2.25 m - 2.44 m	Medium	23 cm	5.8 kg	307298
		2.45 m - 2.64 m	Large	43 cm	5.8 kg	307299
		2.65 m - 2.84 m	X-Large	63 cm	6 kg	307300
		2.85 m - 3.04 m	XX-Large	83 cm	6 kg	306517


\*Not possible to use in combination with a Thule QuickFit | EasyLink awning tent

# Thule View Blocker G2 - Side

## INFO

- Mounting height (A) 2.25 m - 2.64 m
- Projection (B) 2.50 m
- Colours Black, white, grey
- Available for Thule (Omnistor) awnings:
  - 5200, 4900, 6300, 6200, 5003, 4200

A = distance between bottom of awning's cassette and ground  
 B = approximate length of the awning when opened  
 H = awning incline



## FEATURES

- Protects against rain, wind and sun whilst creating complete privacy
- Easy and quick installation:
  - the side panel slides into an aluminium rafter with channel, installed between the awning's cassette and lead rail
  - can easily be attached to the support leg of the awning or to other Thule Rain Blocker G2 panels thanks to the smart connections
- Modular system:
  - various possibilities to combine with Thule Rain Blocker G2 front panels
  - combination of a panel with the Thule QuickFit tent possible (only in case of same mounting height)
  - side panel can be installed on both sides of the awning with the same rafter
- Durable material:
  - aluminium rafter
  - top-quality non-transparent PVC fabric with welded connections of the fabric
- Content:
  - 1 side panel
  - 1 aluminium rafter with channel
  - connection pieces for Thule Omnistor awnings for both sides of the awning
  - smart connections to connect the panel with the awning support leg
  - ground fixation: pegs and pins


AWNING	PROJECTION (B)	MOUNTING HEIGHT (A)		H	WEIGHT	SKU NO
5200 • 4900 • 5102 • 4200	2.00 m	2.05 m - 2.24 m	Small	22 cm	4 kg	310202
5200 • 4900 • 6300 • 6200 • 5003 • 5002 • 4200	2.50 m	2.05 m - 2.24 m	Small	22 cm	4 kg	310203
		2.25 m - 2.44 m	Medium	23 cm	5 kg	308380
		2.45 m - 2.64 m	Large	43 cm	5 kg	308381
1200	2.50 m	2.35 m - 2.54 m	Caravan	48 cm	5.4 kg	310201

# Thule Sun Blocker G2 - Front

## INFO

- Height (A) 1.70 m
- Length (B) 1.00 m - 4.80 m
- Colours Black, grey (transparent screen)
- Available for Thule (Omnistor) awnings:
  - 5200, 8000, 4900, 4200, 5102, 3200, 9200, 6300, 1200
  - 4900, 2000, 5002, 6200, 6900, 5003, Tristor, TristorII, V10XL

A = Approximate height of the panel  
 B = Approximate length of the panel



## FEATURES

- Lets the breeze in while keeping the sun out, without loss of view
- Easy and quick installation:
  - the front panel is suitable for all Thule Omnistor awnings
  - the panel easily slides into the awning's lead rail
  - all front panels can be rolled up and are fixed with a side release buckle
- Modular system:
  - combination of a panel with the Thule QuickFit tent is possible (only in case the tent is smaller than the awning and if there is some space in the awning's lead rail to slide the panel in)
- Fabric material:
  - micro-aired screen fabric, a transparent and light screen fabric
- Content:
  - 1 front panel
  - ground fixation: pegs and ropes



User instruction

## MODULARITY



AWNING	LENGTH (B)	MIN. AWNING LENGTH	HEIGHT (A)	WEIGHT (bruto)	SKU NO
All Thule (Omnistor) awnings	1.00 m	-	1.70 m	1.3 kg	307284
	2.40 m	2.60 m		2.1 kg	307285
	2.80 m	3.00 m		2.4 kg	307286
	3.30 m	3.50 m		2.7 kg	307287
	3.80 m	4.00 m		3 kg	307288
	4.30 m	4.50 m		3.3 kg	307289
	4.80 m	5.00m		3.6 kg	307290



# Thule Rain Blocker G2 - Front

## INFO


- Height (A) 1.85 m, 2.10 m, 2.30 m
- Length (B) 1.02 m - 2.00 m
- Colours Black, white, grey
- Available for Thule (Omnistor) awnings:
  - 5200, 8000, 4200, 5102, 3200, 9200, 6300, 1200
  - 5002, 4900, 2000, 6900, 6200, 5003, Tristor, TristorII, V10XL



A = Approximate height of the panel  
B = Approximate length of the panel

## FEATURES

- Protects against rain and wind while keeping the incidence of light thanks to the large window
- Easy and quick installation:
  - the front panel slides into the awning's lead rail
  - all panels can be rolled up and are fixed with a side release buckle
- Modular system:
  - various possibilities to combine the different panels thanks to smart connections
- Fabric material:
  - top-quality PVC fabric with welded connections of the fabric
- Content:
  - 1 front panel
  - smart connections to connect with other Thule Rain Blocker G2 Front Panels
  - ground fixation: pegs and pins






## MODULARITY



User  
instruction

AWNING	PANEL TYPE	LENGTH (B)	HEIGHT (A)	WEIGHT (bruto)	SKU NO
<b>Combine with side panel: Compact Van</b>					
3200	J	1.12 m	1.85 m	1.9 kg	301354
3200 • 5200 • 4900 • 5102 • 4200	A	1.27 m		2 kg	306454
3200	K	1.47 m		2.2 kg	301355
3200	L	1.81 m		2.5 kg	301356
<b>Combine with side panels: Small and TO 1200 V2</b>					
All Thule (Omnistor) awnings	B	1.27 m	2.10 m	2.2 kg	301320
	C	1.47 m		2.4 kg	301321
	D	1.67 m		2.6 kg	301322
	E	1.92 m		3 kg	301323
<b>Combine with side panels: Medium, Large, X-Large, XX-Large, Van and Caravan</b>					
All Thule (Omnistor) awnings	F	1.02 m	2.30 m	2 kg	307303
	G	1.52 m		2.4 kg	307304
	H	1.72 m		2.6 kg	307305
	I	2.00 m		3 kg	307306


## PANEL TYPE



**FRONT COMBINATION**

- Full front combination possible
- Connection pieces to the next front panel included
- Thule advises the following combinations for full awning length

COMPATIBLE SIDE PANEL	AWNING LENGTH (L)	FRONT COMBINATION
COMPACT VAN	2.50 m	J + A
	2.60 m	A + A
	2.70 m	J + K
	3.00 m	J + L
S TO 1200 V2	2.60 m	B + B
	2.80 m	B + C
	3.00 m	B + D
	3.25 m	B + E
	3.50 m	C + E
	3.75 m	D + E
	4.00 m	E + E
	4.25 m	B + C + C
	4.50 m	C + C + C
	5.00 m	D + D + D
	5.50 m	D + E + E
M L XL XXL VAN CARAVAN	3.00 m	F + F + F
	3.25 m	G + H
	3.50 m	F + G + F
	3.75 m	H + I
	4.00 m	F + I + F
	4.25 m	F + G + H
	4.50 m	F + I + G
	5.00 m	G + I + G
	5.50 m	I + G + I
6.00 m	I + I + I	




# Thule View Blocker - Front

## INFO

- Height (A) 1.40 m
- Length (B) 2.40 m, 2.80 m, 3.30 m, 3.80 m, 4.30 m, 4.80 m
- Colours Grey (non-transparent)
- Available for Thule (Omnistor) awnings:
  - 8000, 5200, 4200, 9200, 6300, 1200, 5102
  - 5003, 5002, 4900, 6900, 6200, 2000, Tristor, TristorII, V10XL

A = approximate height of the panel  
 B = approximate length of the panel



## FEATURES

- Offers protection against rain, wind and sun and easily creates privacy as well
- Easy and quick installation:
  - the front panel slides into the awning's lead rail
  - all panels can be rolled up and are fixed with straps
- Durable material:
  - micro-aired screen fabric
- Content:
  - 1 front panel
  - ground fixation: pegs and ropes

AWNING	LENGTH (B)	HEIGHT (A)	WEIGHT (bruto)	SKU NO
All Thule (Omnistor) Awnings	2.40 m	1.40 m	2.5 kg	307588
	2.80 m		2.8 kg	307592
	3.30 m		3.2 kg	307594
	3.80 m		3.4 kg	307596
	4.30 m		3.8 kg	307598
	4.80 m		4 kg	307600

# Thule Rain Blocker G2 Pack Compact Van

Smart Panels

## INFO

- Mounting height (A) 1.80 m - 1.99 m
- Projection (B) 2.00 m
- Colours Black, white, grey
- Available for Thule (Omnistor) awnings:  
5102 (2.60 m) - 4200 (2.60 m) - 4900 (2.60 m)



A = distance between bottom of awning's cassette and ground  
 B = approximate length of the awning when opened  
 H = awning incline



## FEATURES

- Set of 2 side panels and 2 front panels (1.27 m) for Thule Omnistor 5102, Thule Omnistor 4900 and Thule 4200 awning length 2.60 m, mounted on compact vans
- Protects against wind and rain while keeping the incidence of light thanks to the large window
- Easy and quick installation:
  - the side panel slides into an aluminium rafter with channel, installed between the awning's cassette and lead rail
  - can be easily attached to the support leg of the awning or to another Thule Rain Blocker G2 panel thanks to the smart connections
- Durable materials:
  - aluminium rafter
  - top-quality PVC fabric with welded connections of the fabric
- A luxurious blocker bag is included to store your tension rafters, panels and fixation material
- Content:
  - 2 side panels
  - 2 aluminium rafters with channel
  - 2 front panels (1.27 m - type A)
  - connection pieces for Thule Omnistor awnings for both sides of the awning
  - smart connections to connect the panel with the awning support leg and front panels
  - ground fixation: pegs and pins
  - luxury blocker bag

## SUITABLE COMPACT VANS

- Volkswagen T5/T6 (California, ...)
- Ford Custom
- Ford Custom Nugget
- Peugeot Traveller, Citroën Spacetourer (Campster), Toyota Proace
- Renault Trafic
- Mercedes Benz V-Klasse Marco Polo
- PSA minivan > 2016

Thule Rain Blocker G2 Pack Compact Van						
AWNNG	PROJECTION (B)	MOUNTING HEIGHT (A)		H	WEIGHT	SKU NO
5102 • 4900 • 4200 (2.60 m)	2.00 m	1.80 m - 1.99 m	Minivan	21 cm	12 kg	301329

# Thule Luxury Blocker Bag

## INFO

- Luxurious bag to store the tension rafter, panel and fixation material
- Colour: black
- Dimensions: 130 L x 20 cm W x 20 cm H



301568	Thule Luxury Blocker Bag
--------	--------------------------