

**Britemax Pro Max**

Version number: GHS 1.0

Date of compilation: 2016-04-19

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**Trade name **Britemax Pro Max****1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses Vehicle polishing compound

**1.3 Details of the supplier of the safety data sheet**

Transco Blanx Ltd. t/a Britemax  
Unit 18 Lambs Business Park  
Terracotta Road  
South Godstone  
Surrey  
RH9 8LJ  
United Kingdom  
Tel: +44 (0)1342 893015  
sales@britemax.co.uk

**1.4 Emergency telephone number**

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Classification acc. to GHS

| Section | Hazard class                      | Category | Hazard class and category | Hazard statement |
|---------|-----------------------------------|----------|---------------------------|------------------|
| 3.3     | serious eye damage/eye irritation | 2        | Eye Irrit. 2              | H319             |
| 3.4S    | skin sensitisation                | 1        | Skin Sens. 1              | H317             |
| 3.10    | aspiration hazard                 | 1        | Asp. Tox. 1               | H304             |

For full text of abbreviations: see SECTION 16.

**2.2 Label elements**

Labelling

- Signal word danger

- Pictograms

GHS07, GHS08



- Hazard statements

H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Britemax Pro Max

Version number: GHS 1.0

Date of compilation: 2016-04-19

### - Precautionary statements

- P321 Specific treatment (see on this label).
- P331 Do NOT induce vomiting.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling Distillates (petroleum), hydrotreated light, CMIT/MIT mixture

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture

| Name of substance                           | Identifier           | Wt%       | Classification acc. to GHS  | Pictograms |
|---|----------------------|-----------|---|------------|
| Distillates (petroleum), hydrotreated light | CAS No<br>64742-47-8 | 10 - < 25 | Flam. Liq. 4 / H227<br>Asp. Tox. 1 / H304   |            |
| Alcohols, C9-11 ethoxylated                 | CAS No<br>68439-46-3 | 1 - < 5   | Acute Tox. 4 / H302<br>Acute Tox. 4 / H312<br>Eye Dam. 1 / H318   |            |
| CMIT/MIT mixture                            | CAS No<br>55965-84-9 | < 1       | Acute Tox. 3 / H301<br>Acute Tox. 3 / H311<br>Acute Tox. 3 / H331<br>Skin Corr. 1B / H314<br>Eye Dam. 1 / H318<br>Skin Sens. 1 / H317 |            |

For full text of abbreviations: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

**Britemax Pro Max**

Version number: GHS 1.0

Date of compilation: 2016-04-19

## Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

## Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed**

none

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

## Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

## Unsuitable extinguishing media

Water jet

**5.2 Special hazards arising from the substance or mixture**

## Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>)

**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

## For non-emergency personnel

Remove persons to safety.

## For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

**6.3 Methods and material for containment and cleaning up**

## Advices on how to contain a spill

Covering of drains

## Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: Sawdust, Kieselgur (diatomite), Sand, Universal binder

## Appropriate containment techniques

Use of adsorbent materials.

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## Britemax Pro Max

Version number: GHS 1.0

Date of compilation: 2016-04-19

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation  
Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as  
Frost

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) |                                |            |            |           |                          |            |                           |                 |
|--|--------------------------------|------------|------------|-----------|--------------------------|------------|---------------------------|-----------------|
| Country  | Name of agent                  | CAS No     | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Source          |
| CA   | aluminium, insoluble compounds | 1344-28-1  | OEL (BC)   |           | 1                        |            |                           | "BC Regulation" |
| CA   | Aluminum oxide                 | 1344-28-1  | PEV/VE A   |           | 10                       |            |                           | Regulation OHS  |
| CA   | Aluminum oxide (Alumina)       | 1344-28-1  | OEL (AB)   |           | 10                       |            |                           | OHS Code        |
| CA   | Glycerin                       | 56-81-5    | OEL (BC)   |           | 10                       |            |                           | "BC Regulation" |
| CA   | Glycerin                       | 56-81-5    | OEL (AB)   |           | 10                       |            |                           | OHS Code        |
| CA   | Glycerin                       | 56-81-5    | OEL (BC)   |           | 3                        |            |                           | "BC Regulation" |
| CA   | Glycerin (mist)                | 56-81-5    | PEV/VE A   |           | 10                       |            |                           | Regulation OHS  |
| CA   | Jet fuels                      | 64742-47-8 | OEL (BC)   |           | 200                      |            |                           | "BC Regulation" |

Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

## Britemax Pro Max

Version number: GHS 1.0

Date of compilation: 2016-04-19

| Relevant DNELs of components of the mixture |            |           |                       |                                    |                   |                            |
|---|------------|-----------|-----------------------|------------------------------------|-------------------|----------------------------|
| Name of substance                           | CAS No     | End-point | Threshold level       | Protection goal, route of exposure | Used in           | Exposure time              |
| Alcohols, C9-11 ethoxylated                 | 68439-46-3 | DNEL      | 2,080 mg/kg           | human, dermal                      | worker (industry) | chronic - systemic effects |
| Alcohols, C9-11 ethoxylated                 | 68439-46-3 | DNEL      | 294 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |

| Relevant PNECs of components of the mixture |            |           |                 |                       |                              |                              |
|---|------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance                           | CAS No     | End-point | Threshold level | Organism              | Environmental compartment    | Exposure time                |
| Alcohols, C9-11 ethoxylated                 | 68439-46-3 | PNEC      | 0.1038 mg/l     | aquatic organisms     | freshwater                   | short-term (single instance) |
| Alcohols, C9-11 ethoxylated                 | 68439-46-3 | PNEC      | 0.1038 mg/l     | aquatic organisms     | marine water                 | short-term (single instance) |
| Alcohols, C9-11 ethoxylated                 | 68439-46-3 | PNEC      | 1.4 mg/l        | microorganisms        | sewage treatment plant (STP) | short-term (single instance) |
| Alcohols, C9-11 ethoxylated                 | 68439-46-3 | PNEC      | 13.7 mg/kg      | benthic organisms     | sediments                    | short-term (single instance) |
| Alcohols, C9-11 ethoxylated                 | 68439-46-3 | PNEC      | 13.7 mg/kg      | pelagic organisms     | sediments                    | short-term (single instance) |
| Alcohols, C9-11 ethoxylated                 | 68439-46-3 | PNEC      | 1 mg/kg         | terrestrial organisms | soil                         | short-term (single instance) |
| Alcohols, C9-11 ethoxylated                 | 68439-46-3 | PNEC      | 0.014 mg/l      | aquatic organisms     | water                        | continuous                   |

## 8.2 Exposure controls

### Appropriate engineering controls

General ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

##### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

**Britemax Pro Max**

Version number: GHS 1.0

Date of compilation: 2016-04-19

## Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****Appearance**

|                |                  |
|----------------|------------------|
| Physical state | liquid (viscous) |
| Colour         | off-white        |
| Odour          | fruity           |

**Other safety parameters**

|   |                                       |
|---|---------------------------------------|
| pH (value)                              | 8 - 8.5                               |
| Melting point/freezing point            | not determined                        |
| Initial boiling point and boiling range | 100 °C                                |
| Flash point                             | >100 °C at 101.3 kPa >212 °F at 1 atm |
| Evaporation rate                        | not determined                        |
| Flammability (solid, gas)               | not relevant (fluid)                  |

## Explosive limits

|                               |          |
|-------------------------------|----------|
| - Lower explosion limit (LEL) | 2.7 vol% |
| - Upper explosion limit (UEL) | 19 vol%  |

|                  |                                   |
|------------------|-----------------------------------|
| Vapour pressure  | 31.69 hPa at 25 °C                |
| Density          | 0.4036 g/ml                       |
| Vapour density   | this information is not available |
| Relative density | 1.28 (water = 1)                  |
| Solubility(ies)  | not determined                    |

## Partition coefficient

|                             |                                   |
|-----------------------------|-----------------------------------|
| - n-octanol/water (log KOW) | this information is not available |
|-----------------------------|-----------------------------------|

|                           |                |
|---------------------------|----------------|
| Auto-ignition temperature | 311 °C         |
| Viscosity                 | not determined |
| Explosive properties      | none           |
| Oxidising properties      | none           |

**Britemax Pro Max**

Version number: GHS 1.0

Date of compilation: 2016-04-19

**9.2 Other information**

|  |   |
|--|---|
| Solvent content                          | 64.21 %   |
| Solid content                            | 35.78 %   |
| Temperature class (USA, acc. to NEC 500) | T2 (maximum permissible surface temperature on the equipment: 300° C) |

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

**10.2 Chemical stability**

See below "Conditions to avoid".

**10.3 Possibility of hazardous reactions**

No known hazardous reactions.

**10.4 Conditions to avoid**

There are no specific conditions known which have to be avoided.

**10.5 Incompatible materials**

Oxidisers

**10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Test data are not available for the complete mixture.

**Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**Classification acc. to GHS****Acute toxicity**

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components of the mixture |            |                    |       |
|--|------------|--------------------|-------|
| Name of substance  | CAS No     | Exposure route     | ATE   |
| Alcohols, C9-11 ethoxylated                                | 68439-46-3 | oral               | 1,200 |
| Alcohols, C9-11 ethoxylated                                | 68439-46-3 | dermal             | 2,000 |
| CMIT/MIT mixture   | 55965-84-9 | oral               | 100   |
| CMIT/MIT mixture   | 55965-84-9 | dermal             | 300   |
| CMIT/MIT mixture   | 55965-84-9 | inhalation: vapour | 3     |

**Skin corrosion/irritation**

Shall not be classified as corrosive/irritant to skin.

**Britemax Pro Max**

Version number: GHS 1.0

Date of compilation: 2016-04-19

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

**Carcinogenicity**

Shall not be classified as carcinogenic.

**Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

**Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

**Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**SECTION 12: Ecological information****12.1 Toxicity**

Shall not be classified as hazardous to the aquatic environment.

**12.2 Persistence and degradability**

Data are not available.

**12.3 Bioaccumulative potential**

Data are not available.

**12.4 Mobility in soil**

Data are not available.

**12.5 Results of PBT and vPvB assessment**

Data are not available.

**12.6 Other adverse effects****SECTION 13: Disposal considerations****13.1 Waste treatment methods****Sewage disposal-relevant information**

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

**Waste treatment of containers/packages**

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

**Relevant provisions relating to waste****List of wastes**

Not assigned



## Briemax Pro Max

Version number: GHS 1.0

Date of compilation: 2016-04-19

**Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**SECTION 14: Transport information**

- 14.1 **UN number** not subject to transport regulations
- 14.2 **UN proper shipping name** not relevant
- 14.3 **Transport hazard class(es)**  
Class -
- 14.4 **Packing group** not relevant
- 14.5 **Environmental hazards**
- 14.6 **Special precautions for user**  
There is no additional information.
- 14.7 **Transport in bulk according to Annex II of MARPOL and the IBC Code**  
The cargo is not intended to be carried in bulk.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations (United States)**

**SARA TITLE III (Superfund Amendment and Reauthorization Act)**

- List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section 302)  
none of the ingredients are listed

**California Environmental Protection Agency (Cal/EPA): Proposition 65 Chemicals known to the State to cause cancer or reproductive toxicity** none of the ingredients are listed

**Industry or sector specific available guidance(s)**

**NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

| Category                      | Rating | Description  |
|-------------------------------|--------|--|
| Chronic                       | *      | chronic (long-term) health effects may result from repeated overexposure   |
| Health                        | 2      | temporary or minor injury may occur  |
| Flammability                  | 1      | material that must be preheated before ignition can occur  |
| Physical hazard               | 0      | material that is normally stable, even under fire conditions, and will not react with water, polymerise, decompose, condense, or self-react. Non-explosive |
| Personal protective equipment | -      |  |

**NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

## Britemax Pro Max

Version number: GHS 1.0

Date of compilation: 2016-04-19

| Category       | Degree of hazard | Description   |
|----------------|------------------|---|
| Flammability   | 1                | material that must be preheated before ignition can occur   |
| Health         | 0                | material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material |
| Instability    | 0                | material that is normally stable, even under fire conditions  |
| Special hazard |                  |   |

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

| Abbr.           | Descriptions of used abbreviations  |
|-----------------|---|
| "BC Regulation" | OHS Regulation: Section 5.48 (British Columbia)   |
| Acute Tox.      | acute toxicity  |
| Asp. Tox.       | aspiration hazard   |
| ATE             | Acute Toxicity Estimate   |
| CAS             | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| DGR             | Dangerous Goods Regulations (see IATA/DGR)  |
| DNEL            | Derived No-Effect Level   |
| Eye Dam.        | seriously damaging to the eye   |
| Eye Irrit.      | irritant to the eye   |
| Flam. Liq.      | flammable liquid  |
| GHS             | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations                                       |
| HMIS            | Hazardous Materials Identification System   |
| IATA            | International Air Transport Association   |
| IATA/DGR        | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| IMDG            | International Maritime Dangerous Goods Code   |
| MARPOL          | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")   |
| NFPA® 704       | National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States) |
| NPCA-HMIS® III  | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition                                   |
| OHS Code        | Occupational Health and Safety Code: Occupational exposure limits for chemical substances (Alberta)   |
| PBT             | Persistent, Bioaccumulative and Toxic   |
| PNEC            | Predicted No-Effect Concentration   |
| ppm             | parts per million   |
| Regulation OHS  | Regulation respecting occupational health and safety: Permissible exposure values for airborne contaminants (Quebec)                            |
| RTECS           | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)   |
| Skin Corr.      | corrosive to skin   |

**Britemax Pro Max**

Version number: GHS 1.0

Date of compilation: 2016-04-19

| Abbr.       | Descriptions of used abbreviations       |
|-------------|--|
| Skin Irrit. | irritant to skin                         |
| Skin Sens.  | skin sensitisation                       |
| STEL        | short-term exposure limit                |
| TWA         | time-weighted average                    |
| vPvB        | very Persistent and very Bioaccumulative |

**Key literature references and sources for data**

Hazardous Products Regulations (HPR).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

**Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**List of relevant phrases (code and full text as stated in chapter 2 and 3)**

| Code | Text   |
|------|--|
| H227 | combustible liquid                           |
| H301 | toxic if swallowed                           |
| H302 | harmful if swallowed                         |
| H304 | may be fatal if swallowed and enters airways |
| H311 | toxic in contact with skin                   |
| H312 | harmful in contact with skin                 |
| H314 | causes severe skin burns and eye damage      |
| H317 | may cause an allergic skin reaction          |
| H318 | causes serious eye damage                    |
| H319 | causes serious eye irritation                |
| H331 | toxic if inhaled                             |

**Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.