



# SURGICAL INSTRUMENTS CATALOG

2022



**OMEGA**  
SURGICAL INSTRUMENTS



# OMEGA

SURGICAL INSTRUMENTS

## Omega Commitment

It is our belief that every patient deserves the best possible treatment. That is why Omega focuses solely on cutting accessories. We strive to produce the highest quality cutting products available by continually perfecting our line.



### Brand Compatibility

Experience superior blades in the power equipment of your surgeon's choice.



## Surgeon Preferred Orthopedic Blades

### Premium Materials


Special select alloy blends ensure maximum durability.

### Visual Guide

Precision laser marking for controlled depth perception.

### DiaMax Blades

Proprietary Diamond honed teeth reduce thermal build-up.



### Precision Manufacturing

Utilization of advanced manufacturing technology and materials ensures fast and precise cuts every time.

### Experience Cutting Excellence

Surgical blades designed for superior orthopedic performance.



## Trusted Worldwide

Surgeons and medical facilities from over 30 countries annually utilize Omega cutting accessories for surgical procedures.

## Quality Control


ISO 13485 Certified



CE Mark Approved



FDA Registered



Press CTRL + F 

## Search Any Known Part Number

Our cross reference system will return most known part numbers with their Omega equivalent.

We have compiled an extensive list of part numbers for various brands. To search your favorite part number, simply press CTRL + F to open the search box.


## Jump Links

Click on links to jump to designated sections.

## Current Location

Highlighted sections display current location.


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®**
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Length**  
XX.X MM

**Width**  
XX.X MM



ΩMEGA  
FULL INSERT

<b>Part Number</b>	OOS-809 
<b>Blade Thickness</b>	0.89 MM
<b>Cut thickness</b>	0.89 MM

## Custom Products

## Design and Development

Don't see the item you are seeking in our catalog? Call 810-695-9800 or email sales@omegasurgical.com today to discuss your project.



## Minimum Order Quantity

All items are packaged and sold individually unless indicated by this icon. The minimum order quantity is displayed to the right of the part number.

**Total Joint Oscillating Blades**

- 5. Stryker® Replacements
- 20. Conmed® Replacements
- 34. Synthes® Replacements
- 34. Zimmer® Replacements
- 34. Arthrex® Replacements
- 41. De Soutter Medical® Replacements
- 48. Aesculap® Replacements

**Total Joint Reciprocating Blades**

- 10. Stryker® Replacements
- 28. Conmed® Replacements
- 38. Synthes® Replacements

**Micro Oscillating Blades**

- 11. Stryker® Replacements
- 29. Conmed® Replacements
- 39. Synthes® Replacements
- 43. 3M® Replacements
- 51. Dyonics® Replacements
- 52. MicroAire® Replacements

**Micro Reciprocating Blades**

- 15. Stryker® Replacements
- 31. Conmed® Replacements
- 55. MicroAire® Replacements

**Sternum Blades**

- 18. Stryker® Replacements
- 33. Conmed® Replacements
- 47. 3M® / Sarns® Replacements
- 47. Codman® Replacements

**Mandibular Osteotomy Blades**

- 14. Stryker® Replacements

**Cast Removal**

- 16. Stryker® Replacements
- 42. De Soutter Medical® Replacements

**Autopsy Blades**

- 19. Stryker® Replacements
- 42. De Soutter Medical® Replacements

**Twist Drills**

- 56. AO Quick Release
- 57. Jacobs Chuck Shank

**Cutting Burs**

- 58. Round Burs
- 59. Oval Burs
- 59. Side Cutting Burs
- 60. Barrel Burs
- 61. Acom Burs
- 61. Lindemann Burs
- 62. Swanson Burs
- 62. Wire Pass Drills

**Diamond Burs**

- 63. Round Diamond Burs
- 63. Oval Diamond Burs
- 64. Dermabraders

**Specialty Cutting Burs**

- 65. Stryker® Replacements
- 66. Medtronic® Replacements

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy






**Stryker®**




Compatible With Stryker® Hand Pieces  
8208  
7208  
6208  
4208  
4108  
2108

Compatible With Stryker® System 8  
System 7  
System 6  
System 5  
System 4  
System 2000


All blades are packaged individually




<b>Part Number</b>	<b>DX6-260</b>	<b>DX6-261</b>	<b>DX6-262</b>
<b>Blade Thickness</b>	<b>1.18 MM</b>	<b>1.26 MM</b>	<b>0.89 MM</b>
<b>Cut thickness</b>	<b>1.18 MM</b>	<b>1.26 MM</b>	<b>0.97 MM</b>



<b>Part Number</b>	<b>DX6-265</b>	<b>DX6-266</b>	<b>DX6-267</b>
<b>Blade Thickness</b>	<b>1.26 MM</b>	<b>0.89 MM</b>	<b>1.19 MM</b>
<b>Cut thickness</b>	<b>1.26 MM</b>	<b>0.97 MM</b>	<b>1.19 MM</b>



<b>Part Number</b>	<b>DX6-268</b>	<b>OOS-803</b>	<b>DX6-269</b>	<b>DX6-270</b>
<b>Blade Thickness</b>	<b>0.89 MM</b>	<b>0.89 MM</b>	<b>1.18 MM</b>	<b>1.26 MM</b>
<b>Cut thickness</b>	<b>0.97 MM</b>	<b>1.14 MM</b>	<b>1.18 MM</b>	<b>1.26 MM</b>



<b>Part Number</b>	<b>OOS-805</b>
<b>Blade Thickness</b>	<b>0.89 MM</b>
<b>Cut thickness</b>	<b>0.89 MM</b>

Stryker®  
Commed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Dyonics®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sternum  
Autopsy




**Stryker®**



Compatible With  
Stryker®  
Hand  
Pieces  
8208  
7208  
6208  
4208  
4108  
2108


Compatible With  
Stryker®  
System 8  
System 7  
System 6  
System 5  
System 4  
System  
2000

All blades are packaged individually




**Part Number** OOS-809

**Blade Thickness** 0.89 MM  
**Cut thickness** 0.89 MM




**Part Number** OOS-818

**Blade Thickness** 1.21 MM  
**Cut thickness** 1.21 MM



**Part Number** OOS-820

**Blade Thickness** 0.64 MM  
**Cut thickness** 1.03 MM



**Part Number** OOS-825

**Blade Thickness** 0.64 MM  
**Cut thickness** 1.02 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**




Compatible With  
Stryker®  
Hand  
Pieces  
8208  
7208  
6208  
4208  
4108  
2108

Compatible With  
Stryker®  
System 8  
System 7  
System 6  
System 5  
System 4  
System 2000


All blades are packaged individually




Part Number	OOS-831
Blade Thickness	0.64 MM
Cut thickness	1.02 MM



Part Number	OOS-844 
Blade Thickness	0.64 MM
Cut thickness	0.76 MM



Part Number	OOS-845
Blade Thickness	0.64 MM
Cut thickness	0.76 MM



Part Number	OOS-848
Blade Thickness	0.64 MM
Cut thickness	0.76 MM

- Stryker®
- Commed®
- Synthes®
- De Sautter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**




Compatible With  
Stryker®  
Hand  
Pieces  
8208  
7208  
6208  
4208  
4108  
2108

Compatible With  
Stryker®  
System 8  
System 7  
System 6  
System 5  
System 4  
System  
2000


All blades are packaged individually




<b>Part Number</b>	<b>OOS-851</b>
<b>Blade Thickness</b>	<b>1.18 MM</b>
<b>Cut thickness</b>	<b>1.18 MM</b>



<b>Part Number</b>	<b>OOS-852</b>	<b>OOS-858</b>
<b>Blade Thickness</b>	<b>1.18 MM</b>	<b>1.25 MM</b>
<b>Cut thickness</b>	<b>1.18 MM</b>	<b>1.25 MM</b>



<b>Part Number</b>	<b>OOS-882</b>
<b>Blade Thickness</b>	<b>1.18 MM</b>
<b>Cut thickness</b>	<b>1.18 MM</b>



<b>Part Number</b>	<b>OOS-883</b>
<b>Blade Thickness</b>	<b>1.23 MM</b>
<b>Cut thickness</b>	<b>1.23 MM</b>

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**



Compatible With  
Stryker®  
Hand  
Pieces  
8208  
7208  
6208  
4208  
4108  
2108

Compatible With  
Stryker®  
System 8  
System 7  
System 6  
System 5  
System 4  
System  
2000


All blades are packaged individually



**Part Number** OOS-885

**Blade Thickness** 1.18 MM


**Cut thickness** 1.18 MM



**Part Number** OOS-918

**Blade Thickness** 1.24 MM

**Cut thickness** 1.24 MM



**Part Number** OOS-14258

**Blade Thickness** 1.18 MM

**Cut thickness** 1.18 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy






**Stryker®**




Compatible With  
Stryker®  
Hand Pieces  
8208  
7208  
6208  
4208  
4108  
2108

Compatible With  
Stryker®  
System 8  
System 7  
System 6  
System 5  
System 4  
System 2000


All blades are packaged individually




<b>Part Number</b>	<b>ORS-250</b> 
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-275</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.92 MM</b>



<b>Part Number</b>	<b>ORS-300</b> 
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-325</b>
<b>Blade Thickness</b>	<b>0.77 MM</b>
<b>Cut thickness</b>	<b>1.14 MM</b>

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**




Compatible With Stryker® Hand Pieces  
4508  
4408  
4300-34  
4100-400  
7400-34  
7400-31  
6400-34  
6400-31  
5400-34  
5400-31  
5100-34  
5100-31  
2296-234  
2296-231  
2296-34  
2296-31

Compatible With Stryker® TPX® RemB® CORE® TPS®


All blades are packaged individually




Part Number	SM-2419
Blade Thickness	0.38 MM
Cut Thickness	0.64 MM




Part Number	SM-3051
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM




Part Number	SM-3101
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM




Part Number	SM-3102
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM




Part Number	SM-3103
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM



Part Number	SM-3104
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM



Part Number	SM-3105
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM



Part Number	SM-3106
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM

Stryker®  
Commed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Dyonics®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sternum  
Autopsy




**Stryker®**




Compatible With Stryker® Hand Pieces  
4508  
4408  
4300-34  
4100-400  
7400-34  
7400-31  
6400-34  
6400-31  
5400-34  
5400-31  
5100-34  
5100-31  
2296-234  
2296-231  
2296-34  
2296-31

Compatible With Stryker® TPX® RemB® CORE® TPS®


All blades are packaged individually




Part Number	SM-3108
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM




Part Number	SM-3111
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM




Part Number	SM-3114
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM




Part Number	SM-3115
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM




Part Number	SM-3125
Blade Thickness	0.38 MM
Cut Thickness	0.43 MM



Part Number	SM-3206
Blade Thickness	0.38 MM
Cut Thickness	0.61 MM



Part Number	SM-3212
Blade Thickness	0.38 MM
Cut Thickness	0.61 MM



Part Number	SM-3225
Blade Thickness	0.38 MM
Cut Thickness	0.61 MM

Stryker®  
Commed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Dyonics®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sternum  
Autopsy




**Stryker®**




Compatible With Stryker® Hand Pieces  
4508  
4408  
4300-34  
4100-400  
7400-34  
7400-31  
6400-34  
6400-31  
5400-34  
5400-31  
5100-34  
5100-31  
2296-234  
2296-231  
2296-34  
2296-31

Compatible With Stryker® TPX® RemB® CORE® TPS®


All blades are packaged individually




<b>Part Number</b>	<b>SM-3410</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>




<b>Part Number</b>	<b>SM-3411</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>




<b>Part Number</b>	<b>SM-3412</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>



<b>Part Number</b>	<b>SM-3414</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.43 MM</b>



<b>Part Number</b>	<b>SM-3819</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>



<b>Part Number</b>	<b>SM-5009</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>

Stryker®  
Commed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Dyonics®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sternum  
Autopsy

**Stryker®**




Requires  
Stryker®  
Adaptor  
2296-3-402



Compatible  
With Stryker®  
Hand Pieces  
7400-31  
6400-31  
5400-31  
5100-31  
2296-231  
2296-31


Compatible  
With Stryker®  
Systems  
TPX®  
RemB®  
CORE®  
TPS®

All blades are packaged individually




**Part Number** OOS-6132

**Blade Thickness** 0.38 MM  
**Cut Thickness** 0.51 MM




**Part Number** OOS-6134

**Blade Thickness** 0.38 MM  
**Cut Thickness** 0.51 MM



**Part Number** OOS-6150

**Blade Thickness** 0.38 MM  
**Cut Thickness** 0.51 MM



**Part Number** OOS-6152

**Blade Thickness** 0.38 MM  
**Cut Thickness** 0.51 MM

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy






**Stryker®**



Special Order

<b>Part Number</b>	<b>ORST-323R</b> 
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.38 MM</b>



<b>Part Number</b>	<b>ORST-906R</b> 
<b>Blade Thickness</b>	<b>0.28 MM</b>
<b>Cut Thickness</b>	<b>0.41 MM</b>



<b>Part Number</b>	<b>ORST-133</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.56 MM</b>



<b>Part Number</b>	<b>ORST-134</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.56 MM</b>



<b>Part Number</b>	<b>ORST-233</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.52 MM</b>

Compatible  
With Stryker®  
Hand Pieces  
7400-37  
6400-37  
5400-37  
5100-37


Compatible  
With Stryker®  
Systems  
TPX®  
RemB®  
CORE®  
TPS®

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Stryker®**



Part Number	CC940-25
Material	Stainless Steel



Part Number	CC940-35
Material	Titanium Nitride



\*Photo Not Actual Size

Part Number	CC986-500
Compatible System	CastVac®


Compatible  
With Stryker®  
System  
940  
986

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Stryker®**




Part Number	CC1-001
Material	Stainless Steel




Part Number	CC2-0
Material	Stainless Steel

Compatible  
With Stryker®  
Hand Pieces  
840  
848  
9003-210  
8380-210



Part Number	CC2-5X
Material	Stainless Steel




Part Number	CC2-0X 
Material	Stainless Steel

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Stryker®**



<b>Part Number</b>	<b>ORS-027</b> 
<b>Blade Thickness</b>	<b>0.79 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-100</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-101</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>

Compatible  
With Stryker®  
Hand Pieces  
8207  
7207  
6207  
4207  
2107

Compatible  
With Stryker®  
Systems  
System 8  
System 7  
System 6  
System 5  
System  
2000

All blades are packaged individually

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy



**Stryker®**



Compatible  
With Stryker®  
Hand Pieces  
810




Part Number	OD-412
Material	Stainless Steel



Part Number	OD-410
Material	Stainless Steel



Compatible  
With Stryker®  
Hand Pieces  
840  
848  
9003-210  
8380-210



Part Number	CC6 -001 
Material	Stainless Steel

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy**






**Conmed®**




Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02

Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®


All blades are packaged individually




Part Number	DXS-201	DXS-202	DXS-203
Blade Thickness	1.27 MM	0.89 MM	1.19 MM
Cut thickness	1.37 MM	0.97 MM	1.19 MM



Part Number	DXS-205	DXS-206
Blade Thickness	1.27 MM	0.89 MM
Cut thickness	1.27 MM	0.97 MM



Part Number	DXS-209	DXS-210
Blade Thickness	1.19 MM	1.27 MM
Cut thickness	1.19 MM	1.27 MM



Part Number	ZHS-051
Blade Thickness	0.64 MM
Cut thickness	0.99 MM

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Conmed®**



Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02


Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®

All blades are packaged individually




**Part Number** ZHS-054K

**Blade Thickness** 0.98 MM  
**Cut thickness** 1.27 MM




**Part Number** ZHS-056

**Blade Thickness** 0.79 MM  
**Cut thickness** 1.19 MM



**Part Number** ZHS-1006 ZHS-1009

**Blade Thickness** 1.27 MM 1.47 MM  
**Cut thickness** 1.27 MM 1.47 MM



**Part Number** ZHS-101

**Blade Thickness** 1.25 MM  
**Cut thickness** 1.51 MM

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Conmed®**



Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02


Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®

All blades are packaged individually




**Part Number** ZHS-1101

**Blade Thickness** 1.37 MM  
**Cut thickness** 1.47 MM




**Part Number** ZHS-137

**Blade Thickness** 0.64 MM  
**Cut thickness** 1.02 MM



**Part Number** ZHS-145

**Blade Thickness** 0.64 MM  
**Cut thickness** 0.94 MM



**Part Number** ZHS-150

**Blade Thickness** 0.89 MM  
**Cut thickness** 1.04 MM

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Conmed®**



Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02


Compatible With  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®

All blades are packaged individually




**Part Number** ZHS-154

**Blade Thickness** 1.27 MM  
**Cut thickness** 1.37 MM




**Part Number** ZHS-201

**Blade Thickness** 1.26 MM  
**Cut thickness** 1.26 MM



**Part Number** ZHS-205 

**Blade Thickness** 0.89 MM  
**Cut thickness** 1.04 MM



**Part Number** ZHS-272 

**Blade Thickness** 0.89 MM  
**Cut thickness** 0.97 MM

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Conmed®**




Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02

Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®


All blades are packaged individually




<b>Part Number</b>	<b>ZHS-305</b>
<b>Blade Thickness</b>	<b>1.27 MM</b>
<b>Cut thickness</b>	<b>1.42 MM</b>



<b>Part Number</b>	<b>ZHS-377</b>
<b>Blade Thickness</b>	<b>1.47 MM</b>
<b>Cut thickness</b>	<b>1.51 MM</b>



<b>Part Number</b>	<b>ZHS-530</b>
<b>Blade Thickness</b>	<b>1.35 MM</b>
<b>Cut thickness</b>	<b>1.35 MM</b>



<b>Part Number</b>	<b>ZHS-551</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.94 MM</b>

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy






**Conmed®**




Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02

Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®


All blades are packaged individually




<b>Part Number</b>	<b>ZHS-550</b>
<b>Blade Thickness</b>	0.64 MM
<b>Cut thickness</b>	0.94 MM



<b>Part Number</b>	<b>ZHS-552</b>
<b>Blade Thickness</b>	0.64 MM
<b>Cut thickness</b>	0.94 MM



<b>Part Number</b>	<b>ZHS-553</b>
<b>Blade Thickness</b>	0.64 MM
<b>Cut thickness</b>	0.94 MM



<b>Part Number</b>	<b>ZHS-554</b>
<b>Blade Thickness</b>	1.27 MM
<b>Cut thickness</b>	1.50 MM

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Conmed®**




Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02

Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®


All blades are packaged individually




<b>Part Number</b>	<b>ZHS-555</b>
<b>Blade Thickness</b>	<b>1.27 MM</b>
<b>Cut thickness</b>	<b>1.75 MM</b>



<b>Part Number</b>	<b>ZHS-556</b>
<b>Blade Thickness</b>	<b>0.78 MM</b>
<b>Cut thickness</b>	<b>0.94 MM</b>



<b>Part Number</b>	<b>ZHS-561</b>
<b>Blade Thickness</b>	<b>1.26 MM</b>
<b>Cut thickness</b>	<b>1.26 MM</b>



<b>Part Number</b>	<b>ZHS-572</b>
<b>Blade Thickness</b>	<b>0.79 MM</b>
<b>Cut thickness</b>	<b>0.98 MM</b>

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Conmed®**



Compatible With  
Conmed®  
Hand Pieces  
PRO9300B  
PRO7300B  
PRO6350M  
PRO6300M  
PRO6300  
PRO6175  
PRO6125  
PRO5300M  
PRO5300  
5071-02  
5067-02  
5044-02


Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®

All blades are packaged individually




**Part Number** ZHS-574

**Blade Thickness** 0.78 MM  
**Cut thickness** 0.94 MM




**Part Number** ZHS-578 

**Blade Thickness** 0.81 MM  
**Cut thickness** 0.95 MM



**Part Number** ZHS-595

**Blade Thickness** 0.89 MM  
**Cut thickness** 0.95 MM



**Part Number** ZHS-777R

**Blade Thickness** 1.00 MM  
**Cut thickness** 1.31 MM

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Conmed®**




Compatible With  
Conmed®  
Hand Pieces  
PRO9400B  
PRO7400B  
PRO6400M  
PRO6400  
PRO6135  
PRO6185  
PRO5400M  
PRO5400  
5071-03  
5067-03  
5044-03

Compatible With  
Conmed®  
Titan®  
Hall 50®  
MPower 2®  
MPower®  
PowerPro®  
Versipower®  
Series 4®  
Series 3®


All blades are packaged individually




<b>Part Number</b>	<b>ZH-258</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.99 MM</b>




<b>Part Number</b>	<b>ZH-259</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.99 MM</b>



<b>Part Number</b>	<b>ZH-260</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut thickness</b>	<b>0.56 MM</b>



<b>Part Number</b>	<b>ZH-261</b>
<b>Blade Thickness</b>	<b>1.27 MM</b>
<b>Cut thickness</b>	<b>1.60 MM</b>



<b>Part Number</b>	<b>ZH-273</b>
<b>Blade Thickness</b>	<b>0.74 MM</b>
<b>Cut thickness</b>	<b>0.99 MM</b>

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy




**Conmed®**




Compatible  
With Conmed®  
Hand Pieces  
PRO8200SB  
PRO7200SE  
6021-022  
6020-022  
5020-022  
5053-11  
5040-02

Compatible  
With Conmed®  
MicroFree®  
Micropower+  
Micropower®  
MicroChoice®  
Micro 100®  
MicroE®


All blades are packaged individually




<b>Part Number</b>	<b>ZMS-027</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.59 MM</b>




<b>Part Number</b>	<b>ZMS-118</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.59 MM</b>




<b>Part Number</b>	<b>ZMS-131</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.59 MM</b>




<b>Part Number</b>	<b>ZMS-132</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.65 MM</b>




<b>Part Number</b>	<b>ZMS-133</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.59 MM</b>




<b>Part Number</b>	<b>ZMS-137</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.60 MM</b>




<b>Part Number</b>	<b>ZMS-138</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.51 MM</b>



<b>Part Number</b>	<b>ZMS-139</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.60 MM</b>



<b>Part Number</b>	<b>ZMS-140</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.60 MM</b>



<b>Part Number</b>	<b>ZMS-141</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.60 MM</b>

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs


Cast Removal

Sternum


Autopsy




**Conmed®**




<b>Part Number</b>	<b>ZMS-143</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.60 MM</b>




<b>Part Number</b>	<b>ZMS-183</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



<b>Part Number</b>	<b>ZMS-233L</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut thickness</b>	<b>0.60 MM</b>



<b>Part Number</b>	<b>ZMS-3109</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.48 MM</b>



<b>Part Number</b>	<b>ZMS-5009</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



Compatible With Conmed® Hand Pieces PRO8200SB PRO7200SE 6021-022 6020-022 5020-022 5053-11 5040-02


Compatible With Conmed® MicroFree® Micropower®+ Micropower® MicroChoice® Micro 100® MicroE®

All blades are packaged individually


- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Conmed®**



Part Number	ZM-020
Blade Thickness	0.38 MM
Cut Thickness	0.59 MM



Part Number	ZM-220
Blade Thickness	0.38 MM
Cut Thickness	0.56 MM



Part Number	ZM-221
Blade Thickness	0.38 MM
Cut Thickness	0.56 MM




Part Number	ZM-050
Blade Thickness	0.58 MM
Cut Thickness	0.81 MM




Part Number	ZM-051
Blade Thickness	0.58 MM
Cut Thickness	0.81 MM



Part Number	ZM-052
Blade Thickness	0.58 MM
Cut Thickness	0.81 MM



Part Number	ZM-053
Blade Thickness	0.58 MM
Cut Thickness	0.81 MM



Part Number	ZM-054
Blade Thickness	0.58 MM
Cut Thickness	0.81 MM



Part Number	ZM-126
Blade Thickness	0.38 MM
Cut Thickness	0.51 MM



Part Number	ORS-133
Blade Thickness	0.64 MM
Cut Thickness	1.02 MM

Compatible With Conmed® Hand Pieces PRO8400SB PRO7400SE 6021-023 6020-023 5020-023 5053-10 5040-03

Compatible With Conmed® MicroFree® Micropower®+ Micropower® MicroChoice® Micro 100® MicroE®

All blades are packaged individually


- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Conmed®**



<b>Part Number</b>	<b>ORS-707</b>
<b>Blade Thickness</b>	<b>0.44 MM</b>
<b>Cut Thickness</b>	<b>0.44 MM</b>




<b>Part Number</b>	<b>ORS-712</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.51 MM</b>



<b>Part Number</b>	<b>ORS-720</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.51 MM</b>



<b>Part Number</b>	<b>ORS-733</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.51 MM</b>



<b>Part Number</b>	<b>ZM-081</b>
<b>Rasp Width</b>	<b>6.5 MM</b>
<b>Rasp Length</b>	<b>12.7 MM</b>



<b>Part Number</b>	<b>ZM-084B</b>
<b>Broach Thickness</b>	<b>3.2 MM</b>
<b>Broach Depth</b>	<b>6.9 MM</b>

Compatible With Conmed® Hand Pieces PRO8400SB PRO7400SE 6021-023 6020-023 5020-023 5053-10 5040-03

Compatible With Conmed® MicroFree® Micropower®+ Micropower® MicroChoice® Micro 100® MicroE®

All blades are packaged individually

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy






**Conmed®**




Compatible  
With Conmed®  
Hand Pieces  
PRO7450B  
PRO6450M  
5059-005  
5057-040

Compatible  
With Conmed®  
Hall 50®  
Mpower 2®  
Micro 100®


All blades are packaged individually



<b>Part Number</b>	<b>ZST-032</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut Thickness</b>	<b>0.94 MM</b>



<b>Part Number</b>	<b>ZST-279</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



<b>Part Number</b>	<b>ZHS-137</b>
<b>Blade Thickness</b>	<b>0.63 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>

Stryker®

Conmed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy



**Synthes®  
Zimmer®  
Arthrex®**



Compatible With  
Synthes®  
530.710  
511.610

Zimmer Biomet®  
89-8509-  
450-60


Arthrex®  
AR-600SAG

Compatible With  
Synthes®  
Battery  
Oscillator II®

Zimmer Biomet®  
Universal  
Power®


Arthrex®  
DrillSaw  
Max®

All blades are packaged individually




**Part Number** AGC-695R

**Blade Thickness** 0.97 MM  
**Cut thickness** 1.32 MM




**Part Number** AGC-920

**Blade Thickness** 1.27 MM  
**Cut thickness** 1.37 MM



**Part Number** SS-002

**Blade Thickness** 1.18 MM  
**Cut thickness** 1.18 MM



**Part Number** SS-3-055

**Blade Thickness** 1.27 MM  
**Cut thickness** 1.27 MM

Stryker®  
Commed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Dyonics®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sternum  
Autopsy



**Synthes®  
Zimmer®  
Arthrex®**



Compatible With  
Synthes®  
530.710  
511.610

Zimmer Biomet®  
89-8509-  
450-60


Arthrex®  
AR-600SAG

Compatible With  
Synthes®  
Battery  
Oscillator II®

Zimmer Biomet®  
Universal  
Power®


Arthrex®  
DrillSaw  
Max®

All blades are packaged individually




**Part Number** SS62-125

**Blade Thickness** 0.64 MM  
**Cut thickness** 0.84 MM




**Part Number** SS-102

**Blade Thickness** 1.18 MM  
**Cut thickness** 1.18 MM



**Part Number** SS-103

**Blade Thickness** 0.38 MM  
**Cut thickness** 0.59 MM



**Part Number** SS-108

**Blade Thickness** 0.89 MM  
**Cut thickness** 0.89 MM

Stryker®  
Commed®  
Synthes®  
De Soutter®  
3M®  
Aesculap®  
Dyonics®  
Medtronic®  
MicroAire®  
Twist Drills  
Burs  
Cast Removal  
Sternum  
Autopsy



**Synthes®  
Zimmer®  
Arthrex®**



Compatible With  
Synthes®  
530.710  
511.610

Zimmer Biomet®  
89-8509-  
450-60


Arthrex®  
AR-600SAG

Compatible With  
Synthes®  
Battery  
Oscillator II®


Zimmer Biomet®  
Universal  
Power®

Arthrex®  
DrillSaw  
Max®


All blades are packaged individually




Part Number	SS-109
Blade Thickness	0.89 MM
Cut thickness	0.89 MM



Part Number	SS-114
Blade Thickness	1.27 MM
Cut thickness	1.37 MM



Part Number	SS-115
Blade Thickness	1.27 MM
Cut thickness	1.37 MM



Part Number	SS-124
Blade Thickness	0.64 MM
Cut thickness	0.94 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Synthes®  
Zimmer®  
Arthrex®**



Compatible With  
Synthes®  
530.710  
511.610

Zimmer Biomet®  
89-8509-  
450-60

Arthrex®  
AR-600SAG

Compatible With  
Synthes®  
Battery  
Oscillator II®

Zimmer Biomet®  
Universal  
Power®

Arthrex®  
DrillSaw  
Max®

All blades are packaged individually

Part Number	SS-201
Blade Thickness	1.26 MM
Cut thickness	1.26 MM

Part Number	SS-203
Blade Thickness	1.27 MM
Cut thickness	1.27 MM

Part Number	SS-230
Blade Thickness	0.38 MM
Cut thickness	0.59 MM


Part Number	SS-304
Blade Thickness	1.35 MM
Cut thickness	1.35 MM

Part Number	SS-777R
Blade Thickness	0.99 MM
Cut thickness	1.30 MM


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Synthes®**



<b>Part Number</b>	<b>SY-905</b>
<b>Blade Thickness</b>	<b>0.93 MM</b>
<b>Cut thickness</b>	<b>1.08 MM</b>



<b>Part Number</b>	<b>SY-975</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.92 MM</b>

Compatible With  
Synthes®  
530.715  
511.615


Compatible With  
Synthes®  
Battery  
Reciprocator  
II®  
Air  
Reciprocator

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®**
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Synthes®**



<b>Part Number</b>	<b>SSM-048</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.66 MM</b>



<b>Part Number</b>	<b>SSM-064</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.66 MM</b>

Compatible With  
Synthes®  
532.010  
532.101

Requires  
532.021

Compatible With  
Synthes®  
Colibri II®  
Colibri®  
Small Bone  
Battery  
Drive II®  
Small Bone  
Battery Drive®

All blades are packaged individually

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills


Burs

Cast Removal


Sternum

Autopsy


**Synthes®**




<b>Part Number</b>	<b>SSE-1855</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.48 MM</b>




<b>Part Number</b>	<b>SSE-2419</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>



<b>Part Number</b>	<b>SSE-2590</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.48 MM</b>



<b>Part Number</b>	<b>SSE-3190</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



<b>Part Number</b>	<b>SSE-4095</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.60 MM</b>

Compatible With Synthes®  
05.001.010  
05.001.011  
05.001.080

Requires  
05.001.039

Compatible With Synthes®  
Epen Drive®  
Airpen Drive®

All blades are packaged individually

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy






**De Soutter®**



Compatible  
With De  
Soutter®  
MBQ-700


Compatible  
With De Soutter®  
OrthoDrive®

All blades are packaged individually




**Part Number** DS-87100

**Blade Thickness** 0.80 MM  
**Cut thickness** 0.95 MM



**Part Number** DS-87104

**Blade Thickness** 0.80 MM  
**Cut thickness** 0.95 MM




**Part Number** DS-87206

**Blade Thickness** 1.19 MM  
**Cut thickness** 1.27 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**De Soutter®**




<b>Part Number</b>	<b>DS-81105</b> 
<b>Material</b>	<b>Stainless Steel</b>
<b>Cut Thickness</b>	<b>0.92 MM</b>

Compatible With De Soutter®  
CC7  
CC6  
CC5  
CBS-100  
CSP-201  
CNS3

Compatible With De Soutter®  
CleanCast®  
QuietCast®

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®**
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal**
- Sternum
- Autopsy



**3M®**




Requires  
3M®  
K-220




Compatible  
With 3M®  
K100  
K200

Compatible  
With 3M®  
Mini Driver®  
Mini Driver  
II®


All blades are packaged individually



Part Number	OK-141
Blade Thickness	0.65 MM
Cut Thickness	0.97 MM




Part Number	OK-142
Blade Thickness	0.65 MM
Cut Thickness	0.97 MM




Part Number	OK-143
Blade Thickness	0.65 MM
Cut Thickness	0.97 MM




Part Number	OK-144
Blade Thickness	0.65 MM
Cut Thickness	0.97 MM




Part Number	OK-145
Blade Thickness	0.65 MM
Cut Thickness	0.97 MM




Part Number	OK-146
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM




Part Number	OK-147
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM



Part Number	OK-148
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM




Part Number	OK-149
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM



Part Number	OK-151
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**3M®**




Requires  
3M®  
K-220




Compatible  
With 3M®  
K100  
K200

Compatible  
With 3M®  
Mini Driver®  
Mini Driver  
II®


All blades are packaged individually




<b>Part Number</b>	<b>OK-152</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>




<b>Part Number</b>	<b>OK-153</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>



<b>Part Number</b>	<b>OK-154</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>



<b>Part Number</b>	<b>OK-155</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>



<b>Part Number</b>	<b>OK-156</b>
<b>Blade Thickness</b>	<b>0.39 MM</b>
<b>Cut Thickness</b>	<b>0.64 MM</b>

- Striker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**3M®**




Requires  
3M®  
K-120




Compatible  
With 3M®  
K100  
K200

Compatible  
With 3M®  
Mini Driver®  
Mini Driver  
II®


All blades are packaged individually




Part Number	OK-121
Blade Thickness	0.70 MM
Cut Thickness	1.02 MM




Part Number	OK-122
Blade Thickness	0.70 MM
Cut Thickness	1.02 MM




Part Number	OK-123
Blade Thickness	0.70 MM
Cut Thickness	1.02 MM




Part Number	OK-124
Blade Thickness	0.70 MM
Cut Thickness	1.02 MM




Part Number	OK-125
Blade Thickness	0.70 MM
Cut Thickness	1.02 MM




Part Number	OK-131
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM




Part Number	OK-132
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM



Part Number	OK-133
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM



Part Number	OK-134
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM



Part Number	OK-135
Blade Thickness	0.39 MM
Cut Thickness	0.64 MM

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy



**3M®**




Requires  
3M®  
K-120




Compatible  
With 3M®  
K100  
K200

Compatible  
With 3M®  
Mini Driver®  
Mini Driver  
II®

All blades are packaged individually



Part Number	OK-136
Blade Thickness	0.41 MM
Cut Thickness	0.64 MM



Part Number	OK-5009
Blade Thickness	0.41 MM
Cut Thickness	0.62 MM

Stryker®

Commed®

Synthes®

De Soutter®

**3M®**

Aesculap®

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs

Cast Removal

Sternum

Autopsy



**3M®**




Compatible  
With 3M®  
5590

Compatible  
With 3M®  
Sarns® II  
Sarns®




Compatible  
With  
Codman®  
26-7006

All blades are packaged individually



<b>Part Number</b>	<b>ORS-028</b>
<b>Blade Thickness</b>	<b>0.79 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>OC-110</b> 
<b>Blade Thickness</b>	<b>0.95 MM</b>
<b>Cut Thickness</b>	<b>1.17 MM</b>

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®**
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum**
- Autopsy




**Aesculap®**




Compatible with  
Aesculap®  
GA673  
GA668  
GB660R


All blades are packaged individually




<b>Part Number</b>	<b>AGC-296</b>
<b>Blade Thickness</b>	<b>1.26 MM</b>
<b>Cut thickness</b>	<b>1.26 MM</b>



<b>Part Number</b>	<b>AGE-236</b>
<b>Blade Thickness</b>	<b>1.23 MM</b>
<b>Cut thickness</b>	<b>1.23 MM</b>



<b>Part Number</b>	<b>AGE-241</b>
<b>Blade Thickness</b>	<b>1.27 MM</b>
<b>Cut thickness</b>	<b>1.27 MM</b>




<b>Part Number</b>	<b>AGE-246</b>
<b>Blade Thickness</b>	<b>1.26 MM</b>
<b>Cut thickness</b>	<b>1.26 MM</b>

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®**
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy







**Aesculap®**




<b>Part Number</b>	<b>AGC-281</b>
<b>Blade Thickness</b>	<b>1.27 MM</b>
<b>Cut thickness</b>	<b>1.37 MM</b>



<b>Part Number</b>	<b>AGC-285</b>
<b>Blade Thickness</b>	<b>1.23 MM</b>
<b>Cut thickness</b>	<b>1.33 MM</b>



<b>Part Number</b>	<b>AGC-552</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.97 MM</b>



<b>Part Number</b>	<b>AGC-553</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut thickness</b>	<b>0.97 MM</b>


Compatible with  
Aesculap®  
GB129

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®**
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Aesculap®**



<b>Part Number</b>	<b>AGC-777R</b>
<b>Blade Thickness</b>	<b>1.00 MM</b>
<b>Cut thickness</b>	<b>1.31 MM</b>



<b>Part Number</b>	<b>AGC-2803</b>
<b>Blade Thickness</b>	<b>0.89 MM</b>
<b>Cut thickness</b>	<b>0.89 MM</b>

Compatible with  
Aesculap®  
GB129

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®**
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Dyonics®**




Requires  
Dyonics®  
7205791




Compatible  
with Dyonics®  
7205785


All blades are packaged individually



<b>Part Number</b>	<b>SN-5804</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.60 MM</b>



<b>Part Number</b>	<b>SN-5805</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.62 MM</b>




<b>Part Number</b>	<b>SN-5806</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.62 MM</b>


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap
- Dyonics®**
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**MicroAire®**




<b>Part Number</b>	<b>MB-12001</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12005</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12006</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12007</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12008</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12009</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12010</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-12011</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-12012</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-12013</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM

Compatible with  
MicroAire®  
1220  
1920T  
1920  
2200  
5922  
6200

Dyonics®  
7209394

All blades are packaged individually

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs


Cast Removal

Sternum


Autopsy




**MicroAire®**




<b>Part Number</b>	<b>MB-12014</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12017</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12018</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-12019</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-17001</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-17002</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM




<b>Part Number</b>	<b>MB-17003</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-17007</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-17008</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM



<b>Part Number</b>	<b>MB-17009</b>
<b>Blade Thickness</b>	0.26 MM
<b>Cut Thickness</b>	0.53 MM

Compatible with  
MicroAire®  
1220  
1920T  
1920  
1922  
2200  
5922  
6200

Dyonics®  
7209394

All blades are packaged individually

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap

Dyonics®

Medtronic®

MicroAire®

Twist Drills

Burs


Cast Removal

Sternum


Autopsy




**MicroAire®**



<b>Part Number</b>	<b>MB-17010</b> 
<b>Blade Thickness</b>	<b>0.26 MM</b>
<b>Cut Thickness</b>	<b>0.53 MM</b>



<b>Part Number</b>	<b>MB-17012</b> 
<b>Blade Thickness</b>	<b>0.26 MM</b>
<b>Cut Thickness</b>	<b>0.53 MM</b>



<b>Part Number</b>	<b>MB-17013</b> 
<b>Blade Thickness</b>	<b>0.26 MM</b>
<b>Cut Thickness</b>	<b>0.53 MM</b>

Compatible with  
MicroAire®  
1220  
1920T  
1920  
1922  
2200  
5922  
6200

Dyonics®  
7209394

All blades are packaged individually

Stryker®

Commed®

Synthes®

De Soutter®

3M®

Aesculap

Dyonics®

Medtronic®

**MicroAire®**

Twist Drills

Burs


Cast Removal

Sternum


Autopsy




**MicroAire®**



<b>Part Number</b>	<b>MB-14001</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>




<b>Part Number</b>	<b>MB-14002</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



<b>Part Number</b>	<b>MB-14003</b>
<b>Blade Thickness</b>	<b>0.51 MM</b>
<b>Cut Thickness</b>	<b>0.86 MM</b>



<b>Part Number</b>	<b>MB-14004</b>
<b>Blade Thickness</b>	<b>0.51 MM</b>
<b>Cut Thickness</b>	<b>0.86 MM</b>



<b>Part Number</b>	<b>MB-14006</b>
<b>Blade Thickness</b>	<b>0.51 MM</b>
<b>Cut Thickness</b>	<b>0.89 MM</b>


Compatible with  
MicroAire®  
1400  
1945  
2420  
5945  
6400  
6420

Dyonics®  
7209392

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap
- Dyonics®
- Medtronic®
- MicroAire®**
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy

**Orthopedic Twist Drills**



Part Number	OSD-811	Diameter	1.1 MM	Flute Length	20 MM	Overall Length	60.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	---------



Part Number	OSD-815	Diameter	1.5 MM	Flute Length	30 MM	Overall Length	85.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	---------



Part Number	OSD-8510	Diameter	1.8 MM	Flute Length	44 MM	Overall Length	100.0 MM
-------------	----------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-819	Diameter	2.0 MM	Flute Length	48 MM	Overall Length	100.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-825	Diameter	2.5 MM	Flute Length	48 MM	Overall Length	110.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-25170	Diameter	2.5 MM	Flute Length	38 MM	Overall Length	170.0 MM
-------------	-----------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-826	Diameter	2.7 MM	Flute Length	48 MM	Overall Length	100.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-8288	Diameter	2.8 MM	Flute Length	48 MM	Overall Length	185.0 MM
-------------	----------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-831	Diameter	3.2 MM	Flute Length	30 MM	Overall Length	145.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-835	Diameter	3.5 MM	Flute Length	50 MM	Overall Length	110.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------




Part Number	OSD-844	Diameter	4.5 MM	Flute Length	48 MM	Overall Length	145.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------

All blades are packaged individually

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills**
- Burs
- Cast Removal
- Sternum
- Autopsy



## Orthopedic Twist Drills



Part Number	OZD-621	Diameter	1.6 MM	Flute Length	38 MM	Overall Length	125.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-820	Diameter	2.0 MM	Flute Length	48 MM	Overall Length	85.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	---------



Part Number	OZD-622	Diameter	2.0 MM	Flute Length	38 MM	Overall Length	125.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OZD-623	Diameter	2.4 MM	Flute Length	38 MM	Overall Length	125.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OSD-824	Diameter	2.5 MM	Flute Length	48 MM	Overall Length	95.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	---------



Part Number	OZD-624	Diameter	2.8 MM	Flute Length	38 MM	Overall Length	125.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OZD-625	Diameter	3.2 MM	Flute Length	38 MM	Overall Length	125.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OZD-626	Diameter	3.6 MM	Flute Length	38 MM	Overall Length	125.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OZD-627	Diameter	4.0 MM	Flute Length	38 MM	Overall Length	125.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------




Part Number	OZD-628	Diameter	4.5 MM	Flute Length	38 MM	Overall Length	125.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------



Part Number	OZD-629	Diameter	4.8 MM	Flute Length	38 MM	Overall Length	125.0 MM
-------------	---------	----------	--------	--------------	-------	----------------	----------

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




			Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM	Medium ~60 MM
	Size	Flutes	Smooth Shank			J-Notch		Osteomed
	1.0 MM	6	H-120	H-220	H-320	R2-51N	R1070N	
	1.2 MM	6	R3-51			R3-51N		
	1.5 MM	6	H-122	H-222	H-322		R1570N	
	1.8 MM	6	R6-51	R1870		R6-51N	R1870N	
	2.0 MM	6	H-124		H-324		R2070N	
	2.1 MM	6		H-224				
	2.3 MM	8	R8-51	R2370		R8-51N	R2370N	R8-60-01NS
	2.4 MM	6 - 8	H-125	H-225	H-325			
	2.7 MM	6		R2770			R2770N	
	3.0 MM	6 - 8		H-226	H-326	R30-51N	R3070N	
	3.1 MM	6	H-126					
	3.5 MM	6		R3570			R3570N	
	4.0 MM	8	H-128	H-228	H-328	R40-51N	R4070N	
	4.5 MM	8		R4570			R4570N	
	5.0 MM	8	H-130	H-230	H-330	R50-51N	R5070N	
	6.0 MM	8	R60-51	R6070		R60-51N	R6070N	
	6.5 MM	8	H-132	H-232	H-332			
	7.0 MM	8		R7070			R7070N	

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy











Oval Cutting


























Tapered Side Cutting




		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
Size	Flutes	Smooth Shank			J-Notch	
4.0 MM	8 - 10	H-136 	H-236 	H-336 	O4035N 	O4070N 
5.5 MM	10	H-138 	H-238 	H-338 		


		Medium ~50 MM	Long ~70 MM	Medium ~50 MM	Medium ~60 MM
Size	Flutes	Head Length	Smooth Shank	J-Notch	Osteomed
0.9 MM	6	4.2 MM	S699-51 	S699-51N 	
1.0 MM	6	4.3 MM	S700-51 	S700-51N 	
1.2 MM	6	4.3 MM	S701-51 	S701-51N 	
1.6 MM	6	10.1 MM	H-102 		
1.6 MM	6	4.4 MM	S702-51 	S702-51N 	
1.6 MM	6	6.0 MM	S702L-51 	S702L-51N 	
1.7 MM	6	12.2 MM		H-203 	
2.1 MM	6	7.6 MM	H-106 	H-206 	
2.0 MM	6	17.8 MM	H-114 	H-214 	
2.1 MM	6	4.4 MM	S703-51 	S703-51N 	S703-60-01NS 
2.1 MM	6	7.5 MM	S703L-51 	S703L-51N 	
2.1 MM	6	7.4 MM	S1703L-51 	S1703L-51N 	

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



Size	Flutes	Head Length	Smooth Shank		J-Notch	
			Medium ~50 MM	Long ~70 MM	Medium ~50 MM	Long ~70 MM
1.0 MM	6	5.8 MM	H-101		S557-51N	
1.2 MM	6	5.8 MM	S558-51		S558-51N	
1.2 MM	6	5.8 MM	S1558-51		S1558-51N	
1.5 MM	6	7.6 MM	H-104	H-204		
1.6 MM	6	4.3 MM	S560-51		S560-51N	
2.0 MM	8	10.2 MM	H-152	H-252		
4.0 MM	12	10.2 MM	H-154	H-254		




Size	Flutes	Smooth Shank			J-Notch	
		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
6.0 MM	14		B6070			B6070N

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




Acorn Cutting



			Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
	Size	Flutes	Smooth Shank			J-Notch	
	1.0 MM	6		A1070			A1070N
	2.0 MM	6		A2070			A2070N
	3.0 MM	6		A3070			A3070N
	4.0 MM	8		A4070			A4070N
	5.0 MM	8		A5070			A5070N
	6.0 MM	8		A6070			A6070N



Lindeman Cutting




			Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
	Size	Flutes	Smooth Shank			J-Notch	
	1.5 MM	4	H-112				
	1.7 MM	4				L1670N	

All burs are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



Swanson Cutting



Wire Pass Drills




		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
Size	Flutes	Smooth Shank			J-Notch	
2.0 MM	4	H-142	S2070			S2070N
3.0 MM	5	H-143	S3070			S3070N
4.0 MM	6	H-144	S4070			S4070N
5.0 MM	7	H-145	S5070			S5070N
Size	Flutes	Smooth Shank			J-Notch	
1.1 MM	2	W1051			W1051N	
1.5 MM	2	W1551			W1551N	
2.0 MM	2	W2051			W2051N	

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



Round Diamond



		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
Size	Grit	Smooth Shank			J-Notch	
1.0 MM	Fine	H-158	H-258	H-358		D1070N
1.5 MM	Fine		D1570			D1570N
2.0 MM	Fine	H-160	H-260	H-360		D2070N
2.5 MM	Fine		D2570			D2570N
3.0 MM	Fine	H-162	H-262	H-362		D3070N
3.5 MM	Fine		D3570			D3570N
4.0 MM	Fine	H-164	H-264	H-364		D4070N
4.5 MM	Fine		D4570			D4570N
5.0 MM	Fine	H-166	H-266	H-366		D5070N
6.0 MM	Fine	H-168	H-268	H-368		D6070N
7.0 MM	Fine		D7070			D7070N



Oval Diamond





		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
Size	Grit	Smooth Shank			J-Notch	
4.0 MM	Fine	H-170	H-270			

All burs are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



Dermabrader



		Medium ~50 MM	Long ~70 MM	X-Long ~95 MM	Medium ~50 MM	Long ~70 MM
Size	Grit	Smooth Shank			J-Notch	
4.0 MM	Fine	H-180				
7.0 MM	Fine	H-181				
12.0 MM	Fine	H-182				
10.0 MM	Fine	H-183				

All burs are packaged individually






- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- Microaire®
- Twist Drills
- Burs**
- Cast Removal
- Sternum
- Autopsy





Round Cutting

TPS  
Notch

Size	Flutes	Part Number	Length				
							
2.0 MM	6	ROPS2020 <sup>SS</sup>	84.5 MM				
							
3.0 MM	6	ROPS2030 <sup>SS</sup>	85.0 MM				
							
4.0 MM	8	ROPS2040 <sup>SS</sup>	84.5 MM				
							
5.0 MM	8	ROPS2050 <sup>SS</sup>	85.0 MM				
							
6.0 MM	8	ROPS2060 <sup>SS</sup>	85.0 MM				

Compatible with  
Stryker®  
TPS  
CORE

Compatible with  
Medtronic®  
Midas Rex™ III

Zimmer®  
Ultra Power®

Compatible with  
Stryker® Hand  
Piece  
5407-300 5407-  
100 5400-130  
5400-120  
5400-100  
5100-100

Compatible with  
Medtronic®  
ASMC  
Midas Rex™ III

Zimmer®  
7020-100

All burs are packaged individually















- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



Round Cutting



Xomed  
Notch

Size	Flutes	Part Number	Length				
							
1.0 MM	6	X-27651 <small>SS</small>	64.0 MM				
							
2.0 MM	6	X-27652 <small>SS</small>	64.0 MM				
							
3.0 MM	8	X-27653 <small>SS</small>	64.0 MM				
							
4.0 MM	8	X-27654 <small>SS</small>	64.0 MM				
							
5.0 MM	10	X-27655 <small>SS</small>	64.0 MM				
							
6.0 MM	10	X-27656 <small>SS</small>	64.0 MM				
							
7.0 MM	12	X-27657 <small>SS</small>	64.0 MM				

Compatible with  
Medtronic®  
Xomed®  
Visao™  
Otologic  
Drill

Compatible with  
Medtronic®  
Xomed®  
Hand Piece  
33-34800

All burs are packaged individually

















- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



Round Diamond



Xomed  
Notch

Size	Grit	Part Number	Length				
							
0.5 MM	Fine	X-21554	64.0 MM				
							
1.0 MM	Fine	X-21555	64.0 MM				
							
1.5 MM	Fine	X-21560	64.0 MM				
							
2.0 MM	Fine	X-21565	64.0 MM				
							
2.5 MM	Fine	X-21570	64.0 MM				
							
3.0 MM	Fine	X-21567	64.0 MM				
							
4.0 MM	Fine	X-21568	64.0 MM				
							
5.0 MM	Fine	X-21569	64.0 MM				

Compatible with  
Medtronic®  
Xomed®  
Visao™  
Otolologic  
Drill


Compatible with  
Medtronic®  
Xomed®  
Hand Piece  
33-34800

All burs are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- Microaire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Stryker®**



Part Number	CC940-25
Material	Stainless Steel



Part Number	CC940-35
Material	Titanium Nitride



\*Photo Not Actual Size

Part Number	CC986-500
Compatible System	CastVac®


Compatible  
With Stryker®  
System  
940  
986

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**Stryker®**




Part Number	CC1-001
Material	Stainless Steel




Part Number	CC2-0
Material	Stainless Steel

Compatible  
With Stryker®  
Hand Pieces  
840  
848  
9003-210  
8380-210



Part Number	CC2-5X
Material	Stainless Steel



Part Number	CC2-0X 
Material	Stainless Steel

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy



**De Soutter®**



<b>Part Number</b>	<b>DS-81105</b> 
<b>Material</b>	<b>Stainless Steel</b>
<b>Cut Thickness</b>	<b>0.92 MM</b>

Compatible With De Soutter®  
CC7  
CC6  
CC5  
CBS-100  
CSP-201  
CNS3


Compatible With De Soutter®  
CleanCast®  
QuietCast®

All blades are packaged individually


- Stryker®
- Commed®
- Synthes®
- De Soutter®**
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal**
- Sternum
- Autopsy




**Stryker®**



<b>Part Number</b>	<b>ORS-027</b>
<b>Blade Thickness</b>	<b>0.79 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-100</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>ORS-101</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>

Compatible  
With Stryker®  
Hand Pieces  
8207  
7207  
6207  
4207  
2107

Compatible  
With Stryker®  
Systems  
System 8  
System 7  
System 6  
System 5  
System  
2000

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy




**Conmed®**




Compatible  
With Conmed®  
Hand Pieces  
PRO7450B  
PRO6450M  
5059-005  
5057-040

Compatible  
With Conmed®  
Hall 50®  
Mpower 2®  
Micro 100®


All blades are packaged individually



<b>Part Number</b>	<b>ZST-032</b>
<b>Blade Thickness</b>	<b>0.64 MM</b>
<b>Cut Thickness</b>	<b>0.94 MM</b>



<b>Part Number</b>	<b>ZST-279</b>
<b>Blade Thickness</b>	<b>0.38 MM</b>
<b>Cut Thickness</b>	<b>0.61 MM</b>



<b>Part Number</b>	<b>ZHS-137</b>
<b>Blade Thickness</b>	<b>0.63 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>

- Stryker®
- Conmed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy





**3M®**




Compatible  
With 3M®  
5590

Compatible  
With 3M®  
Sarns® II  
Sarns®




Compatible  
With  
Codman®  
26-7006

All blades are packaged individually



<b>Part Number</b>	<b>ORS-028</b>
<b>Blade Thickness</b>	<b>0.79 MM</b>
<b>Cut Thickness</b>	<b>1.02 MM</b>



<b>Part Number</b>	<b>OC-110</b> 
<b>Blade Thickness</b>	<b>0.95 MM</b>
<b>Cut Thickness</b>	<b>1.17 MM</b>

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®**
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum**
- Autopsy



**Stryker®**



Compatible  
With Stryker®  
Hand Pieces  
810




Part Number	OD-412
Material	Stainless Steel



Part Number	OD-410
Material	Stainless Steel



Compatible  
With Stryker®  
Hand Pieces  
840  
848  
9003-210  
8380-210



Part Number	CC6 -001 
Material	Stainless Steel

All blades are packaged individually

- Stryker®
- Commed®
- Synthes®
- De Soutter®
- 3M®
- Aesculap®
- Dyonics®
- Medtronic®
- MicroAire®
- Twist Drills
- Burs
- Cast Removal
- Sternum
- Autopsy**



### Corporate Headquarters

1072 South Elms Rd.  
Suite E  
Flint, Michigan 48532

### Contact Information

Phone: 810.695.9800  
Fax: 810.695.7800  
Sales Inquiry: [sales@omegasurgical.com](mailto:sales@omegasurgical.com)  
Purchase Orders: [po@omegasurgical.com](mailto:po@omegasurgical.com)  
Website: [www.omegasurgical.com](http://www.omegasurgical.com)



CE  ISO 13485:2016

Copyright 2021 Omega Surgical Instruments - All rights reserved