

# QuickStand™ Technical Specifications



Designed by Humanscale, the QuickStand height-adjustable workstation is a unique, desk clamp-mounted sit/stand product that encourages users to be active and easily integrate vital movement into their workdays. An extremely solid, stable product, it features a built-in cable harness that allows users to plug in and go. With a minimal profile, the QuickStand workstation doesn't compromise the user's work surface, leaving plenty of space for paper-based work or other items.

- **Solid, stable product**

- **Clean, visual aesthetic**

- **Easy to operate**

- Designed with a large platform that seamlessly blends into the work surface
- Cable harness pre-installed for easy plug in and go
- Fully integrated cable management
- Two USB outlets for keyboard/mouse
- 18" (460 mm) platform height adjustment
- 5" (127 mm) single/dual monitor display adjustment
- Work surface clamp has 6" (150 mm) of horizontal adjustment for a 24" (600 mm) up to 36" (900 mm) deep surface
- Work surface clamp attaches to the back edge of a ½" (13 mm) up to 2 ¾" (70 mm) thick surface




Pre-installed  
**cable harness**









VESA compliant with  
**friction monitor adjustability**



**Two-piece clamp** for clamping  
or through grommet mount



Part Number	QSWL24	QSBL24	QSWL30	QSBL30	QSWC30	QSBC30
<b>Description</b>	Light Duty, Single Monitor, Small Platform		Light Duty, Single Monitor, Large Platform		Heavy Duty with Crossbar, Dual Monitors, Large Platform	
<b>Work Surface Size</b>	For a 24" (600 mm) to 29" (700 mm) Deep Work Surface		30" (800 mm) to 36" (900 mm) Deep Work Surface			
<b>Color</b>	White & Gray	Black & Gray	White & Gray	Black & Gray	White & Gray	Black & Gray
<b>Package Contents</b> <sup>1</sup>	QuickStand Height-Adjustable Column, Small Platform, Integrated Cable Harness for One Monitor, Palm Support, Two-Piece Desk Clamp, Tool Kit		QuickStand Height-Adjustable Column, Large Platform, Integrated Cable Harness for One Monitor, Palm Support, Two-Piece Desk Clamp, Tool Kit		QuickStand Height-Adjustable Column, Crossbar, Large Platform, Integrated Cable Harness for Two Monitors, Palm Support, Two-Piece Desk Clamp, Tool Kit	
<b>Clamp Options</b> <sup>2</sup>	Two-Piece Desk Clamp for ½" (13mm) up to ¾" (70 mm) Thick Work Surfaces					
<b>Platform Size</b>	28" (710 mm) Wide x 11" (280 mm) Deep		28" (710 mm) Wide x 17" (430 mm) Deep			
<b>Installed Cable Harness</b> <sup>3</sup>	1 x IEC 320 – C13 to C14 Power Cord 2 m Length 1 x DVI-SINGLE Link Cable 3 m Length 2 x USB 2.0 Cable 2 m Length				1 x IEC 320 – C13 to C14 Power Cord 2 m Length 1 x DVI-SINGLE Link Cable 3 m Length 2 x USB 2.0 Cable 2 m Length	
 <b>Weight Capacity</b>	Monitor Mount Weight – Minimum 4 lbs. (1.8 kg) to Maximum 11 lbs. (5 kg) Maximum Load on QuickStand Assembly – 25 lbs. (11.3 kg). Includes: Monitor Weight and Platform Contents				Each Monitor Mount Weight – Minimum 4 lbs. (1.8 kg) to Maximum 11 lbs. (5 kg) Maximum Load on QuickStand Assembly – 25 lbs. (11.3 kg). Includes: Monitor Weight, Crossbar and Platform Contents	
 <b>Height Adjustment</b>	18" (460 mm) Platform Height Adjustment 5" (127 mm) Single/Dual Monitor Adjustment 23" (585 mm) Maximum Height Adjustment					
 <b>Typical Display Size</b> <sup>4</sup>	≤ 24"					
 <b>Display Tilt</b>	+15° -5°					
 <b>Display Pan</b>	Not Available				+/- 15°	
 <b>Display Rotation</b>	180° Landscape to Portrait Display Rotation					
<b>VESA</b>	VESA Compliant					
<b>Shipping Dimensions</b>	38.5" (1000 mm) Wide x 11.5" (300 mm) Deep x 21.5" (550 mm) High					
<b>Shipping Weight</b>	57 lbs. (26 kg)				60 lbs. (27 kg)	
<b>Warranty</b>	5 Years, 24/7					

### **<sup>1</sup>Package Contents:**

- Each unit is shipped with the required tools to install and setup the product

### **<sup>2</sup>Desk Clamp Options:**

- Two-piece clamp for clamping to the back of work surfaces
- Two-piece clamp will fit through the following size grommet hole: 4.5" (115 mm) Wide x 1" (25.5 mm) Deep
- No through work surface installation option

### **<sup>3</sup>Installed Cable Harness:**

- Length of power cord running from the back of product: 14" (350 mm)
- Length of DVI cable running from the back of product: 51" (1300 mm)
- Length of power cord and DVI cables running from the front of product is: 17" (450 mm)
- Existing IEC C13 power cord (supplied with monitor) to be connected to back of product power cord

### **<sup>4</sup>Typical Monitor Display Size:**

- Monitor display size is an approximation. The dimension is a diagonal measurement of screen. Monitor display size may be exceeded as long as weight does not exceed maximum monitor mount weight capacity.

