Leica DISTO™ D2 The small partner for indoor applications



Leica DISTO $^{\text{TM}}$ D2 - The small partner

The compact and handy base model was specifically designed for indoor applications. Shortcut keys for addition, subtraction, area and volume calculation make measuring fast and very reliable. As with all Leica laser distance meters, the laser dot is clearly visible.

Featured with

- Shortcut keys for frequently used functions
- Illuminated 3-line display
- Flip-out end-piece
- Stake out function
- Time delay release





Small and handy

Thanks to its ergonomic and compact design with soft grip, the Leica DISTO™ D2 sits securely in your hand and fits into any pocket.

Applications

- Interior architect
- Drywall installer
- Decorator
- Electrician
- Floor layer
- Furniture retailer
- Refrigeration/heating engineer
- Plasterer
- Joiner
- Painter
- Bathroom installer
- Others



Laser class II In accordance with FDA 21CFR Ch.1 § 1040

Laser class 2 In accordance with IEC 60825-1 and EN 60825-1

Leica Geosystems AG Heerbrugg, Switzerland

 Γ



Flip-out end-piece

Measure from edges or corners with the flip-out end-piece you are equipped for any measuring illuminated display situation.

Technical Specifications

Measuring accuracy typ	±1.5 mm
Range	0.05 to 60 m
Distance	10, 50 m
Ø laser dot	6, 30 mm
Minimum / maximum	
measurements	
Continuous measurement	
Addition / subtraction	
Area/volume measurements	
Stake-out function	
Indirect measurement by	
Pythagoras	
Recall last values	
Time delay release	
Display illumination	
Measuring units	0.000m,
	0.00ft,
	0'00'', 1/16,
	0 1/16in
Measurements per battery set	up to 5.000
Flip-out end piece	
Batteries	Type AAA
	2x1.5V
Splash and dust proof IP54	
Dimensions	111x42x23mm
Weight with batteries	90g
-	

 \neg



Clear display

The results are shown on a 3-line display. The is easily readable, even in the dark.

Leica DISTO™ D2: Scope of delivery Leica DISTO™ D2 Holster Wrist strap Battery Pack



Illustrations, descriptions and technical specifications are not binding and may change. Copyright $^\circ$ Leica Geosystems AG, Heerbrugg, Switzerland, 2008.

- when it has to be **right**



Authorized Leica Geosystems Distributor