
MY 2011 AFM Product Guide

> May 2010

version #2


Table of contents





Tires





TIRE TECHNOLOGY DEFINED



DNA RUBBER

Our fast rolling, high traction 60a rubber compound specially formulated for performance riding in a variety of conditions.



SUPER TRACK DNA

Our unique, high traction 53a rubber provides sticky, solid traction for control in steep, loose conditions.



HIGH GRIP DNA RUBBER

A special slow rebound rubber that conforms to trail elements for maximum grip. Designed to tame angry trails, High Grip DNA rubber provides unmatched performance in wet & technical conditions.



SUPER DUTY CASING

This beefy thick-ply casing resists cuts while dampening huge impacts. Our Inner Peace sidewall reinforcement, further protects the tire from damage, reduces sidewall flex & dramatically reduces pinch flats.



TUBELES



Designed to meet the UST/ETRTO standard, WTB UST tires feature a folding bead with exceptional air retention qualities and performance DNA rubber compound.

ARAMID BEAD



TCS

A lightweight Aramid bead that provides greater bead-seat characteristics and a lighter weight than a wire bead tire.

WTB's Tubeless Compatible System

Tires feature the best of both worlds: they boast the ride benefits of a tubeless tire with the minimal weight of an XC race tire. This versatile system combines WTB's lightweight, Race casing with a dedicated tubeless bead and works great with or without inner tubes.



CABLE BEAD

A economical folding wire bead that provides cleaner packaging characteristics and an easy installation.

DUAL DNA RUBBER COMPOUND

For the XC tire, we go with a mix of DNA down the center, and Super Track on the shoulder. For AM to DH tires, we use Super Track down the center, and High Grip on the shoulder.

INNER PEACE

Inner Peace is a thin strip of nylon integrated into the tire sidewall that protects the casing from damage, reduces sidewall flex and dramatically reduces pinch flats. This feature is exclusively available on WTB's Team FR and Team DH series tires.






			Tire (Chart			
			240			CAN	A.E.
RIDE TYPE	TIRE	Pavement	Hardpack	Dry	Rough	Rocky	Wet
NDLTIFL	TIRE	Firm	Terrain	Mixed Co	nditions	Loose	Soil
	Wolverine 1.75/1.95						
XC RACING	Wolverine 2.1/2.2						
	Vulpine SL 1.9						
	Bronson 2.1						
	Prowler MX 2.1						
хс	Prowler SL						
XC	Nano						
	Exi Wolf						
	VelociRaptor						
	Bronson 2.3						
	Bronson 2.2 29"						
ALL MOUNTAIN	Prowler MX 2.3						
	Mutano						
	Weirwolf						
DUI/ED	Dissent 2.3						
DH/FR	Dissent 2.5						
	All Terrain						
HYBRID	Pathway						
	Slick						

GMS DEFINED

EXAMPLE: 50 / 52





TIRE OVERAL WIDTH (52 MM) + / - 2 MM







ETRTO / ISO rim / Tire fit recommendation


					1	Nominal ⁻	Tire Sect	ion Width	1				
het		23	25	32	35	37	40	44	47	50	52	54	57
Crotchet	13C												
	15C												
Rim -	17C												
Rim Width Type Rir	19C												
∠ Tγ	21C												
, zi	23C												
er	25C												
Inner	27C												
-	29C												

Crotchet Type Rims must be used when tire inflation pressures over 500 kPa/72PSI are recommended.

When inflation pressures over 500 kPa/72PSI are used, appropriate rim base protective flap must be fitted.

Crotchet Type Rims can be used with rigid and foldable bead tires.

In case of Tubeless application with a Tubeless Tire, a special Airtight Tape must be used with Crotchet Type Rim, or a special Tubeless Rim must be fitted to the Bicycle.









NEW

Bronson 2.1							
	e designation	Inner Rim Width ETRTO compatible Rim Size Recommendations	gms				
	59 (26x2.1)		50/53				
model	details	weight	part no.				
TCS	Dual DNA Compound, 120tpi Casing UST Aramid Bea		W010-0408				
Race	DNA Compound 60tpi Casing, Aramid Bead	W010-0409					
	Brons	ion 2.3					
Tire siz	e designation	Inner Rim Width ETRTO compatible Rim Size Recommendations	gms				
	59 (26x2.3)		54/59				
model	details	weight	part no.				
AM TCS	Dual DNA Compound, 60tpi Casing, UST Aramid Bea with Inner Peace	bd	W010-410				
Race	DNA Compound 60tpi Casing, Aramid Bead		W010-411				
FEATURES	 Widely space Scalloped and Deep/tall tree 	ed, linked tread nd siped knobs ead					
BENEFITS • Confident handling • Increased working edges for traction on hardpack • Excels in soft soils and sheds mud							








NEW

Bronson 2.2 29"							
Tire siz	e designation ETR	ner Rim Width TO compatible Rim Size ommendations	gms				
52x6	22 (29x2.2) 1	7C-29C	52/56				
model	details	weight	part no.				
Race	DNA Compound, 60tpi Casing, Aramid Bead	TBD	W010-0413				
FEATURES	 Widely spaced, Scalloped and s Deep/tall tread 						
BENEFITS	 Increased worki hardpack 	 Confident handling Increased working edges for traction on hardpack Excels in soft soils and sheds mud 					
INTENDE USE							









	Vulpine SL 1.9						
	Tire size	e designation	Inn ETR	er Rim Width TO compatible Rim Size ommendations	gms		
	44-559) (26x1.9)	1	7C-25C	47/47		
	model	details		weight	part no.		
NE	TCS	Dual DNA Compound, 120tpi Casing UST Aramid Be		TBD	W010-0402		
NE	W Team XC	120tpi Casing	DNA Compound, 120tpi Casing, Aramid Bead		W010-0404		
	Race	DNA Compour 60tpi Casing, Aramid Bead		450g	W010-0363		
	FEATURES	• XC race tune • Mid-size spec • Raised outsic shelf tread					
	BENEFITS	 Fast rolling Super light Top shelf co 		veight rnering in hard pack and soil			
l	INTENDED USE			O xc			



	Nano 2.1					
1	Tire size designation			er Rim Width TO compatible Rim Size ommendations	gms	
	52-559) (26x2.1)	1	7C-27C	52/50	
	model	details		weight	part no.	
N	TCS	Dual DNA Compound, 120tpi Casing UST Aramid Be		TBD	W010-0407	
	Race	DNA Compour 60tpi Casing, Aramid Bead	,	540g	W010-0373	
	FEATURES	carcass	rline l		nt on bigger	
	BENEFITS	absorption • Fast rolling climbing/brak	 Extremely fast rolling with good shock absorption Fast rolling and long lasting w/ good climbing/braking ability Great longevity and quick handling in dry 			
1	INTENDED USE		G	O xc		







Wolverine 1.95							
Tire siz	e designation	Inner Rim Width ETRTO compatible Rim Size Recommendations		gms			
47-559	(26x1.95)	1	7C-27C	47/49			
model	details		weight	part no.			
UST	Dual DNA Compound, UST Casing, UST Aramid Be	ad	700g	W010-0562			
Race	DNA Compour 60tpi Casing Aramid Beac	,	500g	W010-0379			
FEATURES	 Densely-particular Many well-s Mid height 	suppo	orted working	edges			
BENEFITS	• Good in mu	 Fast rolling and efficient Good in multiple soil conditions Moderate weight w/ good flotation 					
INTENDED USE)	Ox Oxc					



	Wolverine 2.2							
Tire siz	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms				
54-55	9 (26x2.2)	1	9C-29C	54/52				
model	details		weight	part no.				
UST	Dual DNA Compound, UST Casing, UST Aramid Be	Compound,		W010-0564				
AM TCS	UST Aramid Be	2 441 210 1		W010-0385				
Race	DNA Compour 60tpi Casing, Aramid Beac	,	610g	W010-0384				
FEATURES	 Densely-particular Many well-s Mid height 	suppo	orted working	ı edges				
BENEFITS	• Fast rolling and • Good in multipl • Moderate weigh							
INTENDEI USE	5	(ХС/АМ					




















Mutano 2.2							
Tire size designation			er Rim Width TO compatible Rim Size ommendations	gms			
52-559	9 (26x2.2)	1	7C-29C	52/52			
model	details		weight	part no.			
тсѕ	1 3	D didi D i di i		W010-0389			
Race	DNA Compour 60tpi Casing Aramid Beac	,	710g	W010-0388			
FEATURES	 Mid tread h 	, neigh [.]					
BENEFITS • Great dry to mid handling and low roll resistant • Fast rolling, long lasting and stable in loose dirt • Great hard-lean and off camber stabilit			table in				
INTENDED USE)	Ø	ОАМ				



	Mutano 2.4						
Tire siz	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms			
54-55	9 (26x2.4)	1	7C-29C	54/54			
model	details		weight	part no.			
AM TCS	UST Aramid Be	B ddi B i b i		W010-0391			
Race	60tpi Casing,	DNA Compound, 60tpi Casing, Aramid Bead		W010-0390			
FEATURES	 Mid tread h 	, neigh					
Great dry to mid handling and low roll resistant Fast rolling, long lasting and stable in loose dirt Great hard-lean and off camber stabili				table in			
INTENDEI USE	>	(XC/AM				







WeirWolf 2.1								
Tire size designation			er Rim Width TO compatible Rim Size ommendations	gms				
50-55	9 (26x2.1)	1	7C-27C	50/53				
model	details		weight	part no.				
UST	Dual DNA Compound, UST Casing, UST Aramid Be	ad	TBD	W010-0393				
TCS	Dual DNA Compound, 120tpi Casing UST Aramid Be		TBD	W010-0370				
Race	DNA Compound, 60tpi Casing, Aramid Bead		TBD	W010-0392				
Comp	27tpi Casing, Wire Bead	,	TBD	W010-0357				

WeirWolf 2.3

J	Tire size	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms	
	52-559) (26x2.3)	1	7C-29C	52/56	
	model	details		weight	part no.	
	UST	Dual DNA Compound, UST Casing, UST Aramid Be	ad	TBD	W010-0395	
	AM TCS	Dual DNA Compound, 60tpi Casing, UST Aramid Be with Inner Pea	ead	TBD	W010-0394	
NE	Race	DNA Compour 60tpi Casing Aramid Bead	,	TBD	W010-0412	
	FEATURES	Multiple ed	 Ramped center tread w/ square backsides Multiple edges w/ deep, outside knobs Open transition tread area w/ staggered outer knobs 			
	BENEFITS	• Predictable ability	corn	h amazing bra ering with gre pierce, and ch	at carving	
	INTENDED USE		Ø	AM FR		







	Disse	n	: 2.3		
Tire size	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms	
54-559	9 (26x2.3)	1	9C-29C	55/60	
model	details		weight	part no.	
Team DH	Dual DNA Compound, D Casing, Wire Be with Inner Pea	ad	TBD	W010-0328	
UST	Dual DNA Compound, UST Casing, UST Aramid Be	ad	TBD	W010-0369	
Race	DNA Compour 60tpi Casing, Folding Bead		828g	W010-0337	
Comp	27tpi Casing, Wire Bead		980g	W010-0368	
	Disse	n	2.5		
Tire size	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms	
	9 (26x2.5)	1	9C-29C	57/62	
model	details		weight	part no.	
Team DH	Dual DNA Compound, D Casing, Wire Be with Inner Pea	ad	1380g	W010-0365	
Race	DNA Compour 60tpi Casing, Folding Bead		1050g	W010-0367	
FEATURES	Dense cente Center-siped tread	 Mid-high long-tooth Dense center tread Center-siped knobs, w/ stacked outer tread Wide open transition area 			
BENEFITS	dry and mid to • Great latera • Allows for s	 Firm footprint with low roll resistant on dry and mid terrain Great lateral grip in dry - mid conditions Allows for soil releasing ability, and outside edge penetration 			
		outside edge penetration			







Wolverine 2.2 650B				
Tire siz	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms
54-584	(27.5x2.2)	19	9 C-29C	54/52
model	details		weight	part no.
Race	DNA Compour 60tpi Casing, Aramid Beac	,	TBD	W010-0351
FEATURES	Many well-	 Densely-packed, linked tread Many well-supported working edges Mid height tread 		
BENEFITS	• Good in mu	 Fast rolling and efficient Good in multiple soil conditions Moderate weight w/ good flotation 		
INTENDED USE	0	XC/AM		









	Wolverine 2.2 29"				
<i>Tire siz</i>	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms	
54-62	2 (29x2.2)	1	9C-29C	54/52	
model	details		weight	part no.	
Race	DNA Compour 60tpi Casing Aramid Beac	,	650g	W010-0360	
FEATURES	Many well-	 Densely-packed, linked tread Many well-supported working edges Mid height tread 			
BENEFITS	• Good in mu	 Fast rolling and efficient Good in multiple soil conditions Moderate weight w/ good flotation 			
INTENDEI USE)	(ХС/АМ		



Vulpine 2.1 29"				
Tire size	designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms
50-622	2 (29x2.1)	1	7C-27C	50/50
model	details		weight	part no.
Race	60tpi Casing,	DNA Compound, 60tpi Casing, 530 g Aramid Bead		W010-0314
FEATURES	Multiple ce	 Low profile, dense tread Multiple centerline teeth Mid-sized transition and outside knobs 		
BENEFITS	Good cling Stable corn	 Very lightweight and fast rolling Good cling on rock and soil Stable cornering and dirt "evacuation" from center tread 		
INTENDED USE		(×c xc	







Prowler SL 2.1 29"				
	e designation	Inn ETR	er Rim Width TO compatible Rim Size ommendations	gms
52-62	2 (29x2.1)	1	7C-29C	52/52
model	details		weight	part no.
Race	DNA Compour 60tpi Casing Aramid Beac	,	725 g	W010-0315
FEATURES	area • Square prot knobs	 Square profile w/ many center-siped knobs Multiple square backed and open center 		
BENEFITS	conditions • Great latera • Very good	 Great lateral grip in dry to wet conditions Very good climbing and braking, especially with the extended 29er contact 		
INTENDED USE	0	(₹ xc	



Nano 2.1 29″				
Tire siz	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms
52-622	2 (29x2.1)	1	7C-29C	52/47
model	details		weight	part no.
Race	DNA Compour 60tpi Casing Aramid Beac	,	650g	W010-0193
Comp	27tpi Casing, Wire Bead	,	TBD	W010-0371
FEATURES	carcass • Semi-center	 Dense, linked, mid tread height on bigger carcass Semi-centerline broken tread Radiused tread profile 		
BENEFITS	absorption • Fast rolling climbing/brak	 Fast rolling and long lasting w/ good climbing/braking ability Great longevity and quick handling in dry 		
INTENDED USE		C	ю _{хс}	







ExiWolf 2.3 29 "				
Tire size	Tire size designation		er Rim Width TO compatible Rim Size ommendations	gms
54-622	2 (29x2.3)	1	7C-29C	54/50
model	details		weight	part no.
Race	DNA Compour 60tpi Casing Folding Beac	,	825g	W010-0228
Comp	27tpi Casing, Wire Bead	,	900g	W010-0386
FEATURES	Semi-center	 Many working tread edges Semi-centerline "broken" tread Mid to deep, soil piercing tread 		
BENEFITS	 Fast rolling climbing/brak Predictable 	 Great dry and wet handling Fast rolling and long lasting w/ good climbing/braking ability Predictable & stable, w/ aggressive handling characteristics 		
INTENDED USE)	XC/AM		



Dissent 2.5 29"				
<i>Tire siz</i>	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms
60-622	2 (29x2.5)	1	9C-29C	60/62
model	details		weight	part no.
Comp FR	DNA Compour 27tpi Casing, W Bead with Inn Peace	/ire	TBD	W010-0398
FEATURES	Dense center Center-siper tread	 Mid-high long-tooth Dense center tread Center-siped knobs, w/ stacked outer tread Wide open transition area 		
BENEFITS	dry and mid t • Great latera • Allows for s	 Firm footprint with low roll resistant on dry and mid terrain Great lateral grip in dry - mid conditions Allows for soil releasing ability, and outside edge penetration 		
INTENDED USE		Ò	O FR/DH	







VelociRaptor 2.1 Front					
<i>Tire siz</i>	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms	
47-559	9 (26x2.1)	1	7C-27C	47/52	
model	details		weight	part no.	
Race	Aramid Bead DNA Compour 60tpi Casing	nd,	700g	W010-0190	
Comp	27tpi Casing, Wire Bead	,	795g	W010-0101	
FEATURES	channels • Rounded pi knobs	Rounded profile w/ "kick" at outside			
BENEFITS	• Agile and q ability	 Moves loose soil away from center tread Agile and quick w/ hard lean/carving ability Addresses cornering and turning needst 			
INTENDED USE)	G	O xc		



V	VelociRaptor 2.1 Rear				
Tire siz	- e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms	
47-559	9 (26x2.1)	1	7C-27C	47/52	
model	details		weight	part no.	
Race	Aramid Bead DNA Compour 60tpi Casing	nd,	700g	W010-0191	
Comp	27tpi Casing, Wire Bead	,	795g	W010-0102	
FEATURES	chevron • Rounded pr knobs	Rounded profile w/ "kick" at outside			
BENEFITS	 Agile and p carving ability 	 Famed climbing and braking ability Agile and predictable w/ hard leaning & carving ability Addresses the driving forces/needs Long lasting 			
INTENDED USE		e	Оxc		







Slick 1.5					
Tire size o	designation	Inner Rim Width ETRTO compatible Rim Size Recommendations		gms	
37-559	(26x1.5)	1	7C-23C	37/32	
model	details		weight	part no.	
Comp	27tpi Casing, Wire Bead	27tpi Casing, 490 g Wire Bead		W010-0358	
FEATURES	Dense center	 Well-siped to wick away moisture Dense center base rubber Tread pattern hybrids road benefits w/ city needs 			
BENEFITS	 Great all weather commute and city tire Prevents slices and puncture, rolls fast Great all-pavement-use utility tire 				
INTENDED USE	Comfort				



All Terrain 1.95					
Tire size	designation	ETRT	r Rim Width O compatible Rim Size mmendations	gms	
47-559	(26x1.95)	17	'C-27C	47/47	
model	details		weight	part no.	
Comp	27tpi Casing Wire Bead	,	940 g	W010-0359	
FEATURES	w/ some grip • Open trans supported sm	 Linked center tread provide smooth roll w/ some grip Open transition knob area, with supported small outer knobs Famed tread has been a staple tire for many season 			
BENEFITS	riders for lite • Handles off terrain amazi • "Easy" to se	 Popular amongst comfort, city and hybrid riders for lite duty ATB Handles off road corners and loose terrain amazingly well "Easy" to sell, great word-of-mouth reviews, and popular 			
INTENDED USE	DED				







A	ll Terraiı	n 700 x 32	2 c
Tire siz	e designation	Inner Rim Width ETRTO compatible Rim Size Recommendations	gms
32-622	(700x32c)	15C-19C	32/32
model	details	weight	part no.
Comp	27tpi Casing, Wire Bead	450g	W010-0396
A	ll Terraiı	n 700 x 38	Bc
Tire size	e designation	Inner Rim Width ETRTO compatible Rim Size Recommendations	gms
37-622	(700x38c)	17C-23C	37/38
model	details	weight	part no.
Comp	27tpi Casing, Wire Bead	660g	W010-0397
FEATURES	w/ some grip • Open trans supported sm	er tread provide sr ition knob area, wi aall outer knobs d has been a staple	ith
BENEFITS	riders for lite • Handles off terrain amazi	f road corners and ngly well ell, great word-of-n	loose
INTENDED USE			







	Pathway	70)0 x 32	с						
	e designation	Inn ETR	Inner Rim Width ETRTO compatible Rim Size Recommendations							
32-622	(700x32c)	1	5C-19C	32/30						
model	details		weight	part no.						
Flat Guard	Flat Guard, Reflective Sidew 60tpi Casing, Folding Cable B		TBD	W010-0346						
Comp	27tpi Casing, Wire Bead		TBD	W010-0333						
	Pathway	7	00 x 37	С						
Tire siz	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms						
37-622	(700x37c)	1	7C-23C	37/38						
model	details		weight	part no.						
Flat Guard	Flat Guard, Reflective Sidew 60tpi Casing, Folding Cable Bo		TBD	W010-0348						
Comp	27tpi Casing, Wire Bead		TBD	W010-0345						
	Pathv	va	y 2.0							
Tire siz	e designation	ETR	er Rim Width TO compatible Rim Size ommendations	gms						
47-559	9 (26x2.0)	1	7C-27C	47/49						
model	details		weight	part no.						
Flat Guard	Flat Guard, Reflective Sidew 60tpi Casing, Folding Cable B		TBD	W010-0338						
Comp	27tpi Casing, Wire Bead		TBD	W010-0334						
FEATURES	outward • Rounded pr from center to	rofile o out	y rows of tread with smooth side I base rubber,	transition						
BENEFITS	loose media c • Provides a p riding slow or	on pa oredio fast	er, lite sand, a vement ctable lean, w l comfortable							
INTENDED USE										







	26" x 1.	25/1.5	
	fit	_	nickness
Use with	1.25 to 1.5 tires		mm
model	details		part no.
	0.9mm, FV with	WTB Logo	
Presta	Valve Ca	0	TBD
	26" x 1	5/22	
	fit		nickness
Use wit	h 1.5 to 2.2 tires		mm
model	details	0.15	part no.
	0.9mm, FV with		part no.
Presta	Valve Ca	0	TBD
	26" x 2	3/30	
	fit		nickness
Use wit	h 2.3 to 3.0 tires		mm
model	details		part no.
	0.9mm, FV with		
Presta	Valve Ca	5	TBD
	700 x 2	0/28c	
	fit		nickness
	TBD		mm
model	details		part no.
Presta	0.8mm, FV with Valve Ca	WTB Logo	TBD
	0.8mm, FV with Valve Ca	WTB Logo ap	
	0.8mm, FV with Valve Ca 700 x 2	WTB Logo ap 8/38c	TBD
	0.8mm, FV with Valve Ca 700 x 2 fit	WTB Logo ap 8/38c wall th	TBD
Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD	WTB Logo ap 8/38C wall th 0.8	TBD nickness mm
	0.8mm, FV with Valve Ca 700 x 2 fit TBD details	WTB Logo ap 8/38c wall th 0.8	TBD
Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD	WTB Logo ap 8/38C wall th 0.8 WTB Logo	TBD nickness mm
Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca	WTB Logo ap 8/38C wall th 0.8 WTB Logo ap	TBD nickness mm part no.
Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca 700 x 3	WTB Logo ap 8/38C wall th 0.8 WTB Logo ap 5/44C	TBD nickness mm part no. TBD
Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca 700 x 3 fit	WTB Logo ap 8/38c wall th 0.8 WTB Logo ap 5/44c wall th	TBD nickness mm part no. TBD nickness
Presta model Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca 700 x 3 fit TBD	WTB Logo ap 8/38c wall th 0.8 WTB Logo ap 5/44c wall th 0.8	TBD hickness mm part no. TBD hickness mm
Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca 700 x 3 fit TBD details	WTB Logo ap 8/38c wall th 0.8 WTB Logo ap 5/44c wall th 0.8	TBD nickness mm part no. TBD nickness
Presta model Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca 700 x 3 fit TBD	WTB Logo ap 8/38C wall th 0.8 WTB Logo b 5/44C wall th 0.8 WTB Logo	TBD hickness mm part no. TBD hickness mm
Presta model Presta model	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca 700 x 3 fit TBD details 0.8mm, FV with Valve Ca	WTB Logo ap 8/38C wall th 0.8 WTB Logo ap 85/44C wall th 0.8 WTB Logo ap	TBD hickness mm part no. TBD hickness mm part no.
Presta model Presta model	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca 700 x 3 fit TBD details 0.8mm, FV with Valve Ca 29"x 1	WTB Logo ap 8/38C wall th 0.8 WTB Logo ap 5/44C wall th 0.8 WTB Logo ap .9/2.1	TBD hickness mm part no. TBD hickness mm part no. TBD
Presta model Presta Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca 700 x 3 fit TBD details 0.8mm, FV with Valve Ca 29"x 1 fit	WTB Logo ap 8/38C wall th 0.8 WTB Logo ap 5/44C wall th 0.8 WTB Logo ap .9/2.1 wall th	TBD hickness mm part no. TBD hickness mm part no. TBD
Presta model Presta Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca 700 x 3 fit TBD details 0.8mm, FV with Valve Ca 29"x 1 fit h 1.9 to 2.1 tires	WTB Logo ap 8/38C wall th 0.8 WTB Logo ap 5/44C wall th 0.8 WTB Logo ap .9/2.1 wall th	TBD hickness mm part no. TBD hickness mm part no. TBD
Presta model Presta Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca 700 x 3 fit TBD details 0.8mm, FV with Valve Ca 29"x 1, fit h 1.9 to 2.1 tires details	WTB Logo ap 8/38C wall th 0.8 WTB Logo ap 5/44C wall th 0.8 WTB Logo ap .9/2.1 wall th 0.8	TBD hickness mm part no. TBD hickness mm part no. TBD
Presta model Presta Presta	0.8mm, FV with Valve Ca 700 x 2 fit TBD details 0.8mm, FV with Valve Ca 700 x 3 fit TBD details 0.8mm, FV with Valve Ca 29"x 1 fit h 1.9 to 2.1 tires	WTB Logo ap 8/38C wall th 0.8 WTB Logo ap 5/44C wall th 0.8 WTB Logo ap .9/2.1 wall th 0.8	TBD hickness mm part no. TBD hickness mm part no. TBD

26'	" x 1.5/2.2	- bulk bo	x of 50				
	fit	wall th	nickness				
Use wit	h 1.7 to 2.2 tires	0.9	mm				
model	details		part no.				
Presta	0.9mm, FV with Valve C	5	TBD				
700) x 20/28c	- bulk bo	x of 50				
	fit	wall th	nickness				
	TBD	0.8	mm				
model	details		part no.				
Presta	0.8mm, FV with WTB Logo W015-0043						

Valve Cap

nertubes SCHRADER



6 6																							10 10
																						10	100
																						0 0	

	26" x 1.	25/1.5	
	fit	wall th	ickness
Use with	1.25 to 1.5 tires	0.9	mm
model	details		part no.
Schrader	0.9mm, AV with Valve Ca	5	TBD
	26" x 1.	5/2.2	
	fit	wall th	ickness
Use with	1.5 to 2.2 tires	0.9	mm
model	details		part no.
Schrader	0.9mm, AV with Valve Ca	5	TBD
	26" x 2.	3/3.0	
	fit	wall th	ickness
Use with	2.3 to 3.0 tires	0.9	mm
model	details	:	part no.
Schrader	0.9mm, AV with Valve Ca	-	TBD

26" x 1.5/2.2 - bulk box of 50

	fit	wall th	ickness
Use with	n 1.5 to 2.2 tires	0.9	mm
model	details		part no.
5chrader	0.9mm, AV with Valve Ca	5	TBD



TBD


Saddles



FIRST, A WORD ABOUT ANATOMY...

Bike saddles are very personal objects. Ask several cyclists of their favorite models and you will receive very different responses—even if the riders are similar in size and skill level. In the next few pages you'll find a range of seats designed for varying physiques, riding styles and shape preferences. With over 30 thoroughly-researched, ridertested models, WTB offers the ideal perch for everyone from world champion racers to their grandmothers.

No matter what your age, gender or ability level, we're guessing that you're not a fan of numbness or pain in your nether-regions. Because we care about your comfort, you'll find several key anatomically-friendly features that span the entire WTB saddle line. These proprietary designs place more support on your ischial bones ("sit bones") and less weight on sensitive soft tissue. As a rule, WTB saddles are flatter in profile than others. Our profile supports your sit bones and relieves pressure from sensitive areas, whereas rounder saddles pull the pelvic girdle apart, placing pressure where you don't want it.



LOVE CHANNEL

Found on all WTB saddles, the Love Channel has one very important task: protecting your body from unwanted pressure. The central depression provides soft-tissue relief without sacrificing the structural integrity of the saddle.

COMFORT ZONE®

Featured exclusively on high-end WTB saddles, these small windows are cut-away from the base of the saddle to provide additional relief from pressure on sensitive areas. Comfort Zone is a subtle difference that provides impressive long-term comfort.

LUX ZONE

This comfort-enhancing window is featured exclusively on the Valcon saddle. Similar to our proprietary Comfort Zone soft tissue relief area, LuxZone reduces pressure on sensitive soft tissue.

DNA PADDING

Found on all of our high-end models, this dense padding dramatically reduces the weight of the saddle. DNA padding also features superior memory properties, which conforms to your individual anatomy.

SOFT-SHELL

WTB's shock-absorbing, dual-compound saddle base. Soft-Shell saddles minimize trail vibration while simultaneously providing a rigid platform for efficient pedaling.

FLEX-TUNED SHELL

The Flex-Tuned shell boasts an exceptional mix of comfortable flex and firm efficiency. Not as supple as the Soft-Shell and not as stiff as the Carbon Composite, Flex-Tuned saddles provide the happy medium that is ideal for most enthusiasts.

NYLON / CARBON COMPOSITE SHELL

The WTB Composite shell consists of nylon or carbon fiber composite. It provides a firm and supportive feel for unparalleled performance and efficiency. This base is found only on our top-level Vigo, Devo & Deva.

ABR CORNERS

These durable patches of material protect the corners and sides of the saddle from rips and tears.

TITANIUM RAILS


Titanium rails offer an unprecedented strength-to-weight ratio as well as superior vibration damping characteristics.


NICRO TUBULAR RAILS

NiCro is a hollow alloy rail material that is as light as titanium, but available at a more economical cost. NiCro tubular rails have a distinctive golden-silver tint and offer unparalleled ride quality.



UTB₆





Use





RACING



				Valcon	
	model	weight	rails	details	part no.
NEW	Carbon	TBD	Carbon	Leather cover, Carbon composite shell, LuxZone, DNA padding	TBD
-	SLT Carbon	230g	Titanium	Leather cover, Carbon composite shell, LuxZone, DNA padding	W065-0309
	Team Carbon	240g	NiCro	Synthetic cover, Carbon composite shell, Comfort Zone, DNA padding	W065-0310
	Pro	270g	Comoly	Synthetic cover, Flex-Tuned shell, LuxZone	W065-0312



RACING

NEW штв TBD MITE W065-0287 штв W065-0288 W065-0274 TUTTE штв W065-0273 INTENDED Elite road and cross country racing W065-0279 USE SIZE Narrow and long (133mm x 274mm) • Narrow, long, thinline shape **FEATURES** • Comfort Zone cutouts • Flex-tuned shell • Fits racer anatomies with average-width sit bones **BENEFITS** • Increased comfort • Stiff pedaling platform with built-in bump absorption 100778 W065-0280 INTENDED USE Road Silverado model weight rails details part no. Carbon Leather cover, DNA padding, Kevlar corners TBD TBD Carbon SLT Titanium Black leather cover, Nylon fiber shell, Kevlar corners W065-0287 200g NEW Team Syndicate TBD 205g Titanium Black synthetic cover, Nylon fiber shell

White synthetic cover, Nylon fiber shell

Black synthetic cover, Nylon fiber shell, ABR corners

Black synthetic cover, Nylon fiber shell

White synthetic cover, Nylon fiber shell

Black synthetic cover, Nylon fiber shell, ABR corners

White synthetic cover, Nylon fiber shell, White base

TBD

W065-0274

W065-0273

W065-0279

W065-0280

W065-0288

Team Syndicate

Team

LE Lopes 55

LE Lopes 55

Pro

Pro

Titanium

Titanium

Titanium

Titanium

NiCro Tubular

NiCro Tubular

205g

205g

205g

205g

230g

230g





HIGH PERFORMANCE



SEI CUIDOII	2059	internation	White leader cover, namable, carbon shell, topeak mount piece	10005 0255
Team	295g	NiCro Tubular	White/Red synthetic cover, Railrubber, Nylon composite shell, Topeak mount piece	W065-0253
Pro	340g	Cromoly	Black/Grey synthetic cover, Nylon composite shell, Topeak mount piece	W065-0254



UTB_®

Road

HIGH PERFORMANCE



			Devo	
model	weight	rails	details	part no.
Carbon	205g	Titanium	Black leather cover, Carbon fiber shell	W065-0180
SLT	215g	Titanium	Black leather cover, Nylon fiber shell	W065-0181
SLT	215g	Titanium	White leather cover, Nylon fiber shell	W065-0289



CROSS COUNTRY & ALL MOUNTAIN





			Rocket V	
model	weight	rails	details	part no.
SLT	215g	Titanium	Silver/Black leather cover w/3M reflective corners, DNA padding, Comfort Zone	W065-0281
SLT	215g	Titanium	Black leather cover w/Black corners, DNA padding, Comfort Zone	W065-0282
Team	225g	Titanium	White synthetic cover, DNA padding, Comfort Zone	W065-0283
Team	225g	Titanium	Black synthetic cover, DNA padding, Comfort Zone	W065-0284
NEW Team Syndicate	225g	Titanium	Synthetic shiny cover, DNA padding, Comfort Zone	TBD
Pro	255g	NiCro Tubular	Black synthetic cover, Comfort Zone	W065-0285
Race	275g	Cromoly	Black synthetic cover w/ Black diamond corners, Comfort Zone	W065-0286
Comp	310g	Satin steel	Brown synthetic cover, Comfort Zone	W065-0293



CROSS COUNTRY & ALL MOUNTAIN











INTENDED USE	Mountain
SIZE	Mid-width and long (145mm x 277mm)
FEATURES	 Ergonomic shape with drop nose design Love channel Whale-tail design
BENEFITS	 Increased manueverability Increased soft tissue relief Provides multiple options for rider positioning
INTENDED USE	AM

Pure V				
model	weight	rails	details	part no.
SLT	250g	Titanium	Silver/White leather cover w/Folding corners, DNA padding, Comfort Zone	W065-0294
Team	260g	Titanium	Black leather/synthetic cover w/Folding corners, DNA padding, Comfort Zone	W065-0295
Pro	280g	NiCro	Black synthetic cover, Flex-tuned shell, ABR corners, Comfort Zone	W065-0249
Race	320g	Cromoly	Black synthetic cover w/Black accents, ABR corners, Comfort Zone	W065-0296
Race	320g	Cromoly	Black synthetic cover w/Chrome accents, ABR corners, Comfort Zone	W065-0297





MULTI USE







MULTI USE



INTENDED USE	Multi-use		
SIZE	Mid-width and mid-length (142mm x 265mm)		
FEATURES	 Smooth, contoured shape Love channel 		
BENEFITS	Easier manueverabilityIncreased soft tissue relief		
INTENDED USE	Multi-use		



Laser V					
model	weight	rails	details	part no.	
SLT	240g	Titanium	Black leather cover w/Folding corners, DNA padding, Soft shell w/ Comfort Zone	W065-0123	
Team	275g	Titanium	Black leather cover w/Folding corners, DNA padding, Soft shell w/ Comfort Zone	W065-0124	
Pro	290g	NiCro	Black synthetic cover w/ABR corners, Flex-Tuned shell w/ Comfort Zone	W065-0250	





MULTI USE



Speed V				
model	weight	rails	details	part no.
ProGel	435g	Satin steel	Black synthetic cover w/Black ABR corners, Blue stitching	W065-0158
Comp	380g	Satin steel	Black synthetic cover w/Grey sides, High padding	W065-0129
Comp	380g	Satin steel	Black synthetic cover w/Black sides, High padding	W065-0216





FR & DH





INTENDED USE	All Mountain and FR/DH			
SIZE	Mid-width and mid-length (137mm x 272mm)			
FEATURES	 8mm oversized rails Soft padding Comfort Zone			
BENEFITS	 Tough rails can take abuse, Plush ride, Added relief in soft tissue area			
INTENDED USE	AM FR/DH			

Aviator				
model	weight	rails	details	part no.
DH Race Tan	315g	8mm Cromo	Canvas cover, Flex-Tuned shell, Comfort Zone, ABR corners	W065-0313
Comp	390g	8mm Steel	Synthetic cover, Flex-Tuned shell, Comfort Zone	W065-0314
Comp	390g	8mm Steel	Synthetic cover, Flex-Tuned shell, Comfort Zone	W065-031





FEMALE SPECIFIC RACING

Deva W065-0183 111 50 eva. W065-0184 TUDINES W065-0290

INTENDED USE	Elite road and cross country racing
SIZE	Mid-width and short (142mm x 257mm)
FEATURES	Mid-width and shortHigh-set paddingPerforated detail
BENEFITS	 Fits racer anatomies with wide sit bones Enhanced bump absorption and comfort Aesthetic value
INTENDED USE	XC Road



Deva Deva				
model	weight	rails	details	part no.
SLT	240g	Titanium	Gel packs, Black leather cover, Nylon fiber shell, Comfort Zone	W065-0183
SLT	240g	Titanium	Gel packs, White leather cover, Nylon fiber shell, Comfort Zone	W065-0184
Pro	250g	Cromoly	White synthetic cover, Nylon fiber shell, Comfort Zone, DNA padding	W065-0290
HP Pro	330g	Cromoly	High padding set, Gel Inserts, Black leather cover, Comfort Zone	W065-0234



FEMALE SPECIFIC MULTI USE



USE			
SIZE	Mid-width and short (143mm x 240mm)		
FEATURES	Ergonomic, female-specific shape Smooth, elegant curves Steel rails Love channel		
BENEFITS	 Optimum fit for active women Easier manueverability No dangerous sharp-edges More durable Increased soft tissue relief 		
INTENDED USE	xc Xc		

Road



				Speed She	
	model	weight	rails	details	part no.
NEW	Pro	TBD	Cromoly	TBD	TBD
-	ProGel	435g	Satin steel	Black synthetic cover w/Black ABR corners, Blue stitching	W065-0159
	Comp	360g	Satin steel	Black synthetic cover w/Black embossed sides, High padding	W065-0300
	Comp	360g	Satin steel	Grey synthetic cover w/Black embossed sides, High padding	W065-0301



FEMALE SPECIFIC MULTI USE







	All and a second		
MARINE	N N	Laisure 5 (1)	
W065-0305	a distance of	Ske	AF

INTENDED USE	City, hybrid and comfort	
SIZE	Wide and mid-length (157mm x 247mm)	
FEATURES	 Ergonomic, female-specific shape High-set padding Classic cut pattern Love channel 	
BENEFITS	 Fits a broad range of female anatomies Enhanced bump absorption and comfort No stitching, less chaffing Increased soft tissue relief 	
INTENDED USE	A A Recreational	

			Leisure She	
model	weight	rails	details	part no.
Comp	360g	Satin steel	Black embossed synthetic cover, 3M reflective	W065-0303
Comp	360g	Satin steel	Brown embossed synthetic cover w/Grey sides, 3M reflective	W065-0305





COMFORT





W065-0307

INTENDED USE	City, hybrid and comfort		
SIZE	Extra-wide and mid-length (172mm x 260mm)		
FEATURES	Wide shape and deep cushioningInternal stitchingLove channel		
BENEFITS	 Ideal shape for short jaunts and upright positioning Smooth contact points, no chaffing Increased soft tissue relief 		
INTENDED USE	Recreational		

Comfort V				
model	weight	rails	details	part no.
Comp	575g	Satin steel	Elastomer spring, Black synthetic cover w/Black sides, Soft shell	W065-0306
Sport	435g	Satin steel	Extra soft padding, Black lycra cover w/Black vinyl sides	W065-0307

Test Saddles






Test Ride Kit - W065-0308			
model	part no.		
Valcon	W065-0316		
Silverado	W065-0262		
Devo	W065-0264		
Deva HP	W065-0263		
Vigo	W065-0266		
Rocket V	W065-0278		
Laser V	W065-0261		
Pure V	W065-0260		
Leisure She	W065-0245		







CLAMP-ON TECHNOLOGY

Another WTB innovation, Clamp-On grips bolt securely to the handlebar via two nylon clamps. Unlike the average lock-on type grip that uses a thick, plastic base, Clamp-On technology utilizes a minimal nylon skeleton. Because there is no layer of dense plastic between your hands and your handlebar, Clamp-On technology is slimmer in profile, more comfortable and lighter weight than lock-ons.

SCREW & NUT FASTENING

Our Clamp-On grips fasten to the handlebar with bolts and sleeves comprised of corrosion-resistant plated steel. The system works much like a Spoke and Nipple. The chance of stripping the hardware is greatly reduced with this steel hardware and, because the components are so small, this is a lightweight fastening system. The nylon clamps are safe to use with carbon fiber handlebars too.

DUAL COMPOUND RUBBER

The Dual Compound Trail grip and the WeirWolf Trail grip both benefit from dual compound rubber. The outside layer of the grip is an easy-on-the-hands soft rubber, while the firm Kraton base material resists twisting and slipping.





All Mountain & Freeride



NEW

Мо	to X Clamp-On	Grip	
color	details	part no.	
BLACK / BLACK		W045-0031	
BLACK / RED	Large knobs, standard diameter, solid end cups	W045-0032	
BLACK / WHITE		W045-0033	
SIZE	135 x 33 mm		
FEATURES	 Large knobs/standard diameter Windowed sleeve Dual Aluminum Clamps 		
BENEFITS	 Great for larger hands and aggressive riding Superior handlebar feel/feedback Clams on to the handlebar securely 		
INTENDED USE	AM/FR		

All Mountain & Freeride



TechTrail Clamp-On Grip					
color	details	part no.			
BLACK / BLACK		W045-0034			
BLACK / RED	Small knobs, standard diameter, solid end cups	W045-0035			
BLACK / WHITE		W045-0036			
SIZE	135 x 33 mm				
FEATURES	Small knobs/standard diameterWindowed SleeveDual Aluminum Clamps				
BENEFITS	 Comfortable on small to average hands Great handlebar feel/feedback Clamps on to the handlebar securely 				
INTENDED USE	AM/FR				





Cross Country – Mid Diameter



4 Front Clamp-On Grip						
color	details part no.					
BLACK on BLACK	WTB-Clamp-On Technology DNA compound Octagonal ergo shape with diamond tread Incl. endplugs					
USAGE	Cross Country					
SIZE	135 x 30 mm					
FEATURES	WTB Clamp-on technology DNA compound Octagonal ergo shape with diamond tread XL length					
BENEFITS	Firm grip on the handlebar Light weight Offers multiple hand positions					
BIKE TYPE	E COR XC RIDER TYPE Enthusiast					

TRAIL – Mid Diameter



GTO Clamp-On Grip								
color	details	part no.						
BLACK on BLACK	WTB-Clamp-On Technology DNA compound Flanges on both ends WTB wordmark logo and trea Incl. endplugs.	DNA compound Flanges on both ends W075-0029 TB wordmark logo and tread						
USAGE	Cross Country / All Mounta	Cross Country / All Mountain						
SIZE	137 x 33 mm							
FEATURES	1 07							
BENEFITS	Soft rubber is easy on the h	Firm grip on the handlebar Soft rubber is easy on the hands Large diameter equals greater comfort						
ВІКЕ ТҮРІ	RIDER XC/AM	Enthusiast						





XC & ALL MOUNTAIN







WeirWolf Grip							
color details part no.							
BLACK on GREY		W075-0018					
BLACK on RED	Dual DNA Compounds, WeirWolf tread w/ small flange, Full length with closed end	W075-0019					
CLEAR on BLACK		W075-0020					
SIZE	135 x 32 mm						
FEATURES	 Dual DNA Compounds WeirWolf tread Full length Small flange Closed ends 						
BENEFITS	 Resists twisting Easy on the hands Multiple hand positions 						
INTENDED USE	XC/AM						

MTB / ATB – Mid Diameter



DC Trail Grip							
color details part no.							
BLACK on GREY	Dual DNA Compounds,	W075-0007					
BLACK on RED	Classic logo pattern, Full length with open ends and	W075-0005					
CLEAR on BLACK	black WTB endplugs	W075-0006					
SIZE	135 x 32 mm						
FEATURES	 Dual DNA compounds Classic logo pattern Full length with open ends 						
BENEFITS	 Resists twisting Soft contact Multiple hand positions 						
INTENDED USE	Oxc Oxc						





CROSS COUNTRY / ALL MOUNTAIN – Thin Diameter



Technical Trail Grip						
color	details	part no.				
BLACK	DNA compound Small spikey pattern w/ closed ends	W075-0013				
SIZE	130 x 27 mm					
FEATURE	 DNA compound Low profile moto pattern Zip tie grooves 					
BENEFITS	Light weight Slim feel Resists twisting					
INTENDE USE	LA LA					

ALL MOUNTAIN – Mid Diameter



Moto Grip						
color	details	part no.				
BLACK	DNA compound Flanges on both ends WTB wordmark logo and tread	W075-0016				
SIZE	135 x 27 mm					
FEATURES						
BENEFITS • Soft • Comfortable feel • Dampens vibration						
INTENDED USE						





CROSS COUNTRY - Mid Diameter



Original Trail Grip						
color	details	part no.				
BLACK	DNA compound Smooth octagonal ergo shape w/ closed ends	W075-0001				
SIZE	130 x 27 mm					
• Classic octagonal shape • DNA compound • Light flanges						
• Soft contact • Comfortable feel • Light weight						




Rims & Wheels



THE WTB DIFFERENCE

Because WTB designs and manufactures both tires and rims, we can focus on a consistent interface between the two. While all mountain bike tires are based around an established bead seat diameter (559-millimeter for 26-inch tires and 622-millimeters for 29er tires) you'll find a wide variance in many brands. Some brands of tires fit rims so tightly that tools are necessary for installation. Some brands fit so loosely that they easily fall right off the rim. WTB rims and tires feature a consistent interface for easy installation and increased safety.



I-BEAM

The I-Beam, found exclusively on LaserDisc series rims, was pioneered by WTB in 1994. This distinctive, centrally located vertical support counters spoke loads and provides torsional rigidity.

UNBENDIUM BULGE

An additional band of aluminum added to the rim's sidewall that counters torsional. radial and lateral flex. This rib, which replaces the braking surface, provides an impressive boost in strength with a negligible difference in weight. This WTB innovation is found exclusively on LaserDisc series rims.

GLOBAL BEAD SYSTEM

WTB's proprietary G.B.S. design utilizes deeper grooves for the bead seats as well as two raised lips that lock the tire's beads into place on the rim. G.B.S.-featured on LaserDisc, SpeedDisc and Dual Duty series rims-holds the tire firmly in place and greatly reduces the chance of "burping" the tire off the rim in heavy lateral loading.

SIDEWALL WEAR INDICATOR (not shown)

This feature—found on Dual Duty, FX and DX series rims—is a groove in the braking surface that, when it no longer exists, indicates that the rim needs to be replaced due to sidewall wear from the use of rim brakes.

BRASS NIPPLES

All WTB Wheels use durable brass nipples by preserving the low weight.

RIM STRIPS

Proprietary WTB rubber rim strips are 11-millimeters in width and are designed to compliment G.B.S. rims. We recommend using these strips with any WTB rim, as wider rim strips can interfere with the tire's bead seat.

29ER


WTB 29er rims feature a 622-millimeter/700c bead seat diameter, and a minimum bead opening of 21-millimeters. This minimum width is the defining element that separates 29er rims from 700c trekking, hybrid and road racing rims. Narrower rims are not designed for today's wider 29er tires.

SUPERIOR SPOKES SWELL-BOW

WTB spokes are better by design. At the J-bendthe most likely point for the average spoke to break-these spokes measure 2.2-millimeters in cross-section. We call this proprietary feature Swell-Bow. These thicker elbows fit perfectly into the hub, providing a stiffer, snug fit. The length between the J-bend and the head is critical. Achieving a snug fit increases strength because stress is spread throughout the form fit.

DOUBLE BUTTING

From the 2.2-millimeter Swell-Bow, WTB spokes taper down to 2.0-millimeters, and finally measure 1.8-millimeters at the center. From the mid-point, the spoke tapers back to 2.0-millimeters at the thread. Butting the spoke in this fashion combats the immense stress the spoke sees at both ends. A narrow mid-section greatly reduces weight



without compromising strength. WTB spokes can be used with standard hub flange spoke holes.

SPOKE NIPPLES

LaserDisc Cross Country and LaserDisc Trail wheels utilize alloy nipples to save weight over the traditional brass variety. Although the brass nipples featured on LaserDisc FR and LaserDisc DH wheels are more durable, they are up to 20-grams heavier per wheel.





ETRTO / ISO rim / Tire fit recommendation

	Nominal Tire Section Width												
het		23	25	32	35	37	40	44	47	50	52	54	57
Crotchet	13C												
	15C												
lth - Rim	17C												
Rim Width Type Rir	19C												
∠ d	21C												
Ľ.	23C												
er	25C												
Inner	27C												
	29C												

Crotchet Type Rims must be used when tire inflation pressures over 500 kPa/72PSI are recommended.

When inflation pressures over 500 kPa/72PSI are used, appropriate rim base protective flap must be fitted.

Crotchet Type Rims can be used with rigid and foldable bead tires.

In case of Tubeless application with a Tubeless Tire, a special Airtight Tape must be used with Crotchet Type Rim, or a special Tubeless Rim must be fitted to the Bicycle.

Internal warning sticker



Rim warning sticker - DISC




Rim warning sticker - NON-DISC





MODEL









CROSS COUNTRY RACING





NEW

Stryker TCS Cross Country Front						
color	holes & lacing	weight	part no.			
Rim: Black						
Spokes: Black	28h Three Cross	TBD	W045-0101			
Hub: Black						
hub, beari	ngs and qr	rim and	d spokes			
LaserDisc Lite Black; Stainles QR ine	e Front Hub; ss CN Bearings; cluded	Anodized: 2	TCS Rim; Black 22mm Wide; Black Spokes; Nipples			

Stryker TCS Cross Country 15mm Front

color	holes & lacing	weight	part no.
Rim: Black			
Spokes: Black	28h Three Cross	TBD	W045-0102
Hub: Black			
hub, bearii	ngs and qr	rim and	l spokes
LaserDisc Lite Hub; Black; Bear	Stainless CN	Welded XC 1 Anodized; 2 Aero 1420 Alloy 1	CS Rim; Black 22mm Wide; 3lack Spokes; Nipples

Stryker TCS Cross Country Rear

color	holes & lacing	weight	part no.		
Rim: Black Spokes: Black Hub: Black	28h Three Cross	TBD	W045-0103		
hub, bearing	gs and qr	rim and	d spokes		
LaserDisc Lite Black; Stainless QR incl	CN Bearings;	Welded XC 1 Anodized; 2 Aero 1420 Alloy 1	TCS Rim; Black 22mm Wide; Black Spokes; Nipples		
INTENDED USE	CROSS COU	CROSS COUNTRY RACING			
FEATURES	 Welded Ghost Metal alloy, tubeless compatible rim Semi-bladed WTB spokes with SwellBow and articulating alloy nipples Stainless steel cartridge bearings with dual labyrinth seals 				
BENEFITS	 Lightweight yet stiff and strong. Easy tubeless set up Easy to service in the field Durable and efficient 				





ALL MOUNTAIN RACING





NEW

Stryker TCS All Mountain 15mm Front							
color	holes & lacing	weight	part no.				
Rim: Black							
Spokes: Black	32h Three Cross	TBD	W045-0104				
Hub: Black							
hub, beari	ngs and qr	rim and	d spokes				
LaserDisc Lite 15mm Front Hub; Black; Stainless CN Bearings Welded AM TCS Rim; Black Anodized; 26mm Wide; Aero 1420 Black Spokes; Alloy Nipples							
Stryker TCS All Mountain							

110x20 thru axle				
color	holes & lacing	weight	part no.	
Rim: Black				
Spokes: Black	32h Three Cross	TBD	W045-0105	
Hub: Black				
hub, bearings and qr		rim and	d spokes	
LaserDisc Sup	LaserDisc Super Duty Front		TCS Rim; Black	

Hub; Black; Stainless CN Bearings Anodized; 26mm Wide; Aero 1420 Black Spokes; Alloy Nipples

Stryker TCS All Mountain Rear

colo	or	holes & lacing	weight	part no.
Rim: B	Black			
Spokes:	: Black	32h Three Cross	TBD	W045-0106
Hub: E	Black			
hub, bearings and qr		rim and spokes		
Laser Black; \$	Disc Lit Stainles QR ind	e Rear Hub; s CN Bearings; cluded	Welded AM TCS Rim; Blac Anodized; 26mm Wide; Aero 1420 Black Spokes; Alloy Nipples	

Stryker TCS All Mountain Rear 12x142 thru axle

color	holes & lacing	weight	part no.	
Rim: Black				
Spokes: Black	32h Three Cross	TBD	W045-0107	
Hub: Black				
hub, bearii	ngs and qr	rim and	d spokes	
LaserDisc Super Duty Hub; Black; Stainless Bearings		Welded AM TCS Rim; Black Anodized; 26mm Wide; Aero 1420 Black Spokes; Alloy Nipples		
INTENDED USE	ALL MOUNT	ALL MOUNTAIN RACING		
FEATURES	compatible r • Semi-blad SwellBow ar • Stainless s	 Welded Ghost Metal alloy, tubeless compatible rim Semi-bladed WTB spokes with SwellBow and articulating alloy nipples Stainless steel cartridge bearings with dual labyrinth seals 		
BENEFITS	 Lightweight yet stiff and strong. Easy tubeless set up Easy to service in the field Durable and efficient 			





CROSS COUNTRY RACING





NEW

Stryker TCS Cross Country					
R	ace 29	P" Fron	•		
color	holes & lacing	weight	part no.		
Rim: Black	32h				
Spokes: Black	Three Cross	TBD	W045-0108		
Hub: Black					
hub, bearing	gs and qr		d spokes		
LaserDisc Lite Front Hub; Black; Stainless CN Bearings; QR included Welded XC TCS Rim; Black Anodized; 22mm Wide; Aero 1420 Black Spokes; Alloy Nipples					
Stryke	r TCS C	ross Co	untry		
		5mm F			
	holes & lacing	weight	part no.		
Rim: Black					
Spokes: Black	32h Three Cross	TBD	W045-0109		
Hub: Black					
hub, bearing	gs and qr		d spokes		
LaserDisc Lite 1 Hub; Black; S Bearir	tainless CN	Anodized; 2 Aero 1420	TCS Rim; Black 22mm Wide; Black Spokes; Nipples		
Strvke	r TCS C	ross Co	untry		
		9" Reai	_		
color	holes & lacing	weight	part no.		
Rim: Black	32h				
Spokes: Black	32n Three Cross	TBD	W045-0110		
Hub: Black					
hub, bearing	gs and qr		d spokes		
LaserDisc Lite Black; Stainless QR incl	CN Bearings;	Anodized; 2 Aero 1420	TCS Rim; Black 22mm Wide; Black Spokes; Nipples		
INTENDED USE	CROSS COL	JNTRY RACINO	3		
FEATURES	 Welded Ghost Metal alloy, tubeless compatible rim Semi-bladed WTB spokes with SwellBow and articulating alloy nipples Stainless steel cartridge bearings with dual labyrinth seals 				
BENEFITS	tubeless set u	vice in the field	0 ,		







CROSS COUNTRY





NEW

Speed TCS Cross Country						
Front						
color	holes & lacing	weight	part no.			
Rim: Black						
Spokes: Black	32h Three Cross	TBD	W045-0111			
Hub: Black	Three Closs					
hub, bearings and qr rim and spokes						
JY Shimano Compatible hub; Black; Stainless Bearings; QR included		Pinned XC TCS Rim; Black Anodized; 22mm Wide; 14g Black Spokes; Brass Nipples				
Speed TCS Cross Country Rear						
color	holes & lacing	weight	part no.			
Rim: Black						
Spokes: Black	28h Three Cross	TBD	W045-0112			
Hub: Black						

hub, bearings and qr rim and spokes Pinned XC TCS Rim; Black Anodized; 22mm Wide; 14g Black Spokes; Brass Nipples JY Shimano Compatible hub; Black; Stainless Bearings; QR included INTENDED CROSS COUNTRY USE • Pinned Aluminium alloy, tubeless compatible rim • WTB spokes with SwellBow and brass **FEATURES** nipples • Stainless stell cartridge bearings with dual labyrinth seals • Stiff and strong, easy tubeless set up

- BENEFITS • Easy to service in the field

 - Durable and efficient

53







ALL MOUNTAIN





Speed TCS All Mountain 29" **Front** holes & lacing color Rim: Black

32h Three Cross Spokes: Black TBD TBD Hub: Black hub, bearings and qr rim and spokes Pinned AM TCS Rim; Black Anodized; 24mm Wide; 14g Black Spokes; Brass Nipples JY Shimano Compatible hub; Black; Stainless Bearings; QR included

Speed TCS All Mountain 29"

Rear				
color	holes & lacing	weight	part no.	
Rim: Black Spokes: Black Hub: Black	32h Three Cross	TBD	TBD	
hub, bearii	ngs and qr	rim and	d spokes	
Black; Stainle	Compatible hub; ainless Bearings; included Pinned AM TCS Rim; Blc Anodized; 24mm Wide 14g Black Spokes; Brass Nipples		24mm Wide:	
INTENDED USE	ALL MOUNT	ALL MOUNTAIN		
FEATURES	compatible r • WTB spok nipples • Stainless s	 Pinned Aluminium alloy, tubeless compatible rim WTB spokes with SwellBow and brass nipples Stainless stell cartridge bearings with dual labyrinth seals 		
BENEFITS	 Stiff and strong, easy tubeless set up Easy to service in the field Durable and efficient 			

38





CROSS COUNTRY RACING



LASERDISC Cross Country

Front					
color	holes & lacing	weight	part no.		
Rim: Black					
Spokes: Black	28h Three Cross	815g	W045-0086		
Hub: Black					
hub, bearings and qr		rim and	l spokes		
LaserDisc Lite Stainless QR ine		Anodized; 2 Eyeleted; B	Rim, Black 25mm Wide, lack 14/15g loy Nipples		

LASERDISC Cross Country 15mm Front

ooles & lacing 28h Three Cross	weight 835g	part no.
2011	835a	
2011	835a	
	0559	W045-0097
s and qr	rim and	spokes
15mm Front Stainless ngs Pinned XC Rim, Black Anodized; 25mm Wide, Eyeleted; Black 14/15g Spokes, Alloy Nipples		5mm Wide, lack 14/15g
CROSS COUNTRY RACING		
 Laser Disc Lite or Laser Disc Lite 15mm Front hubs with stainless bearings Laser Disc XC sleeved rim, 25mm wide, with eyelets 15/14g Spokes, Brass Nipples 		
• Race winning acceleration with long term durability		
	CROSS COUN • Laser Disc Front hubs w • Laser Disc with eyelets • 15/14g Sp • Race winn	Front hubs with stainless be Laser Disc Lite or Laser Disc XC sleeved rim, with eyelets • Race winning acceleration





CROSS COUNTRY RACING



LASERDISC Cross Country

Rear					
color	holes & lacing	weight	part no.		
Rim: Black					
Spokes: Black	28h Three Cross	950g	W045-0087		
Hub: Black					
hub, bearings and qr		rim and spokes			
Black; Stainle	e Rear Hub, ess Bearings; cluded	Pinned XC Rim, Black Anodized; 25mm Wide, Eyeleted; Black 14/15g Spokes, Alloy Nipples			

LASERDISC Cross Country Single Speed Rear

color	holes & lacing	weight	part no.	
Rim: Black Spokes: Black Hub: Black	28h Three Cross	950g	W045-0088	
hub, bearings and qr		rim and	spokes	
LaserDisc SingleDuty Hub; Black; Sealed Cartridge Bearings; QR included		Pinned XC Rim, Black Anodized; 25mm Wide, Eyeleted; Black 14/15g Black Spokes, Alloy Nipples		
INTENDED USE	CROSS COUI	CROSS COUNTRY RACING		
FEATURES	hubs with se • Laser Disc with eyelets	 Laser Disc Lite or Laser Disc Single Duty hubs with sealed cartridge bearings Laser Disc XC pinned rim, 25mm wide, with eyelets 14/15g Spokes, Brass Nipples 		
	• Race winning acceleration with long term durability			
BENEFITS		lity	-	





ALL MOUNTAIN



LASE			
	RDISC	TRAIL F	ront
color	holes & lacing	weight	part no.
Rim: Black			
Spokes: Black	32h Three Cross	880g	W045-0089
Hub: Black			
hub, bearing	gs and qr	rim and	d spokes
LaserDisc Lite I	Hub Black		il Rim, Black
Stainless Be	earings;		27mm Wide, llack 14/15g
QR inclu	uded	Spokes, Al	loy Nipples
	CEDDI		
LA		SC TRA	IL
	15mm	Front	
color	holes & lacing	weight	part no.
Rim: Black			
Spokes: Black	32h Three Cross	900g	W045-0078
Hub: Black			
hub, bearing	gs and qr	rim and	d spokes
LaserDisc Lite 1	15mm Front		il Rim, Black
Hub, Black;			27mm Wide, lack 14/15g
Bearin	igs		loy Nipples
	CEDDI		
LA	SERDI	SC TRA	12
11	10x20 t	hru axl	e
color	holes & lacing	weight	part no.
Rim: Black			
Spokes: Black	32h Three Cross	900g	W045-0079
Hub: Black			
Hub: Black hub, bearing	gs and qr	rim and	d spokes
hub, bearing		Pinned Tra	il Rim, Black
hub, bearing LaserDisc Supe Black; Sealed	r Duty Hub; Cartridge	Pinned Tra Anodized; 2	
hub, bearing LaserDisc Supe	r Duty Hub; Cartridge	Pinned Tra Anodized; 2 Eyeleted; B	il Rim, Black 27mm Wide,
hub, bearing LaserDisc Supe Black; Sealed Bearin	r Duty Hub; Cartridge ngs	Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al	il Rim, Black 27mm Wide, Ilack 14/15g loy Nipples
hub, bearing LaserDisc Supe Black; Sealed Bearin	r Duty Hub; Cartridge ngs RDISC	Pinned Tra Anodized; 3 Eyeleted; B Spokes, Al	il Rim, Black 27mm Wide, lack 14/15g loy Nipples Rear
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color	r Duty Hub; Cartridge ngs	Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al	il Rim, Black 27mm Wide, Ilack 14/15g loy Nipples
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black	r Duty Hub; Cartridge ngs RDISC	Pinned Tra Anodized; Z Eyeleted; B Spokes, Al TRAIL I weight	il Rim, Black 27mm Wide, Back 14/15g Ioy Nipples Rear part no.
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black	r Duty Hub; Cartridge ngs RDISC holes & lacing	Pinned Tra Anodized; 3 Eyeleted; B Spokes, Al	il Rim, Black 27mm Wide, lack 14/15g loy Nipples Rear
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross	Pinned Trai Anodized; Z Eyeleted; B Spokes, Al TRAIL I weight 1020g	il Rim, Black 27mm Wide, Iack 14/15g loy Nipples Rear part no. W045-0090
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross	Pinned Trai Anodized; Z Eyeleted; B Spokes, Al TRAIL I weight 1020g	il Rim, Black 27mm Wide, Hack 14/15g loy Nipples Rear part no. W045-0090
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black Hub: Black LaserDisc Lite	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross gs and qr Rear Hub,	Pinned Trai Anodized; Z Eyeleted; B Spokes, Al TRAIL I weight 1020g <i>rim ano</i> Pinned Tra Anodized; Z	il Rim, Black 27mm Wide, 1ack 14/15g loy Nipples Rear part no. W045-0090 d spokes il Rim, Black 27mm Wide,
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black hub, bearing	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross and gr Rear Hub, Cartridge	Pinned Tra Anodized; Z Eyeleted; B Spokes, Al TRAIL I weight 1020g <i>tim ano</i> Pinned Tra Anodized; Z Eyeleted; B	il Rim, Black 27mm Wide, Back 14/15g loy Nipples Rear part no. W045-0090 d spokes il Rim, Black 27mm Wide, Black 14/15g
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black Hub: Black hub, bearing LaserDisc Lite Black; Sealed	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross and gr Rear Hub, Cartridge	Pinned Tra Anodized; Z Eyeleted; B Spokes, Al TRAIL I weight 1020g <i>tim ano</i> Pinned Tra Anodized; Z Eyeleted; B	il Rim, Black 27mm Wide, 1ack 14/15g loy Nipples Rear part no. W045-0090 d spokes il Rim, Black 27mm Wide,
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black Hub: Black LaserDisc Lite Black; Sealed Bearings; QR	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross gs and gr Rear Hub, Cartridge t included	Pinned Trai Anodized; Z Eyeleted; B Spokes, Al TRAIL I weight 1020g <i>tim ano</i> Pinned Trai Anodized; Z Eyeleted; B Spokes, Al	il Rim, Black 27mm Wide, Back 14/15g loy Nipples Rear part no. W045-0090 d spokes il Rim, Black 27mm Wide, Black 14/15g
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black Hub: Black LaserDisc Lite Black; Sealed Bearings; QR	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross ys and gr Rear Hub, Cartridge tincluded ALL MOUNT	Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al TRAIL I weight 1020g <i>tim ano</i> Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al	il Rim, Black 27mm Wide, Back 14/15g loy Nipples Rear part no. W045-0090 d spokes il Rim, Black 27mm Wide, Black 14/15g loy Nipples
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black Hub: Black LaserDisc Lite Black; Sealed Bearings; QR	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross gs and qr Rear Hub, Cartridge tincluded ALL MOUNT • LaserDisc	Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al TRAIL I weight 1020g <i>tim and</i> Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al	il Rim, Black 27mm Wide, Back 14/15g loy Nipples Rear part no. W045-0090 d spokes il Rim, Black 27mm Wide, Back 14/15g loy Nipples
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black Hub: Black hub, bearing LaserDisc Lite Black; Sealed Bearings; QR	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross gs and qr Rear Hub, Cartridge tincluded ALL MOUNT • LaserDisc Front, Laser	Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al TRAIL I weight 1020g <i>tim and</i> Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al AIN Lite, Laser Disc Disc Super Dut	il Rim, Black 27mm Wide, Back 14/15g loy Nipples Rear part no. W045-0090 d spokes il Rim, Black 27mm Wide, Black 14/15g loy Nipples
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black Hub: Black LaserDisc Lite Black; Sealed Bearings; QR	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross gs and qr Rear Hub, Cartridge included ALL MOUNT • LaserDisc Front, Laser Lite Rear hu • LaserDisc	Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al TRAIL I weight 1020g <i>tim and</i> Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al	il Rim, Black 27mm Wide, Black 14/15g loy Nipples Rear part no. W045-0090 d spokes il Rim, Black 27mm Wide, Black 14/15g loy Nipples Lite 15mm y or LaserDisc is bearings
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black Hub: Black hub, bearing LaserDisc Lite Black; Sealed Bearings; QR	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross gs and qr Rear Hub, Cartridge included ALL MOUNT • LaserDisc Front, Laser Lite Rear hu • LaserDisc with eyelets	Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al TRAIL 1 weight 1020g <i>rim and</i> Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al AIN Lite, Laser Disc Disc Super Dut bs with Stainles Trail pinned rim	il Rim, Black 27mm Wide, Hack 14/15g loy Nipples Rear <i>part no.</i> W045-0090 Sopokes il Rim, Black 27mm Wide, Hack 14/15g loy Nipples Lite 15mm y or LaserDisc is bearings a, 27mm wide,
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black Hub: Black hub, bearing LaserDisc Lite Black; Sealed Bearings; QR	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross gs and qr Rear Hub, Cartridge tincluded ALL MOUNT • LaserDisc Front, Laser Lite Rear hu • LaserDisc with eyelets • 15/14g Sp	Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al TRAIL 1020g <i>tim ano</i> Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al CAIN Lite, Laser Disc Disc Super Dut bs with Stainles Trail pinned rim okes, Alloy Nip	il Rim, Black 27mm Wide, Black 14/15g loy Nipples Rear part no. W045-0090 dispokes il Rim, Black 27mm Wide, Black 14/15g loy Nipples Lite 15mm y or LaserDisc is bearings a, 27mm wide, ples
hub, bearing LaserDisc Supe Black; Sealed Bearin LASE color Rim: Black Spokes: Black Hub: Black Hub: Black hub, bearing LaserDisc Lite Black; Sealed Bearings; QR	r Duty Hub; Cartridge ngs RDISC holes & lacing 32h Three Cross gs and qr Rear Hub, Cartridge tincluded ALL MOUNT • LaserDisc Front, Laser Lite Rear hu • LaserDisc with eyelets • 15/14g Sp • Light enou	Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al TRAIL 1 weight 1020g <i>rim and</i> Pinned Tra Anodized; 2 Eyeleted; B Spokes, Al AIN Lite, Laser Disc Disc Super Dut bs with Stainles Trail pinned rim	il Rim, Black 27mm Wide, Black 14/15g loy Nipples Rear part no. W045-0090 d spokes il Rim, Black 27mm Wide, Black 14/15g loy Nipples Lite 15mm y or LaserDisc is bearings b, 27mm wide, ples ecourse,





CROSS COUNTRY / ALL MOUNTAIN



		RAIL 29	Front
color Rim: Black Spokes: Black Hub: Black	holes & lacing 32h Three Cross	weight 950g	<i>part no.</i> W045-0091
hub, bearing	gs and qr	rim and	spokes
LaserDisc Lite Stainless Be QR inclu	earings;	Anodized; 2 Eyeleted; Black	9" Rim, Black 7mm Wide, 14/15g Spokes, Jipples
LAS		C TRAIL	29
	15mm	Front	
color	holes & lacing	weight	part no.
Rim: Black Spokes: Black Hub: Black	32h Three Cross	970g	W045-0100
hub, bearing	gs and qr	rim ano	spokes
LaserDisc Lite 1 Hub, Black; Bearir	Stainless	Anodized; 2 Eyeleted; Black	9" Rim, Black 7mm Wide, 14/15g Spokes, Jipples
INTENDED USE	CROSS COUN	NTRY / ALL MO	UNTAIN
FEATURES	 LaserDisc Lite or LaserDisc 15mm Front hubs with stainless bearings LaserDisc Trail 29 pinned rim, 27mm wide, with eyelets 15/14g Spokes, Alloy Nipples 		
BENEFITS	Light enough for the racecourse, strong enough for aggressive trail riding		







LASER		RAIL 29	" Rear	
color	holes & lacing	weight	part no.	
Rim: Black Spokes: Black Hub: Black	32h Three Cross	970g	W045-0092	
hub, bearir	igs and qr	rim and	l spokes	
LaserDisc Lite Black; Stainle QR inc	ss Bearings;	Anodized; 2 Eyeleted; Black	9" Rim, Black 27mm Wide, 14/15g Spokes, Nipples	
LASERDISC TRAIL 29" Rear				
LASEN			Near	
SingleSpeed				
color	holes & lacing	weight	part no.	
Rim: Black Spokes: Black Hub: Black	32h Three Cross	1170g	W045-0093	
hub, bearir	igs and qr	rim and	l spokes	
LaserDisc Sing Black; Stainle		Anodized; 2 Eyeleted; Black	9" Rim, Black 27mm Wide, 14/15g Spokes, Nipples	
INTENDED USE	CROSS COU	NTRY / ALL MO	UNTAIN	
FEATURES	 LaserDisc Lite Rear or LaserDisc Single Duty hubs with stainless bearings LaserDisc Trail 29 pinned rim, 27mm wide, with eyelets 14/15g Spokes, Alloy Nipples 			
BENEFITS	0	ugh for the race gh for aggressiv		
2021 01 000	I LESSY OF	AE - 414	200 10 10	





LASER SERIES

FREERIDE & PARK RIDING



LASERDISC Freeride Front					
11	10x20 t	hru axl	e		
color	holes & lacing	weight	part no.		
Rim: Black Spokes: Black Hub: Black	32h Three Cross	1000g	W045-0085		
hub, bearing	gs and qr	rim and	l spokes		
LaserDisc Super Duty Hub, Black; Stainless Bearings Pinned FR Rim, Black Anodized 30mm Wide, Eyeleted; Black 14/15g Spokes, Brass Nipples					
LASER	RDISC F	Freeride	Rear		
color	holes & lacing	weight	part no.		
Rim: Black Spokes: Black Hub: Black	32h Three Cross	1050g	W045-0094		
hub, bearings and qr rim and spokes					
LaserDisc Lite Rear Hub, Black; Stainless Bearings; QR included Pinned FR Rim, Black Anodized; 30mm Wide, Eyeleted; Black 14/15g Spokes, Brass Nipples					
		reeride			
15	50x12 t	hru axl	e		
	holes & lacing	weight	part no.		
Rim: Black Spokes: Black Hub: Black	32h Three Cross	1070g	W045-0095		
hub, bea	nrings	rim and	spokes		
LaserDisc Supe Black; Stainle	r Duty Hub, ss Bearings	Pinned FR Anodized; 3 Eyeleted; Black Brass N	30mm Wide, 14/15g Spokes,		
INTENDED USE	FREERIDE				
FEATURES	 LaserDisc Super Duty or LaserDisc Lite Rear hubs with stainless bearings LaserDisc FR pinned rim, 30mm wide, with eyelets 15/14g spokes, Brass Nipples 				
BENEFITS	-	ough for the big limb back to the			





DOWNHILL RACING



LASERDISC Downhill Front 110x20 thru axle

color	holes & lacing	weight	part no.
Rim: Black			
Spokes: Black	32h Three Cross	1065g	W045-0080
Hub: Black			
hub, bearings and qr		rim and	l spokes
LaserDisc Super Duty Hub, Black; Stainless Bearings		Anodized; 3 Eyeleted; Black	Rim, Black 34mm Wide, 14/15g Spokes, Nipples

LASERDISC Downhill Rear 150x12 thru axle

color	holes & lacing	weight	part no.	
Rim: Black Spokes: Black Hub: Black	32h Three Cross	32h 1130g		
hub, bearii	ngs and qr	rim and	spokes	
LaserDisc Sup Black; Stainle		Anodized; 3 Eyeleted; Black	Rim, Black 34mm Wide, 14/15g Spokes, Nipples	
INTENDED USE	DOWNHILL	DOWNHILL RACING		
FEATURES	stainless bea • LaserDisc l with eyelets	 LaserDisc Super Duty Hubs with stainless bearings LaserDisc DH pinned rim, 34mm wide, with eyelets 15/14g spokes, Brass Nipples 		
BENEFITS	• Easily withstands the most extreme DH riding conditions			
		A MARCON ALCOHOL .		





ALL MOUNTAIN



NEW

Las	er TCS (lross	Cou	ntry
color	details	5	weight	part no.
Black	28 hole drill Only, Black A	leeved, 7000 series, 28 hole drilling, Disc nly, Black Anodized, Eyeleted		W020-310
Black	32 hole drill Only, Black A	leeved, 7000 series, 2 hole drilling, Disc nly, Black Anodized, Eyeleted		W020-311
Inner Rim Width	Rim Size Designation	Tire Section		size
19	559x19c	28mm	– 62mm	26″
FEATURES	 Tubeless 	Aluminium Compatib and Unben on	le profile	
BENEFITS	 Easy tub Increase Added s 	 Strong, stiff and lightweight Easy tubeless set up Increased rigidity and strenght Added strenght, better dispersion of spoke tension 		
INTENDED USE	>	Ø	б хс	

ALL MOUNTAIN



Laser TCS Trail					
color		details		weight	part no.
Black	32 h	leeved, 7000 series, 2 hole drilling, Disc nly, Black Anodized, Eyeleted		TBD	W020-312
Inner Rim Width		Rim Size esignation ETRTO Compatibl Tire Section width Recommendations			size
21	559	x21c	35mm	– 62mm	26″
FEATURES	• • cc	 Sleeved Aluminium alloy Tubeless Compatible profile I-Beam and Unbendium Bulge construction Eyelets 			
BENEFITS	•	 Strong, stiff and lightweight Easy tubeless set up Increased rigidity and strenght Added strenght, better dispersion of spoke tension 			
INTENDED USE			Ø.	Ma C	



..........



ALL MOUNTAIN



NEW

Laser TCS Trail 29"				
color	detail	5	weight	part no.
Black	32 hole drill Only, Black A	Sleeved, 7000 series, 32 hole drilling, Disc Dnly, Black Anodized, Eyeleted		W020-313
Inner Rim Width	Rim Size Designation	Tire Section wi		size
21	622x21c	35mm	-62mm	29"
FEATURES	Tubeless I-Beam	 Sleeved Aluminium alloy Tubeless Compatible profile I-Beam and Unbendium Bulge construction Eyelets 		
BENEFITS	 Easy tub Increase Added 	 Strong, stiff and lightweight Easy tubeless set up Increased rigidity and strenght Added strenght, better dispersion of spoke tension 		
INTENDED USE		Ø.	MA C	


FREERIDE



Laser TCS Freeride					
color	detail	s	weight	part no.	
Black	32 hole drill Only, Black A	eeved, 7000 series, 2 hole drilling, Disc hly, Black Anodized, Eyeleted		W020-0314	
Inner Rim Width	Rim Size Designation	Lire Section width			
23	559x23c	559x23c 37mm - 62mm			
FEATURES	• Tubeles • I-Beam	 Sleeved Aluminium alloy Tubeless Compatible profile I-Beam and Unbendium Bulge construction Eyelets 			
BENEFITS	Easy tulIncreaseAdded	 Strong, stiff and lightweight Easy tubeless set up Increased rigidity and strenght Added strenght, better dispersion of spoke tension 			
INTENDED USE		0	D FR		










LaserDisc Trail				
color	detail	's	weight	part no.
Black	Disc Only, Anodized, Sing	inned, 32 hole drilling, Disc Only, Black nodized, Single Eyelets, PV drilled		W020-0085
Inner Rim Width	Rim Size Designation	Tire Sectio		size
21	559x21c	559x21c 35mm –		26"
FEATURES	 I-Beam Pinned Global Single e 	 Unbendium Bulge I-Beam construction Pinned Global Bead System Single eyelets Disc specific 		
BENEFITS	• Light w • Mid- wi	 Built for the trail bike Light weight Mid- width Fitting bead seat 		
INTENDED USE		XC/AM		










LaserDisc Trail 29"				
color	details		weight	part no.
Black	Disc Only, I Anodized, Singl	ned, 32 hole drilling, Disc Only, Black odized, Single Eyelets, PV drilled		W020-0085
Inner Rim Width	Rim Size Designation	ETRTO Col Tire Sectio Recomme	on width	size
21	622x21c	35mm –	62mm	26"
FEATURES	 I-Beam c Pinned Global B Single ey 	 Unbendium Bulge I-Beam construction Pinned Global Bead System Single eyelets Disc specific 		
BENEFITS	Light- we Mid-wid	 Built for the 29" XC and trail bike Light- weight Mid-width Fitting bead seat 		
INTENDED USE		XC/	АМ	










LaserDisc Downhill					
color		details		weight	part no.
Black		ned, 32 hole drilling, Disc Only, Black odized, Single Eyelets, PV drilled		635g	W020-0088
Black		ned, 36 hole drilling, Disc Only, Black odized, Single Eyelets, PV drilled		635g	W020-0116
Inner Rim Width		Rim Size ETRTO Compa Signation Recommenda		on width	size
27	5	559x27c 47mm – 62mm		26"	
FEATURES		 Unbendium Bulge I-Beam construction Pinned Global Bead System Single eyelets Disc specific 			
BENEFITS		Super strongVery wideFitting bead seat			
INTENDED USE)	FR/DH			












SpeedDisc Cross Country					
700c					
color	detail	s	weight	part no.	
Black	Only, Black A	2 hole drilling, Disc hly, Black Anodized, 525 gle Eyelets, PV drilled		W020-0081	
Inner Rim Width	Rim Size Designation	Tire Section width			
19	622x19c	622x19c 28mm – 62mm			
FEATURES	PinnedEyeletsAnodize				
BENEFITS		Versatile 700c rimFitting bead seat			
INTENDED USE	•	ROAD			











SpeedDisc All Mountain 29"					
color	details	details		part no.	
Black	Only, Black Ar Single Eye	2 hole drilling, Disc hly, Black Anodized, Single Eyelets, PV drilled		W020-0250	
Inner Rim Width	Rim Size Designation	Tire Sectio		size	
21	622x21c	622x21c 35mm –		26"	
FEATURES	PinnedEyeletsAnodize	T IIIICG			
BENEFITS	Mid-wid	Light weightMid-widthFitting bead seat			
INTENDED USE		XC/AM			



















Dual Duty 700c					
color	detail	details		part no.	
Black	Anodized, 6ı Single Ey CNC Side	2 hole drilling, Black nodized, 6mm Pins; Single Eyelets, CNC Sidewall, PV drilled		W020-0090	
Inner Rim Width	Rim Size Designation	Tire Section width		size	
19	622x19c	622x19c 28mm –		26"	
FEATURES	Pinned	 Global Bead System Pinned Rim brake Compatible 			
BENEFITS	J	Light weightSmooth brake performance			
INTENDED USE		TREKKING & HYBRID			















Dual Duty Freeride 29"					
color		details		weight	part no.
Black	And	2 hole drilling, Black nodized, 6mm Pins, C Sidewall, PV drilled		595g	W020-0093
Inner Rim Width		RIM SIZE Tire Sec		mpatible on width ndations	size
21	55	559x21c 35n		62mm	26"
FEATURES • Global Bead System • Pinned • Rim brake Compatible					
BENEFITS		Sturdy FR designSmooth brake performance			
INTENDED USE)	FR/DH			












33/

700c

SX24 700c					
color	details	details		part no.	
Black	Only, Black Anodi	2 hole drilling, Disc Only, Black Anodized, PV drilled		W020-0249	
Inner Rim Width	Rim Size Designation	Tire Section wid		size	
17	622x17c	622x17c 25mm –		26"	
FEATURES	 Pinned Anodize 	 Doublewall Pinned Anodized Disc only 			
BENEFITS	Darasie	DurableLight weight disc rim at a great price			
INTENDED USE		& HYBRID			














DX23 700c							
color	de	etails	weight	part no.			
Black	Anodized, (rilling, Black CNC Sidewal drilled	, 570g	W020-0252			
Inner Rim Width	Rim Size Designatio	Tire Section width					
17	622x17c	25mm	– 52mm	26"			
FEATURES	• Pinn	• Doublewall • Pinned • CNC sidewall					
BENEFITS		DurableSmooth rim brake performance					
INTENDED USE	,	TREKKING & HYBRID					











ALLOY AXLE 12-POINT ENGAGEMENT SEALED CARTRIDGE **BEARINGS** LIGHTWEIGHT TALL & ALLOY WIDE **FREEHUB FLANGE** BODY **6-BOLT DISC** DESIGN COMPATIBLE

12-POINT ENGAGEMENT

Each LaserDisc rear hub features a cold-forged, fully machined aluminum hub shell and alloy freehub. Power transfer is driven through six, double-sided stainless pawls, totaling 12 points of engagement.

SEALED CARTRIDGE BEARINGS

LaserDisc rear hubs roll on four sets of sealed cartridge bearings and front hubs utilize two sets of sealed cartridge bearings. All bearings are stainless steel.

EASILY ADJUSTABLE

Bearing preload is easily adjustable on LaserDisc Lite rear hubs through the adjustment nut and locknut.







LaserDisc Lite Front					
color	holes	weight	bearings	part no.	
Black	28h			W035-0083	
Black	221-	155g	Stainless Steel	W035-0087	
Silver	32h		Steel	W035-0093	
	details			markings	
Stainless Steel Sealed Cartridge Bearings, Alloy axle, 100mm					
FEATURE			de flange c ridge bear	0	
	•	100mm allo	oy axle	-	
BENEFITS	• • • • •	 Super light weight Low rolling resistance equals greater efficiency Tall flange means shorter spoke length and stronger wheel 			
INTENDED USE					



Lase	erDi	isc Lit	e 15n	nm Front		
color	holes	weight	bearings	part no.		
Black	28h	175g	Stainless	W035-0080		
Black	32h	1759	Steel	W035-0079		
	details			markings		
Stainless Steel Sealed3-Color Brand and NameCartridge Bearings,3-Color Brand and NameAlloy axle,Logos100mm x 15mm thru axle*100 mm x 15 mm thru axle						
FEATURE	s•	 Tall and wide flange design Sealed cartridge bearing Fits QR15 standard forks 				
BENEFITS	ef	 Super light weight Low rolling resistance equals greater efficiency Added stiffness with new QR15 standard 				
INTENDE USE						
*Axle not	include	ed.				







LaserDisc Lite Rear					
color	holes	weight	bearings	part no.	
Black	28h			W035-0084	
Black	221	265g	Stainless Steel	W035-0088	
Silver	32h		Jicci	W035-0094	
	details			markings	
Stainless Steel Sealed Cartridge Bearings, Alloy Axle, 135mm, 9spd 3-Color Brand and Name Logos					
FEATURE	s ¹²	 Lightweight alloy freehub body with 12-point engagement Alloy Axle Sealed cartridge bearings 			
BENEFIT	5	 Super light weight Superior power transfer Low rolling resistance equals greater efficiency 			
INTENDE USE	D		À		



color h	noles	weight	bearings	part no.		
Black	28h	205 -	Stainless	W035-0086		
	32h	285g	Steel	W035-0092		
d	etails			markings		
Stainless Steel Sealed Cartridge Bearings, Threaded loc-ring, Includes 16t cog and axle bolt-on's. QR compatible						
FEATURES	• \	 Single Duty versatile freehub body Wide flange width Sealed cartridge bearings 				
BENEFITS	• I eff • \	 Superior power transfer Low rolling resistance equals greater efficiency Wide flange spacing builds a strong wheel 				
		O XC				







LaserDisc SUPER DUTY						
Fro	Front, 110mm x 20mm					
color ha	oles weight	bearings	part no.			
Black 32	2h 180g	Stainless Steel	W035-0082			
de	tails		markings			
Stainless Steel Sealed Cartridge Bearings, 110mm x 20mm thru axle* 3-Color Brand and Name Logos						
FEATURES	 Tall and wi Sealed cart Fits 20x110 	tridge bear	ings			
 Stiff, light weight design Tall flange means shorter spoke length and stronger wheel 						
INTENDED USE						
*Axle not inc	luded.					



LaserDisc SUPER DUTY Rear, 135mm x 12mm

color ha	oles weight	bearings	part no.			
Black 32	2h 285g	Stainless Steel	W035-0091			
det	tails		markings			
Sealed Cartri 9spd, 135mm	Carbon Steel dge Bearings, n x 12mm thru le*	3-Color Brand and Name Logos				
USAGE	Freeride / De	Freeride / Downhill				
FEATURES	12-point eng 12mm x 135	Lightweight alloy freehub body with 12-point engagement 12mm x 135mm thru axle Sealed cartridge bearings				
BENEFITS		Superior power transfer Low rolling resistance equals greater				
ВІКЕ ТҮРЕ	FR/DH					
*Axle not included.						







Accessories





TXC Mountain Road Drop Bar								
details	material	drop	width	weight	part no.			
31.8mm diameter, 3 deg flare, Laser engraved Bar end shifter compatible	6061 T6 Aluminum	5″ drop	600mm	460g	W030-0011			
25.4mm diameter, 3 deg flare, Laser engraved Bar end shifter compatible	6061 T6 Aluminum	5″ drop	600mm	460g	W030-0012			



Momentum GG Pedal							
details	material	weight	part no.				
Grease Guard replaceable and servicable	Steel Cage, Alloy body	125g	W060-0001				

WTB TCS Accessories						
WTB TCS	5 rim tape	WTB TCS	<i>valve kit</i>	WTB T	CS fluid	
size	part no.	quantity	part no.	size	part no.	
22 mm	W020-305	1x				
24 mm	W020-306		W020-309	500ml	W020-310	
26 mm	W020-307		VV020-309	500111	0020-510	
30 mm	W020-308					

Accessories





Single Speed Cogs						
material weight						
Steel 25g						
usage	tooth	part no.				
	16t	W035-0060				
LaserDisc Single Duty rear	17t	W035-0061				
hub	18t	W035-0063				
	20t	W035-0062				

Hub Parts	
part	part no.
LaserDisc Hub Stainless Steel Bearing Replacement Kit 15x26x7mm	W035-0095
LaserDisc Freehub Replacement Kit w/ Stainless Steel Bearings	W035-0097
LaserDisc Super Duty Front Hub Bearing Kit 21.5x31x7mm	W035-0099
LaserDisc Single Duty Freehub Replacement Kit	W035-0098
LaserDisc Bearing Kit 15x28x7mm Stainless	W035-0100
LaserDisc Super Duty Front Bearing Kit 21.5x31x7mm Stainless	W035-0096

8P 1		B 11-507	Max 9.0 BAR Max 130 PSI	ATTENTION:	USE CAUTION TO INSURE RUM STRUP COVERS HOLE WHEN TIRE IS MOUNTED - REFER TO TIRE SIDEWAL MARKINGS FOR MAXIMUM AIR PRESSURE RATING
------	--	-----------------	----------------------------	------------	---

L	NTB Rim Strips
color	details
Black/Grey	WTB logo, 11mm which compliments G.B.S. rims, grey nylon, pair
size	part no.
26″	W085-0254
29″	W085-0255

WTB Waterbottles	
color	details
Clear	Durable, Clear plastic, Black WTB logo
size	part no.
21oz.	W070-0026
24oz.	W070-0025

ШТВ.	UITB .

size part no. 6.5 x 5 cm W085-0024	WTB Stickers	
6.5 x 5 cm W085-0024	size	part no.
	6.5 x 5 cm	W085-0024
13.5 x 10.5 cm W085-0025	13.5 x 10.5 cm	W085-0025

Accessories





И	VTB Saddle bag
color	details
Black	WTB logo, Reflective line, Water-resistant material
size	part no.
12x8x8cm	W085-0139



WTB Tent	
details	part no.
WTB Logo 3 x 3m Black Tent and Backdrop	W085-0100
WTB Banner	
size	part no.
0,9x0,9m (3x3ft)	W085-0098





NOTES





SALES CONTACTS

WTB USA

475 Miller Avenue Mill Valley, CA 94941 Phone: (415) 389-5040 Fax: (415) 389-5044 Mail: info@wtb.com Web: wtb.com

Contacts: Mr. Gary Gleason : ggleason@wtb.com

wtb.com