ISO/IEC 17025:2017 Accreditation No. 93153



Brighton Laboratory

Analytical Test Report

8525 Edna Ave. STE 200 Las Vegas, NV 89117 TEL 702-360-0467

Email: Brighton@BrightonLab.com

www.BrightonLab.com

Customer Information

Client	ProHealth Inc.
Address	555 Maple St.
	Carpinteria, CA 93013

Sample Information

Sample Name	Optimized Curcumin Longvida	Brighton Lab Control #	PRHCX-0701
Sample Code #	PH482	Date of Receipt	03/07/2024
Sample Lot #	1378391	Date of Result Issue	03/12/2024

Analytical Results

Analysis	Method	Claim/Tablet	Result/Tablet	
Bisdemethoxycurcumin	HPLC	N/A	3.55 mg	
Desmethoxycurcumin	HPLC	N/A	28.58 mg	
Curcumin	HPLC	N/A	230.28 mg	
Total Curcuminoids	HPLC	230 mg	262.41 mg	

Analysis	Method	Claim	Result
Total Microbial Count	USP 2021	≤ 10,000 cfu/g	< 10 cfu/g
Yeast/Mold	USP 2021	≤ 1,000 cfu/g	< 10 cfu/g
Coliforms	3M Petrifilm	< 10 cfu/g	< 3 cfu/g
E. Coli	USP 2022	Absent	Absent
S. Aureus	USP 2022	Absent	Absent
Salmonella	USP 2022	Absent	Absent

Analysis	Method	Claim/Tablet	Result/Tablet
Arsenic	ICP-MS	< 1.00 mcg	< 0.01 mcg
Cadmium	ICP-MS	< 1.00 mcg	< 0.01 mcg
Mercury	ICP-MS	< 0.10 mcg	0.02 mcg
Lead	ICP-MS	< 0.50 mcg	< 0.01 mcg

Respectfully Submitted,

عمد Park, Ph.D.

Digitally signed by Isaac Park

Lab Director

This product analysis is confidential and is for the benefit of our client sole use only. Results reported herein are provided "AS IS" and are based solely upon specific samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Brighton Laboratory assumes no responsibility, and client hereby waives all claims. All Rights Reserved.