



Specializing in Cosmetics, OTC, Dietary Supplements and Toys/Gadgets

3125 N. Damon Way Burbank, California 91505

Phone: (818) 845-0070 E-Mail: MQL_Customer_Service@certifiedgroup.com

Customer: PROHEALTH
Address: 555 MAPLE ST
CARPINTERIA CA 93013

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: **NAD TRIPLE BOOST ULTRA**
Product Code: PH643
Batch Lot #: 2310086
Accession #: 240326-0219

PO# :
Sample Description : FG
Rush: N/A
Received Date: 03/26/24

| Test Requested: | Test Method: | Specification: | Results: |
|---------------------------------------|-------------------------|------------------|--------------------|
| Vitamin B6 (Pyridoxal-5-Phosphate) | MQLTM-1326 By HPLC | 5 mg/1 Capsule | 7 mg/1 Capsule* |
| Vitamin B12 (Methylcobalamin) | MQLTM-1209 By LC-MS | 5 mcg/1 capsule | 7.4 mcg/1 Capsule* |
| Nicotinamide Riboside Chloride | MQLTM-1054 By UPLC | 500 mg/1 Capsule | 515 mg/1 Capsule* |
| Tryptophan | MQLTM-0198 By GC-FID | 60 mg/1 Capsule | 63 mg/1 Capsule* |
| Apigenin | MQLTM-1464 By HPLC | 50 mg/1 Capsule | 52 mg/1 Capsule* |
| Quercetin | MQLTM-0202 By HPLC | 50 mg/1 Capsule | 50 mg/1 Capsule* |
| Bioperine (Piperine) | MQLTM-0478 By HPLC | 10 mg/1 Capsule | 10 mg/1 Capsule* |
| Arsenic | MQLTM-0278 By ICP-MS | < 2.0 ppm | 0.012 ppm |
| Cadmium | MQLTM-0278 By ICP-MS | < 1.0 ppm | 0.003 ppm |
| Lead | MQLTM-0278 By ICP-MS | < 2.0 ppm | 0.034 ppm |
| Mercury | MQLTM-0278 By ICP-MS | < 0.1 ppm | 0.002 ppm |



Specializing in Cosmetics, OTC, Dietary Supplements and Toys/Gadgets

3125 N. Damon Way Burbank, California 91505

Phone: (818) 845-0070 E-Mail: MQL_Customer_Service@certifiedgroup.com

Customer: PROHEALTH
Address: 555 MAPLE ST
CARPINTERIA CA 93013

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: **NAD TRIPLE BOOST ULTRA**
Product Code: PH643
Batch Lot #: 2310086
Accession #: 240326-0219

PO# :
Sample Description : FG
Rush: N/A
Received Date: 03/26/24

Prepared By:

APR 05 2024

Octavio Victor /Document Control Specialist

04/05/24

Reviewed By:

APR 05 2024

Zane Queen /Quality Assurance Assistant I

04/05/24

Comment: (*) This result is not covered under our A2LA accreditation. The test has been carried out following general compendial methods (USP/NF, EP, JP and AOAC).

Certified Laboratories, is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. Certified Laboratories scope of accreditation may be found on A2LA or Certified Laboratories websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Certified Laboratories to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Certified Laboratories nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Certified Laboratories. Failure to comply will result in immediate legal action by Certified Laboratories.