

Slat Shield Plus

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Slat Shield Plus
Common Name: Slat Shield Plus
SDS Number: Slat Shield Plus
Revision Date: 08/11/2020

Supplier Details: Slatpro LLC.
 4757 Mustang Circle
 Mounds View, MN 55112

Contact: Customer Serv
Phone: (763) 452-4550
Fax: (763) 452-4550
Email: sales@slatpro.com
Web: www.slatpro.com
Emergency: (800) 424-9300 (CHEMTREC)

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Serious Eye Damage/Eye Irritation, 1
 Environmental, Hazards to the aquatic environment - Acute, 3
 Health, Acute toxicity, 4 Oral

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **DANGER**

GHS Hazard Pictograms:



GHS Hazard Statements:

H318 - Causes serious eye damage
 H402 - Harmful to aquatic life
 H302 - Harmful if swallowed

GHS Precautionary Statements:

P264 - Wash _ thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTER or doctor/physician.
 P330 - Rinse mouth.
 P501 - Dispose of contents/container to _

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes; Ingestion; Inhalation; Skin;
Target Organs: Digestive tract;
Inhalation: Not typical route of entry
Skin Contact: May cause irritation.
Eye Contact: May cause irritation.

Slat Shield Plus

Splash contact: Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 30 min
 Material tested: Dermatril (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Control of environmental exposure: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

HMIS PP, B | Safety Glasses, Gloves

Diethanolamine (111-42-2) [<2%]

Components with workplace control parameters

TWA 3 ppm USA. OSHA - TABLE Z-1 Limits for
 15 mg/m3 Air Contaminants - 1910.1000

TWA 1 mg/m3 USA. ACGIH Threshold Limit Values
 (TLV)

Liver & kidney damage

Confirmed animal carcinogen with unknown relevance to humans

Danger of cutaneous absorption

TWA 3 ppm USA. NIOSH Recommended
 15 mg/m3 Exposure Limits

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Amber Liquid	Odor:	Slight
Physical State:	Liquid	Flash Point:	> 200 F
Spec Grav./Density:	1.0	Vapor Density:	Air
Boiling Point:	>200 F		
Vapor Pressure:	25 mm Hg @ 68 F		
pH:	9-10		
Evap. Rate:	<Ether		

10 STABILITY AND REACTIVITY

Reactivity:	Strong oxidizers
Chemical Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Excessive Heat
Materials to Avoid:	Strong Oxidizing Agents.
Hazardous Decomposition:	Carbon Oxides, Aldehydes, Aromatic and other Hydrocarbons
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

Diethanolamine (111-42-2) [<2%]

Slat Shield Plus

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 710 mg/kg Inhalation: no data available

LD50 Dermal - rabbit - 12,200 mg/kg

LD50 Intraperitoneal - rat - 120 mg/kg

LD50 Intravenous - rat - 778 mg/kg

Skin corrosion/irritation: Skin - rabbit Result: Mild skin irritation - 24 h (Draize Test)

Serious eye damage/eye irritation: Eyes - rabbit Result: Severe eye irritation - 24 h

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Diethanolamine)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: KL2975000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

12

ECOLOGICAL INFORMATION

Diethanolamine (111-42-2) [<2%]

Information on ecological effects

Toxicity:

Toxicity to fish mortality NOEC - Cyprinodon variegatus (sheepshead minnow) - 540 mg/l - 96:

h

LC50 - Pimephales promelas (fathead minnow) - 1,460 mg/l - 96 h

Toxicity to daphnia and mortality NOEC - Daphnia magna (Water flea) - < 4.2 mg/l - 11 d.
other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 55 mg/l - 48 h

Persistence and degradability: Biodegradability Result: > 90 % - Readily biodegradable.

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not

Slat Shield Plus

conducted

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.
no data available

13 DISPOSAL CONSIDERATIONS

Diethanolamine (111-42-2) [<2%]

Waste treatment methods

Product: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging: Dispose of as unused product.

14 TRANSPORT INFORMATION

15 REGULATORY INFORMATION

Component (CAS#) [%] - CODES

RQ(100LBS), Diethanolamine (111-42-2) [<2%] CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, SARA313, TSCA, TXAIR


Regulatory CODE Descriptions

RQ = Reportable Quantity
CERCLA = Superfund clean up substance
HAP = Hazardous Air Pollutants
MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
OSHA = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
SARA313 = SARA 313 Title III Toxic Chemicals
TSCA = Toxic Substances Control Act
TXAIR = TX Air Contaminants with Health Effects Screening Level

16 OTHER INFORMATION

Slat Shield Plus

NFPA: Health = 1, Fire = 1, Reactivity = 0, Specific Hazard = n/a
HMIS III: Health = 1, Fire = 1, Physical Hazard = 0
HMIS PPE: B - Safety Glasses, Gloves



Slatpro, LLC.. makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers.