O O A K L E Y

ONE ICON / FOOTHILL RANCH, CA 92610

OAKLEY WORLDWIDE

OAKLEY USA One Icon Foothill Ranch, California 92610 1 800 525 4334

OAKLEY CANADA 2670 Rue Diab St-Laurent Quebec H4S 1E8 1 877 625 5396

OAKLEY ICON Puls 5 Giessereistr. 18 CH-8005 Zürich Switzerland 00800 62 55 39 38

LUXOTTICA SOUTH AFRICA PTY LTD 2nd Floor Block A Black River Park North 2 Fir Street Observatory 7945 0861 486 100 OAKLEY SOUTH PACIFIC 24 The Esplanade St. Kilde, Victoria 3182 Australia +61 3 8598 3100

OAKLEY JAPAN MT2 Bldg.,1-12-23 Mita Meguro-ku, Tokyo 153-0062 81 3 3716 9300

OAKLEY CHINA 7/F, Tower 2, Grand Gateway #3 Hongqiao Road, Xu Hui District Shanghai, 200030, P.R.C. 86 21 2411 3888

OAKLEY BRASIL Rua Ministro Jesuino Cardoso, 52 Itaim Bibi, São Paulo – SP Brasil CEP: 04544-050 55 11 21 838251 ext 8254

OOP-12-0238 ©2012 OAKLEY, INC.

® indicates registration in the U.S. and certain other countries.

All trademarks, brand and product names herein are trademarks or registered trademarks of their respective holders.







WE DON'T TEST THE BOUNDS OF REALITY, WE DON'T TEST THE BOUNDS OF REALITY, THE STATE OF THE BOUNDS OF REALITY, WE DON'T TEST THE BOUNDS OF REALITY,

You are not average. You have developed a special set of skills to defend us. You put the needs of others before your own and are willing to make the ultimate sacrifice. We are indebted to you, but more importantly, we support you. We push the boundaries to scrutinize and perfect your gear to ensure your safety, performance and comfort. You are our protectors, and your courage inspires us to exceed expectations and provide you with the best gear available.



HISSTANDARDISSHE COM

EYEWEAR TECHNOLOGY

HIGH DEFINITION OPTICS® (HDO)

A combination of technologies and patented innovations that give you clearer, sharper and more accurate vision. HDO® virtually eliminates the distortion common in high-wrap sunglasses.

- REFRACTIVE POWER-Conventional lenses can magnify images. HDO® precision gives you more accurate vision across the entire field of view.
- ASTIGMATISM-Ordinary lenses can't focus all light waves to or into the part of your eye that does the seeing. With HDO,® you won't have the blur of inferior optics.
- PRISMATIC POWER-With regular lenses, objects aren't really where you see them. HD0® offers a truer visual image, and it helps ensure each eye has the same image so your brain won't have to work overtime.

IMPACT PROTECTION

Visual impact isn't just about looks. Our performance sunglasses meet and exceed the impact-resistance standards of the American National Standards Institute (ANSI).

- For high-velocity impact testing, a quarter-inch steel pellet is blasted from a pneumatic cannon at 102 mph/164 kmh.
- The high-mass impact test uses a metal spike (weighing more than a pound/half a kilo) dropped from over four feet.

BALLISTIC RESISTANCE

- MIL-PRF-31013-3.5.1.1 ballistic resistance. The ballistic resistance of the spectacles shall be such that they will pass a Vo test using a 0.15 caliber, 5.8 grain, T37 shaped projectile at a velocity of 640 to 660 feet per second when tested as specified in 4.4.1.1.
- MIL-DTL-43511-3.5.10 ballistic resistance. The ballistic resistance of the lenses shall be such that they will pass a Vo test using a 0.22 caliber, 17.0 + 0.5 grain, T37 shaped projectile at a velocity of 550 to 560 feet per second when tested as specified in 4.3.5.

PHOTOCHROMIC

- Our photochromic lenses help you adapt to changing light conditions so you can always perform at your best.
- Your lenses won't be too dark when the sun pulls a disappearing act or too light when it knifes through the clouds.

UV PROTECTION

- Oakley Plutonite® filters out 100% of all UVA, UVB and harmful blue light up to 400nm.
- The lens material itself blocks UV, so you don't have to rely on a thin surface coating that can wear away or become scratched.
- Our optical technologies allow for lens curvature that improves protection at the top and sides of your eyes.

OAKLEY HDPOLARIZED

- We fuse the polarizing filter at the molecular level. Our competition uses a cheaper "sandwich" method that can result in haze and optical illusion.
- Oakley provides an unmatched array of lens options including performance tints, Iridium® lens coatings that balance light transmission for tuned vision, HDPolarized lenses, gradient lenses, and photochromic lenses.
- Oakley HDPolarized lenses block 99% of reflected glare while offering the proven clarity and performance of High Definition Optics, ensuring enhanced visual contrast and improved depth perception.

PLUTONITE® LENS MATERIAL

Lightweight Plutonite® lens material offers superior comfort, clarity and protection against impact and ultraviolet radiation. Maintaining the proven
safety characteristics of Oakley eyewear, the impact-resistant material blocks 100% of all UVA, UVB and harmful blue light up to 400nm. Plutonite®
is the only lens material able to achieve the performance standards required by Oakley's digital design and production technologies.

AVAILABLE WITH OAKLEY AUTHENTIC PRESCRIPTION LENSES

Oakley can custom build eyewear with prescription lenses exactly to the doctor's orders. Take advantage of the quality and innovation of a specialty
lab created for Oakley dealers. It's the only way to maintain the integrity and warranty of the Oakley sunglass and frame. Numerous lens options are
available, including our polarized and progressive lens technologies, and all lenses feature the unbeatable clarity of Oakley High Definition Optics.



TABLE OF CONTENTS

BALLISTIC OPTICS2-11	l
STANDARD ISSUE12-37	l
FOOTWEAR32-43	}
ACCESSORIES44-59	5





SI BALLISTIC M FRAME 3.0 ARRAY

009146-03

- Thin stem technology enables compatibility with over-ear hearing protection/communication systems
- Advanced anti-fog and anti-abrasion performance
- Lenses are made from Plutonite,[®] Oakley's high-purity optical grade polycarbonate featuring Oakley HDO® with Polaric Ellipsoid™ technology
- All lenses meet or exceed optical requirements per ANSI Z87.1-2003 & 2010 and EN 166-2001 Class 1
- System meets or exceeds high-mass and high-velocity impact requirements per ANSI Z87.1-2003 & 2010 in addition to Ballistic Fragmentation impact standards per MIL PRF-31013, Clause 3.5.1.1
- Lenses block all UVA, UVB and harmful violet-blue light up to a 400nm wavelength
- · System features quick, tool-free lens change
- Full compatibility with helmet-mounted night vision devices
- Full compatibility with MICH, ACH, LWH, CVC, FAST, Crye Precision™ and Ops-Core® helmet systems
- Chemical-and impact-resistant 0 Matter[™] frame material
- Oakley Rx carrier system available
- Ultra-lightweight design (1.05-ounce total weight)
- Protective laser lens available*
- Adjustable retention strap available

ALSO AVAILABLE IN:



DARK BONE FRAME



DARK BONE FRAME CLEAR/GREY/ PERSIMMON 009146-08



SI BALLISTIC M FRAME 3.0

009146-05

- Thin stem technology enables compatibility with over-ear hearing protection/communication systems
- Advanced anti-fog and anti-abrasion performance
- Lenses are made from Plutonite,® Oakley's high-purity optical grade polycarbonate featuring Oakley HDO® with Polaric Ellipsoid™ technology
- All lenses meet or exceed optical requirements per ANSI Z87.1-2003 & 2010 and EN 166-2001 Class 1
- System meets or exceeds high-mass and high velocity impact requirements per ANSI Z87.1-2003 & 2010 in addition to Ballistic Fragmentation impact standards per MIL PRF-31013, Clause 3.5.1.1
- Lenses block all UVA, UVB and harmful violet-blue light up to a 400nm wavelength
- System features quick, tool-free lens change
- Full compatibility with helmet-mounted night vision devices
- Full compatibility with MICH, ACH, LWH, CVC, FAST, Crye Precision™ and Ops-Core® helmet systems
- Chemical- and impact-resistant 0 Matter[™] frame material
- Oakley Rx carrier system available
- Ultra-lightweight design (1.05-ounce total weight)
- Protective laser lens available*
- Adjustable retention strap available

ALSO AVAILABLE IN:









BLACK FRAMI CLEAR 009146-09

DARK BONE W/ GREY

*Laser protective lenses are controlled under International Traffic in Arms Regulations (ITAR). The export of any laser protective products requires compliance with various U.S. laws and regulations, including an export license from the U.S. Department of State. For more information, please contact your sales representative.



SI BALLISTIC M FRAME 2.0 BLACK STRIKE IP ARRAY

11-138

- Lens meets or exceeds all optical requirements per ANSI Z87.1-2003 and EN 166-2001 Class 1
- Ballistic Fragmentation impact standards per MIL PRF-31013, Clause 3.5.1.1.
- Lenses are made from Plutonite,[®] Oakley's high-purity optical grade polycarbonate featuring Oakley HDO[®] with Polaric Ellipsoid[™] technology
- Fully compatible with helmet-mounted night vision devices
- Fully compatible with MICH, ACH, CVC and PASGT helmets
- System features quick, tool-free lens change
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Lens geometry has extended face-form (wrap) and pantascopic tilt (rake)
- Crush-resistant carrying case included
- Chemical-and impact-resistant O Matter™ frame material
- Oakley Rx carrier system available
- Protective laser lens available*
- · Adjustable retention strap available

ALSO AVAILABLE IN:



STRIK BLACI CLEAF PERSI



STRIKE
ME BLACK FF
EY/ CLEAR/GI
N PERSIMN
LASER
11-428



*Laser protective lenses are controlled under International Traffic in Arms Regulations (ITAR). The export of any laser protective products requires compliance with various U.S. laws and regulations, including an export license from the U.S. Department of State. For more information, please contact your sales representative.

SI BALLISTIC M FRAME 2.0

11-196

- Lens meets or exceeds all optical requirements per ANSI Z87.1-2003 and EN 166-2001 Class 1
- Ballistic Fragmentation impact standards per MIL PRF-31013, Clause 3.5.1.1.
- Lenses are made from Plutonite,[®] Oakley's high-purity optical grade polycarbonate featuring Oakley HDO[®] with Polaric Ellipsoid[™] technology
- Fully compatible with helmet-mounted night vision devices
- Fully compatible with MICH, ACH, CVC and PASGT helmets
- · System features quick, tool-free lens change
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Lens geometry has extended face-form (wrap) and pantascopic tilt (rake)
- Chemical-and impact-resistant 0 Matter[™] frame material
- Oakley Rx carrier system available
- · Photochromic lens technology available
- Adjustable retention strap available

ALSO AVAILABLE IN:











HYBRID BLACK FRAM GREY



GREY W/ PHOTOCHROMIC

SI BALLISTIC GOGGLE 2.0 ARRAY

007035-07

- System features a low-profile design with minimized facial standoff
- Low-profile, flame-resistant, quick-release retention strap system with anti-slip tack strips
- Advanced anti-fog and anti-abrasion performance
- Lenses are made from Plutonite,® Oakley's high-purity optical grade polycarbonate featuring Oakley HDO® with Polaric Ellipsoid™ technology
- · Best-in-class field of view
- Complies with ANSI Z87.1-2003 & 2010. MIL-DTL-43511. EN-166 BT K and U.S. Army MCEPS
- Complies with MIL-DTL-43511 ballistic impact resistance requirements in all lens configurations
- Lenses block all UVA, UVB and harmful violet-blue light up to a 400nm wavelength
- Full compatibility with MICH, ACH, LWH, CVC, FAST, Crye Precision™ and Ops-Core® helmet systems
- Fully compatible with helmet-mounted night vision devices
- · Lens-locking slide improves lens retention while easing lens changing in the field
- · Low-profile, moisture wicking fleece face foam
- Oakley Rx carrier system available
- Ultra-lightweight design (3.7-ounce total weight)
- Protective laser lens available*

ALSO AVAILABLE IN:





SI BALLISTIC GOGGLE 2.0

007035-08

- System features a low-profile design with minimized facial standoff
- Low-profile, flame-resistant, quick-release retention strap system with anti-slip tack strips
- Advanced anti-fog and anti-abrasion performance
- Lenses are made from Plutonite, Oakley's high-purity optical grade polycarbonate featuring Oakley HDO® with Polaric Ellipsoid™ technology
- Best-in-class field of view
- Complies with ANSI Z87.1-2003 & 2010. MIL-DTL-43511. EN-166 BT K and U.S. Army MCEPS
- Complies with MIL-DTL-43511 ballistic impact resistance requirements in all lens configurations
- Lenses block all UVA, UVB and harmful violet-blue light up to a 400nm wavelength
- Full compatibility with MICH, ACH, LWH, CVC, FAST, Crye Precision™ and Ops-Core® helmet systems
- Fully compatible with helmet-mounted night vision devices
- Lens-locking slide improves lens retention while easing lens changing in the field
- Low-profile, moisture wicking fleece face foam
- Oakley Rx carrier system available
- Ultra-lightweight design (3.7-ounce total weight)
- Protective laser lens available*

ALSO AVAILABLE IN:











*Laser protective lenses are controlled under International Traffic in Arms Regulations (ITAR). The export of any laser protective products requires compliance with various U.S. laws and regulations, including an export license from the U.S. Department of State, For more information, please contact your sales representative



SI BALLISTIC GOGGLE 1.0

11-427

- Lens meets or exceeds all optical requirements per ANSI Z87.1-2003 and EN 166-2001 Class 1
- Lenses are made from Plutonite,® Oakley's high-purity optical grade polycarbonate featuring Oakley HDO® with Polaric Ellipsoid™ technology
- Lenses block all UVA, UVB and harmful violet-blue light up to a 400nm wavelength
- Ballistic Fragmentation impact standards per MIL V-43511C, Clause 3.5.10
- Side impact requirements of ANSI Z87.1-2003 (direct side impact from a 0.250" steel ball at 250 fps)
- Lens geometry has extended face-form (wrap) and pantascopic tilt (rake)
- Fully compatible with MICH, ACH, CVC and PASGT helmets
- Fire-resistant strap complies with ASTM D6413099 requirements
- Closed-cell foam prevents moisture from getting into the goggle
- · Permanent anti-fog coating
- Protective laser lens available*

ALSO AVAILABLE IN:



K FRAME



BLACK FI



SI BALLISTIC FAN GOGGLE

11-174

- Lens meets or exceeds all optical requirements per ANSI Z87.1-2003 and EN 166-2001 Class 1
- Lenses are made from Plutonite,[®] Oakley's high-purity optical grade polycarbonate featuring Oakley HDO® with Polaric Ellipsoid™ technology
- Lenses block all UVA, UVB and harmful violet-blue light up to a 400nm wavelength
- Ballistic Fragmentation impact standards per MIL V-43511C, Clause 3.5.10
- Side impact requirements of ANSI Z87.1-2003 (direct side impact from a 0.250" steel ball at 250 fps)
- Lens geometry has extended face-form (wrap) and pantascopic tilt (rake)
- 15,000 rpm fan pumps 864 cubic inches of cooling air every minute
- Hermetically sealed power unit provides 32 hours of runtime with one L91 AA battery
- Ultra-low noise signature maintains stealth
- · Closed-cell foam prevents moisture from getting into the goggle
- Permanent anti-fog coating
- Protective laser lens available*

ALSO AVAILABLE IN:



BLACK FRAME CLEAR / GREY / LASER 007033-01



BLACK W/ CLEAR

*Laser protective lenses are controlled under International Traffic in Arms Regulations (ITAR). The export of any laser protective products requires compliance with various U.S. laws and regulations, including an export license from the U.S. Department of State. For more information, please contact your sales representative.





SI SPLIT JACKET® 009099-15

.....

- Fast, secure lens replacement with Switchlock™ interchangeable lens technology
- Distortion-free lenses via Oakley's cushioned lens suspension system
- Includes 8.75 base lenses for bright light (Grey) and medium light (VR28®) lenses
- Includes Hydrophobic lens cleaner to repel moisture and oils for ease of cleaning
- Polarized lens options available
- Lightweight 0 Matter™ frame material with ellipse metal icon accents
- Unobtainium[®] earsocks and nosepads for increased comfort and performance
- Available with Oakley Authentic Prescription Lenses
- Protective soft vault included

ALSO AVAILABLE IN:



MATTE BLACK FRAME GREY/VR28® OO9099-16



MATTE BLACK W/ GREY, VR28® POLARIZED

WIND JACKET™

009142-01

- Includes soft, removable Unobtainium® gasket for reduced air velocity and removable retaining strap for added security
- Fast, secure lens replacement with Switchlock™ interchangeable lens technology
- Oakley F3 anti-fog treated lenses (backside) to minimize moisture buildup
- Distortion-free lenses via Oakley's cushioned lens suspension system
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Available with Oakley Authentic Prescription Lenses
- Includes 8.75 base lenses for bright light (Warm Grey) and low light (Clear) lenses
- Protective soft vault included
- Adjustable strap included



MATTE BLACK W/ WARM GREY

SI HALF JACKET[®] 2.0

()()()(44-11

- Lightweight O Matter™ frame material with ellipse metal icon accents
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Polarized lens options available
- 8.75 base lens geometry with HDO®
- Interchangeable lens system
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:









SI HALF JACKET 2.0 XL

009154-13

- Lightweight 0 Matter™ frame material with ellipse metal icon accents
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Polarized lens options available
- 8.75 base lens geometry with HDO®
- Interchangeable lens system
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:











MATTE BLACK W/ GREY POLARIZED

SI FLAK JACKET 11-003

- Lightweight 0 Matter™ frame material with ellipse metal icon accents
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Includes Hydrophobic lens cleaner to repel moisture and oils for ease of cleaning
- 8.75 base lens geometry with HDO®
- Interchangeable lens system
- Available with Oakley Authentic Prescription Lenses
- Protective soft vault included

ALSO AVAILABLE IN:







MATTE BLACK W/ GREY

SI FLAK JACKET XLJ

11-432

- Lightweight 0 Matter[™] frame material with ellipse metal icon accents
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Includes Hydrophobic lens cleaner to repel moisture and oils for ease of cleaning
- 8.75 base lens geometry with HDO®
- Interchangeable lens system
- Available with Oakley Authentic Prescription Lenses
- Protective soft vault included

ALSO AVAILABLE IN:







FRAME FRAME
GREY POLARIZED GREY
11-435 11-004





SI RADAR®

11-472

- Lightweight O Matter™ frame material with ellipse metal icon accents
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Oakley performance shield lens technology with HDO®
- Interchangeable lens system
- Available with Oakley Authentic Prescription Lenses
- Protective soft vault included

ALSO AVAILABLE IN:



RADAR RANGE MATTE BLACK FRAME GREY 11-471



RADAR PATH MATTE BLACK W/ GREY

SI M FRAME

07-386

- Lightweight 0 Matter™ frame material with ellipse metal icon accents
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Oakley performance shield lens technology with HDO®
- Interchangeable lens system
- Polarized lens options available
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:



HYBRID BLACK FRAME GREY 11-057











SI COMMIT°

11-468

- Women's specific
- Lightweight O Matter™ frame material with ellipse metal icon accents
- Unobtainium® earsocks and nosepads for increased comfort and performance
- 8.75 base lens geometry with HDO®
- Includes Hydrophobic lens cleaner to repel moisture and oils for ease of cleaning
- Interchangeable lens system
- · Polarized lens options available
- Available with Oakley Authentic Prescription Lenses
- Protective soft vault included

ALSO AVAILABLE IN:



CK N



AV ACK



COMMIT AV MATTE BLACK FRAME GREY POLARIZE 11-476

.



COMMIT SO MATTE BLACK W/ GREY POLARIZED

SI TWENTY™ 009157-07

- Lightweight 0 Matter[™] frame material with ellipse metal icon accents
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Polarized lens options available
- 8.75 base lens geometry with HDO®
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:



MATTE BLACK FRAME GREY POLARIZED 009157-08



MATTE BLACK W/ GREY

SI PIT BULL[®] 009127-14

- Lightweight O Matter™ frame material with ellipse metal icon accents
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Polarized lens options available
- 8.75 base lens geometry with HDO®
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:





MATTE BLACK W/ GREY POLARIZED

SI STRAIGHT JACKET®

11-013

- Lightweight 0 Matter™ frame material with ellipse metal icon accents
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Polarized lens options available
- 8.75 base lens geometry with HDO®
- Custom spring hinge mechanisms for added comfort
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:



MATTE BLACK FRAME GREY POLARIZED 11-014



MATTE BLACK W/ GREY

SI FUEL CELL 009096-29

- Lightweight 0 Matter™ frame material with Square 0 metal icon accents
- Oakley Twin Toric lens technology with HDO®
- Polarized lens options available
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:









MATTE BLACK W/ GREY TONAL FLAG

CRANKCASE

009165-13

- Lightweight 0 Matter™ frame material with Square 0 metal icon accents
- Oakley Twin Toric lens technology with HDO®
- Polarized lens options available
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:





MATTE BLACK W/ GREY POLARIZED

SI GASCAN®

11-015

- Lightweight O Matter™ frame material with Square O metal icon accents
- Oakley Twin Toric lens technology with HDO®
- Polarized lens options available
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:











DESERT W/ BRONZE TONAL FLAG

SI FIVES SQUARED®

11-019

- Lightweight 0 Matter™ frame material with Square 0 metal icon accents
- Polarized lens options available
- 8.75 base lens geometry with HDO®
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:



MATTE BLACK FRAME GREY POLARIZI



MATTE BLACK W/ GREY

DEVIATION™ 004061-01

- Ultra-lightweight C-5™ alloy frame material
- Unobtainium® earsocks and nosepads for increased comfort and performance
- 6 base lens geometry with HDO®
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:







MATTE BLACK W/ WARM GREY

SI TIGHTROPE™ 004040-08

- Ultra-lightweight C-5[™] alloy frame material
- Unobtainium® earsocks and nosepads for increased comfort and performance
- 8.75 base lens geometry with HDO®
- Available with Oakley Authentic Prescription Lenses

ALSO AVAILABLE IN:





MATTE BLACK W/ GREY POLARIZED



HOT WEATHER ASSAULT BOOT 8"

11093-889C

- Directional lug design outsole provides wet and dry slip resistance
- Specially designed outsole for greater stability in load-bearing applications
- Highly abrasion-resistant Vibram® outsole compound provides excellent durability for fast rope situations
- Soft temper, full grain leather
- · Gusseted tongue prevents entry of water and debris
- Prime urethane shock-absorbing insole with anatomical curvature
- Jump-ready design with over-the-ankle boot shaft and low-profile lacing system
- Athletically inspired lightweight design
- Berry Compliant
- U.S. Army Uniform Spec 670-1
- Sizes: 6-14, 15, 16, 17

ALSO AVAILABLE IN:







DESERT HOT WEATHER

HOT WEATHER ASSAULT BOOT 6"



11092-8890

- Directional lug design outsole provides wet and dry slip resistance
- Specially designed outsole for greater stability in load-bearing applications
- Highly abrasion-resistant Vibram® outsole compound provides excellent durability for fast rope situations
- Soft temper, full grain leather
- · Gusseted tongue prevents entry of water and debris
- Prime urethane shock-absorbing insole with anatomical curvature
- Jump-ready design with over-the-ankle boot shaft and low-profile lacing system
- Athletically inspired lightweight design
- Berry Compliant
- Sizes: 6-14, 15, 16

ALSO AVAILABLE IN:









HOT WEATHER

LF ASSAULT BOOT 8"

11121-889

- Directional lug design outsole provides wet and dry slip resistance
- Specially designed outsole for greater stability in load-bearing applications
- Highly abrasion-resistant Vibram® outsole compound provides excellent durability for fast rope situations
- Trenchcoat[™] is an inherited material that gives our tactical footwear a barrier of protection from mud, dirt, oil, gasoline and rain
- Soft temper, full grain leather
- · Gusseted tongue prevents entry of water and debris
- Prime urethane shock-absorbing insole with anatomical curvature
- Athletically inspired lightweight design
- Lightweight Lenzi® puncture-proof layer
- Sizes: 6-13, 14, 15, 16

ALSO AVAILABLE IN:











DESERT

LF ASSAULT BOOT 6"

11120-001

- Directional lug design outsole provides wet and dry slip resistance
- Specially designed outsole for greater stability in load-bearing applications
- Highly abrasion-resistant Vibram® outsole compound provides excellent durability for fast rope situations
- Trenchcoat[™] is an inherited material that gives our tactical footwear a barrier of protection from mud, dirt, oil, gasoline and rain
- Soft temper, full grain leather
- Gusseted tongue prevents entry of water and debris
- Prime urethane shock-absorbing insole with anatomical curvature
- · Athletically inspired lightweight design
- Lightweight Lenzi® puncture-proof layer
- Sizes: 6-13, 14, 15

ALSO AVAILABLE IN:









BLACK

SI ASSAULT BOOT 8"

DESERT

H098-889C

- Directional lug design outsole provides wet and dry slip resistance
- Specially designed outsole for greater stability in load-bearing applications
- Trenchcoat™ is an inherited material that gives our tactical footwear a barrier
 of protection from mud, dirt, oil, gasoline and rain
- Soft temper, full grain leather
- · Gusseted tongue prevents entry of water and debris
- Low-friction lining with antimicrobial treatment
- Jump-ready design with over-the-ankle boot shaft and low-profile lacing system
- Ergonomically optimized geometry with enhanced load-bearing stability
- Athletically inspired lightweight design
- Vibram® vulcanized outsole
- Sizes: 6-13, 14, 15, 16, 17

ALSO AVAILABLE IN:







BLACK 11098-001C



BLACK (WIDE)

SI ASSAULT BOOT 6"

- Directional lug design outsole provides wet and dry slip resistance
- Specially designed outsole for greater stability in load-bearing applications
- Trenchcoat™ is an inherited material that gives our tactical footwear a barrier of protection from mud, dirt, oil, gasoline and rain
- · Soft temper, full grain leather
- · Gusseted tongue prevents entry of water and debris
- · Low-friction lining with antimicrobial treatment
- Jump-ready design with over-the-ankle boot shaft and low-profile lacing system
- · Ergonomically optimized geometry with enhanced load-bearing stability
- Athletically inspired lightweight design
- Vibram® vulcanized outsole
- Sizes: 6-13, 14, 15, 16,17

ALSO AVAILABLE IN:











BLACK

LSA BOOT WATER

11148-889

- · Anatomically corrected upper pattern creates snug, glove-like fit
- Aquatic adaptability with quick-dry structural elements
- Specially formulated EVA provides maximum step-in comfort and set properties
- Slip-resistant Unobtanium® outsole delivers exceptional traction on mixed surfaces
- Gusseted tongue prevents entry of water and debris
- Scotchgard® treated, weather-tight waterproof leather
- Sizes: 6-13, 14

ALSO AVAILABLE IN:







DESERT

LSA BOOT TERRAIN

11121-86X

- · Anatomically corrected upper pattern creates snug, glove-like fit
- Puncture-proof Lenzi® protection underfoot
- Specially formulated EVA provides maximum step-in comfort and set properties
- Slip-resistant Unobtanium® outsole delivers exceptional traction on mixed surfaces
- Blown polyurethane Ortholite® cushioned insert
- Gusseted tongue prevents entry of water and debris
- Sizes: 6-13, 14

ALSO AVAILABLE IN:









MULTICAM®

SI ALL WEATHER BOOT

- Waterproof genuine leather
- Moisture wicking textile with waterproof membrane and Thermolite® insulation
- Resilient polyurethane midsole formulation maintains attenuation performance
- Heavyweight leather and gasket construct keeps foot dry and warm
- Outsole lug design for sure footing over undulating terrain
- Sizes: 6-13, 14



BLACK

MEGAWATT

13164-86Y

- Abrasion-resistant Cordura® (1000 Denier) with pig suede panels
- Scotchgard® treatment for water repellence and easy cleaning
- Breathable Ortholite® performance insole
- Encapsulated EVA midsole
- Support and comfort of cup sole design
- Stretch panel gussets on tongue
- Sizes: 6-13, 14

ALSO AVAILABLE IN:



STEALTH 13164-013



MILITICAN



ACCESSORIES



ASSAULT GLOVE

- Premium quality Pittards digital leather
- Breathable Airprene® strategically placed at all flex locations
- Matte finish carbon fiber knuckle with polycarbonate coating
- Reinforced fingertips with Pittards digital leather
- No-drip TPR wrist closure provides quick and secure wrist fit
- Athletic performance fit consistent with U.S. Military standard sizing
- Sizes: XS-XXL

ALSO AVAILABLE IN:







TE

FOLIAGE GR 94025-768



BLACK

SI TACTICAL FR GLOVE

94086-768

- Premium quality Broleco Gripflexx FR Leather
- Dual layer Nomex® protects fingers and back of hand
- Broleco Gripflexx FR Leather one-piece palm
- Polycarbonate knuckle covered with Broleco Gripflexx FR Leather
- Nomex® cuff offers maximum flexibility with minimum restriction
- No-drip TPR wrist closure provides quick and secure wrist fit
- Athletic performance fit consistent with U.S. Military standard sizing
- Sizes: XS-XXL

ALSO AVAILABLE IN:





CK COYOTE

94086-8



FOLIAGE GREEN

FR FAST ROPE GLOVE

94109-001

- Premium quality Broleco Gripflexx FR Leather
- Dual layer Nomex® protects fingers and back of hand
- Broleco Gripflexx FR Leather one-piece palm
- Pittards Keratan™ reinforcement back with aluminized Carbon-X®
- Polycarbonate knuckle covered with Broleco Gripflexx FR Leather
- Nomex® cuff offers maximum flexibility with minimum restriction
- No-drip TPR wrist closure provides quick and secure wrist fit
- Athletic performance fit consistent with U.S. Military standard sizing
- Sizes: XS-XL

ALSO AVAILABLE IN:







BLACK

LIGHTWEIGHT FR GLOVE

94107-86W

- Premium quality Broleco Gripflexx FR Leather
- Dual layer Nomex® protects fingers and back of hand
- Stretch Kevlar® over knuckle and inner joints provides superior abrasion resistance and flexibility
- Broleco Gripflexx FR Leather one-piece palm
- Nomex® cuff offers maximum flexibility with minimum restriction
- Athletic performance fit consistent with U.S. Military standard sizing
- Sizes: XS-XXL

ALSO AVAILABLE IN:



94107-001





ICON PACK 2.0

92235-86Y

- Storage for your laptop, up to 15" widescreen
- Dedicated laptop sleeve and zipper entry
- Compression-molded internal organizer in back panel
- Padded shoulder straps
- Shoulder strap pocket for your mobile phone
- Mesh eyewear pocket
- Mesh pockets and side zip pockets
- Custom molded top carry handle

ALSO AVAILABLE IN:







MULTICAM®

PANEL PACK

92131-323

- Padded shoulder straps
- Compression-molded pack panel
- Dedicated laptop sleeve and zipper entry
- Front and side zipper pockets

ALSO AVAILABLE IN:







NEW KHAKI

HEAVY PAYLOAD DUFFEL

92142-001

- Top-loading duffel bag with end pockets, front/back pockets and carrying handle with shoulder strap
- 2,500 cubic inches capacity
- Shoe pocket on one end
- Removable shoulder strap with non-slip padding
- Rubberized bottom

ALSO AVAILABLE IN:



92142-32



BLACK

SI COMPUTER BAG

92042-001

- Fits widescreen laptop up to 17"
- Custom D-rings for external attachment
- Removable shoulder strap with custom molded shoulder pad
- Main flap with turncoat latch closure
- Removable pouch pockets
- Compression straps
- Back storage pocket with horizontal top and bottom zips for attachment to rolling bags
- Removable inner protective sleeve with carrying handle
- Internal organizer houses battery, cables, media, pens and key chains, and includes ID window



BLACK

SILICON OAKLEY CAP

91241-001

- 100% polyester cap
- Polyester mesh for cooling
- Custom moisture wicking sweatband
- Eyelet venting
- Stretch fit
- Sonic welded logo
- · Sizes: S/M, L/XL

ALSO AVAILABLE IN:





SHEET ME



ACCESSORIES



M-FRAME 3-SLOT LENS CASE 11-447



LARGE SOFT VAULT 07-025



SI URX KIT ASSEMBLY 11-449



54 | USSTANDARDISSUE.COM | 55

NOTES