ASSEMBLY AND INSTALLATION INSTRUCTIONS

HS-CHU009 / CHU015

WARNING: BE SURE TO SHUT OFF POWER AT THE MAIN FUSE OR CIRCUIT BREAKER BOX BEFORE INSTALLING OR SERVICING THIS FIXTURE.

NOTE: 1. Before installing, consult local electrical codes for wiring and grounding requirements.

2. READ AND SAVE THIS INSTRUCTION.

- 1. Attach nipple(-a) to the mounting strap, then secure it with a washer and hex nut.
- 2. Attach the mounting strap to the outlet box by using two mounting screws.
- 3. Secure the top loop to nipple(-a).
- 4. Adjust the arms of the fixture according to the drawing of the package.

Important:

- a. The arms of each tier should be positioned with equal distances between them.
- b. The arms should be fixed securely.
- 5. Secure the loop onto nipple(-b).
- 6. Choose the length of the chain you need, then weave the fixture wire and the fixture grounding wire through the chain, collar and canopy.
- 7. Connect one end of the chain with the loop by using a loop lock.
- 8. Connect the other end of the chain with the top loop by using another loop lock.
- 9. Thread the fixture wire and fixture grounding wire through the top loop, nipple(-a) and mounting strap.
- 10. Pull out the outlet wires and house grounding wire from the outlet box. Make wire connections using the wire nuts:
 - ---The smooth wire (marked) from the fixture to the black wire from the power source.
 - ---The ridged wire (unmarked) from the fixture to the white wire from the power source.
 - ---Attach the fixture grounding wire to the mounting strap with the green grounding screw. Then connect it to the house grounding wire with a wire nut.

Carefully put the wires back into the outlet box.

- 11. Attach the canopy to the mounting strap by inserting the top loop, then secure it with the collar.
- 12. Attach the glass shades and spacers onto the glass holders, then secure them with socket rings.
- 13. Install bulbs (not included). See relamping label at socket area or packaging for maximum allowed wattage.
- 14. Turn on the power at the main fuse or circuit breaker box.



