



Cast Light

Designer- Phillipe Malouin / Year 2019

Cast is a large modular pendant lighting system made from fibreglass.

Its name, material and fastening method takes inspiration from fibreglass casting moulds.

Designed by Philippe Malouin, Cast combines the depth and texture of fibre reinforced polymers, combined with a warm LED lightsource, to create a unique and inspirational feature lighting piece.

Made in New Zealand, cast incorporates specially formulated "clean" resins to deliver advanced transparency and an optically superior visual experience.


Ideal for a range of commercial and domestic spaces, Cast is durable, lightweight and flexible.

Resident offers this product as standard as Straight, Circle and Oblong, however many other configurations are possible, to meet the specific needs of a space

Prd


End View

120mm (4.7")



245mm (9.7")

Bottom View



1800mm (71")

Product Description

Pendant Light

Product Code

CAS001 - Straight Pendant

Materials

Fibre Glass

Colour Options

Shade Colour - Fibre Glass

Cable Colour - Black

Cable Length

Min 300mm (11.8") Max 5000mm (197')

Bulb Specs

Voltage - 24V

Power Usage - 44W

Lumens - 2520

Colour Temperature - 2800K

CRI - >95

Average Life Span - 50,000 hours

Dimming Options

DIM001 - Ltech remote controller

DIM002 - D1 touch panel

DRI06 - 1-10V dimmable driver

DRI09 - Phasecut driver EU

DRI11 - Phasecut driver US

DRI13 - Dali driver

Packaging Dimensions

W 1000 x D 1000 x H 160 mm

W 39.4 x D 39.4 x H 6.3 inch

CBM - 0.16/CBF - 5.65

Packaging Weight

4 kg/ 8.8lbs

Certification

CE

Warranty

3 Years


Resident

Resident Headquarters
61 Upper Queen Street
Newton Auckland New Zealand
Ph +64 9 601 9241
www.resident.co.nz

Prd


End View

120mm (4.7")



245mm (9.7")

Bottom View



o 1480mm (58.27")

Product Description

Pendant Light

Product Code

CAS002 - Round Pendant

Materials

Fibre Glass

Colour Options

Shade Colour - Fibre Glass

Cable Colour - Black

Cable Length

Min 300mm (11.8") Max 5000mm (197")

Bulb Specs

Voltage - 24V

Power Usage - 87W

Lumens - 5040lm

Colour Temperature - 2800K

CRI - >95

Average Life Span - 50,000 hours

Dimming Options

DIM002 - D1 touch panel

DRI10 - Phasecut driver EU

DRI12 - Phasecut driver US

DRI13 - Dali driver

Packaging Dimensions

W 1000 x D 1000 x H 320 mm

W 39.4 x D 39.4 x H 12.6 inch

CBM - 0.32 /CBF - 11.3

Packaging Weight

8kg/ 17.6 lbs

Certification

CE

Warranty


3 Years

Resident

Resident Headquarters
61 Upper Queen Street
Newton Auckland New Zealand
Ph +64 9 601 9241
www.resident.co.nz

End View


120mm (4.7")



245mm (9.7")

Bottom View

1145mm (45.1")



1480mm (58.3")

Product Description

Pendant Light

Product Code

CAS003 - Oblong Pendant

Materials

Fibre Glass

Colour Options

Shade Colour - Fibre Glass

Cable Colour - Black

Cable Length

Min 300mm (11.8") Max 5000mm (197")

Bulb Specs

Voltage - 24V

Power Usage - 87W

Lumens - 7560lm

Colour Temperature - 2800K

CRI - >95

Average Life Span - 50,000 hours

Dimming Options

DIM002 - D1 touch panel

DRI19 - Phasecut driver EU

DRI20 - Phasecut driver US

Packaging Dimensions

W 1000 x D 1000 x 480 mm

W 39.4 x D 39.4 x H 18.9 inch

CBM - 0.48 /CBF - 16.95

Packaging Weight

12kg/ 26.5lbs

Certification

CE

Warranty


3 Years

Resident

Resident Headquarters
 61 Upper Queen Street
 Newton Auckland New Zealand
 Ph +64 9 601 9241
 www.resident.co.nz


120mm (4.7")

End View




245mm (9.7")

Straight Component



900mm (35.4")

Corner Component



Radius 740mm (29.1")

Product Description

Pendant Light Components

Product Code

CAS01S - Straight Component

CAS01C - Corner Component

Materials

Fibre Glass

Colour Options

Shade Colour - Fibre Glass

Cable Colour - Black

Certification

CE

Warranty

3 Years

Resident

Resident Headquarters
61 Upper Queen Street
Newton Auckland New Zealand
Ph +64 9 601 9241
www.resident.co.nz