

SAFETY DATA SHEET


SECTION 1. PRODUCT IDENTIFICATION

Product Name : SB3 Natural
Product Code : Not applicable
Company Name : SB3 COATINGS INTERNATIONAL INC
Address : 34 N 16TH ST, LEBANON, PA, 17042
Telephone : 1-866-772-3262
Contact Email : SCOTT@SB3COATING.COM
Contact Person : SCOTT WARD

SECTION 2. HAZARDS IDENTIFICATION

OSHA/HCS Status : Classification of the chemical in accordance with paragraph (d) of §1910.1200:

Hazards Pictograms :



Signal Word : DANGER

Hazard Statements : Causes mild skin irritation.
Causes eye irritation

Precautionary Statements :

Prevention : Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/light/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not eat, drink or smoke when using this product.
Wear protective gloves (e.g. rubber gloves) /protective clothing (clothing made of antistatic synthetic fiber) /
eye protection/face protection.

Response : IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.
If skin irritation occurs: Get medical advice/attention.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a
POISON CENTER or doctor/physician if you feel unwell.
IF IN EYES: Remove contact lenses if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Storage : Store in a well-ventilated place. Keep cool.

Disposal : Dispose of contents/container to relevant local and national regulations.

SAFETY DATA SHEET

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture : Mixture

Ingredient Name	CAS Number	Weight %
Trisodium nitrilotriacetate, anhydrous	5064-31-3	3 - <12
2-(2-butoxyethoxy)ethanol	112-34-5	3 - <12
Sodium metasilicate, anhydrous	6834-92-0	3 - <12
D-limonene	5989-27-5	1 - <3
Disodium cocoamphodipropionate	68604-71-7	1 - <3
Methanol	67-56-1	0.1 - <1

SECTION 4. FIRST AID MEASURES

Description of first aid measures:

Inhalation : Move victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or you feel unwell: Immediately call a POISON CENTER or doctor/physician.

Skin : Wash with plenty of soap and water.

Eyes : Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion : Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Acute effect : It causes irritation to eyes. In case of ingestion, it causes irritation to intestines and stomach.

Personal Protective equipment: Recommend wearing protective gloves and uniforms. Wear respirators and safety goggles when exposure limits are exceeded or liquid may splash.

SECTION 5. FIRE FIGHTING MEASURES

Extinguishing Media : Dry chemical, CO2, water spray or regular foam.

Special hazards arising from the substance or mixture:
Highly flammable liquid and vapor.

Hazards from the mixture : Will be easily ignited by heat, sparks or flames.

Hazardous combustion products: It may release smoke, carbon monoxide, carbon dioxide and other hazardous gas from thermal decomposition.

SAFETY DATA SHEET

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use proper personal protective equipment as indicated in Section 8.

Environmental precautions:

Keep cleaning run-offs out of municipal sewers and open bodies of water. Comply with local and national laws and regulations.

Methods and materials for containment and cleaning up:

A vapor-suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Use clean, non-sparking tools to collect absorbed material.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
Use explosion proof electric equipment.
Use only non-sparking tools. Take measures to prevent the build-up of electrostatic charge.

Conditions for safe storage, including any incompatibilities:

Store only in unopened original receptacles.
Keep in the original containers in a cool and dry place. Keep away from direct light, high temperature and oxidation sources.
Keep in properly labeled, sealed container, with a label which complies with current regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

SAPMA Rating	:	Not applicable.
Respiration	:	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination or ABEK P2 respirator cartridges as a backup to engineering controls Use respirators and components tested and approved under appropriate.
Skin	:	Wear protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Eyes	:	Wear tight-fitting, chemical splash goggles or face shield. Use equipment for eye protection tested and approved under NIOSH standards.
Hygiene Consideration	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands after use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Liquid
Color	:	Colorless ~ pale yellow liquid
Odor	:	Citrus
Viscosity	:	Not determined
pH	:	12.6 – 12.8 (25 °C) (base)
Density	:	1.03~1.04 (25 °C)
Solubility	:	Not determined

SAFETY DATA SHEET

SECTION 10. STABILITY AND REACTIVITY

Stability	:	Stable under normal ambient and anticipated conditions of use.
Reactivity	:	Not chemically reactive.
Conditions to avoid	:	Moisture, Heat, open flames, and other sources of ignition.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Inhalation	:	It may cause irritation to nose, throat and respiratory system if inhaling concentrated vapor of this liquid. Symptoms may include dizziness, headache, nausea and tightness in chest.
Ingestion	:	It can cause irritation to intestinal tract. Symptoms may include nausea, vomiting and bellyache.
Skin	:	It causes mild irritation to skin.
Eyes	:	It causes eye irritation and symptoms may include redness, tear and ache.
Irritation Data	:	Isopropyl alcohol (CAS: 67-63-0) Draize test, rabbit, eyes: 1100mg/24H: moderate; Draize test, skin: 500mg/24H: moderate.

SECTION 12. ECOLOGICAL INFORMATION

Product data	:	None known
Persistence and Degradability:		Not established
Bio accumulative Potential	:	Not established
Mobility in Soil	:	Not established
Other adverse effects (such as hazardous to the ozone layer):		Harmful to the aquatic environment

SECTION 13. DISPOSAL INFORMATION

Waste treatment methods:

Do not allow product to reach sewage system.
Do not throw it into any open bodies of water.
Waste recycling must be operated strictly according to relevant regulations.

SECTION 14. TRANSPORT INFORMATION

US Number	:	Not given.
IMDG (Transport by sea)	:	Not given.
Environmental hazards:		Marine pollutant: No
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):		Not applicable

SAFETY DATA SHEET

SECTION 15. REGULATORY INFORMATION

USA:

United States Federal Regulations:

Not given.

Toxic Substances Control Act (TSCA):

Not given.

SECTION 16. OTHER INFORMATION

Revision Date: May 26th, 2021

This data contained herein are furnished for information only and are believed to be reliable. However, SB3 COATINGS INTERNATIONAL INC. doesn't assume responsibility for any results obtained by persons over whose methods are not controlled. It is the user's responsibility to determine the suitability of products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of this product. SB3 COATINGS INTERNATIONAL INC further disclaims any liability for consequential or incidental damages of any kind, including lost profits.