LIVESTOCK EQUIPMENT





We have had the great opportunity to work with **McNicholas Miniatures**. Audra McNicholas started the organization to provide a different kind of therapy to those in hospitals, nursing homes, and schools. HW Brand manufactured stalls, a custom van horse stall, and a working facility for the non-profit organization.







Hutchison Western has been a proud partner of **The National Western Stock Show** for over 50 years. You can see HW Brand panels, gates, and pens throughout the property including the newest upgrade to the stockyards. We pride ourselves in being a large supporter of agriculture and future generations through the Auction of Junior Livestock Champions.





C Lazy U Ranch, located in Granby, Colorado, has been keeping the American West alive. They allow everyday people to experience life on a ranch. With more than 180 horses, they are sure to put a lot of wear and tear on feeders, waterers, and panels. That's why they choose HW Brand. Our products hold up to the heavy use and harsh weather.









Pasture/Horse Gates

Utility, horse and ranch gates of 18 gauge, 1 3/4", 5 or 7 bar construction with standard Z-bars mitered and welded connections.

• 50" high with 5" radius rounded corners • Positive lock system • This gate has one fixed hinge and one adjustable bolt-on hinge to support 6" galvanized lag bolts • Gate to be used with wood posts • Designed for open field, horse paddock and pasture use • Powder coated HW Brand green • All gates are 4" shorter than listed length, allowing for hardware and clearance.

Pasture/Horse Gates - 5-Rail - 1 3/4" Green

WG550-04 Ft.	1 ¾" 18 Ga. Green
WG550-06 Ft.	1 ¾" 18 Ga Green
WG550-08 Ft.	1 ¾" 18 Ga. Green
WG550-10 Ft.	1 ¾" 18 Ga. Green
WG550-12 Ft.	1 ¾" 18 Ga. Green
WG550-14 Ft.	1 ¾" 18 Ga. Green
WG550-16 Ft.	1 ¾" 18 Ga. Green
WG550-18 Ft.	1 ¾" 18 Ga. Green




Pasture/Horse Gates - 7-Rail - 1 3/4" Green

WG750-04 Ft.	1 ¾" 18 Ga. Green
WG750-06 Ft.	1 ¾" 18 Ga. Green
WG750-08 Ft.	1 ¾" 18 Ga. Green
WG750-10 Ft.	1 ¾" 18 Ga. Green
WG750-12 Ft.	1 ¾" 18 Ga. Green
WG750-14 Ft.	1 ¾" 18 Ga. Green
WG750-16 Ft.	1 ¾" 18 Ga. Green
WG750-18 Ft.	1 ¾" 18 Ga. Green
WG750-20 Ft.	1 ¾" 18 Ga. Green



Pasture/Horse Gates w/ Heavy Hardware - 7-Rail - 1 3/4" Red


	•
WG750-04 Ft.	1 3/4" 18 Ga. Red w/ Heavy Hardware
WG750-06 Ft.	1 ¾" 18 Ga. Red w/ Heavy Hardware
WG750-08 Ft.	1 ¾" 18 Ga. Red w/ Heavy Hardware
WG750-10 Ft.	1 3/4" 18 Ga. Red w/ Heavy Hardware
WG750-12 Ft.	1 3/4" 18 Ga. Red w/ Heavy Hardware
WG750-14 Ft.	1 ¾" 18 Ga. Red w/ Heavy Hardware
WG750-16 Ft.	1 ¾" 18 Ga. Red w/ Heavy Hardware
WG750-18 Ft.	1 ¾" 18 Ga. Red w/ Heavy Hardware
WG750-20 Ft.	1 ¾" 18 Ga. Red w/ Heavy Hardware





Livestock Gates


6 bar tubular livestock gates are manufactured from 1 ¾" 16 gauge high tensile steel tubing ● Powder coated HW Brand green or red ● All gates with 5" radius rolled top corners • 50" high • Each joint is mitered before being fully welded • Z-bar vertical supports are punched and formed for greater support ● Positive lock chain and slot latching system ● Fixed or adjustable hinges available. ¾" threaded bolt, 10" long standard for both hinge systems with 4 washers and 4 nuts for wood post hanging • All gates are 4" shorter than listed length, allowing for hardware and clearance.



CG650 - 6-Rail - Fixed Hinge -1 34" Green

Livestock Gates - 6-Rail - Fixed Hinge - 1 3/4" Green

CG650-04 Ft.	1 ¾" Livestock Gate 16 Ga. Green w/ Fixed Hinge
CG650-06 Ft.	1 ¾" Livestock Gate 16 Ga. Green w/ Fixed Hinge
CG650-08 Ft.	1 ¾" Livestock Gate 16 Ga. Green w/ Fixed Hinge
CG650-10 Ft.	1 ¾" Livestock Gate 16 Ga. Green w/ Fixed Hinge
CG650-12 Ft.	1 ¾" Livestock Gate 16 Ga. Green w/ Fixed Hinge
CG650-14 Ft.	1 ¾" Livestock Gate 16 Ga. Green w/ Fixed Hinge
CG650-16 Ft.	1 ¾" Livestock Gate 16 Ga. Green w/ Fixed Hinge
CG650-18 Ft.	1 ¾" Livestock Gate 16 Ga. Green w/ Fixed Hinge



CG650 - 6-Rail - Bolt On Hinge -1 3/4" Red


Livestock Gates - 6-Rail - Bolt On Hinge - 1 3/4" Red

CG650-04 Ft.	1 ¾" Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-06 Ft.	1 ¾" Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-08 Ft.	1 ¾" Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-10 Ft.	1 ¾" Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-12 Ft.	1 ¾" Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-14 Ft.	1 ¾" Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-16 Ft.	1 ¾" Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-18 Ft.	1 ¾" Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-20 Ft.	1 ¾" Livestock Gate 16 Ga. Red w/ Bolt on Hinge




Heavy Duty Livestock Gates

6 bar tubular livestock gates are manufactured from 2" 16 gauge high tensile steel tubing • Powder coated HW Brand green or red • All gates with 5" radius rolled top corners • 50" high • Each joint is mitered before being fully welded • Z-bar vertical supports are punched and formed for greater support ● Positive lock chain and slot latching system ● Fixed or adjustable hinges available. ¾" threaded bolt, 10" long standard for both hinge systems with 4 washers and 4 nuts for wood post hanging • All gates are 4" shorter than listed length, allowing for hardware and clearance.



CG650 - 6-Rail - Fixed Hinge -2" Red





CG650 - 6 Rail - Bolt On Hinge - 2" Red

Heavy Duty Livestock Gates - 6-Rail - Fixed Hinge - 2" Red

, ,	5
CG650-04 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Fixed Hinge
CG650-06 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Fixed Hinge
CG650-08 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Fixed Hinge
CG650-10 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Fixed Hinge
CG650-12 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Fixed Hinge
CG650-14 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Fixed Hinge
CG650-16 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Fixed Hinge
CG650-18 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Fixed Hinge
CG650-20 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Fixed Hinge

Heavy Duty Livestock Gates - 6-Rail - Fixed Hinge - 2" Green

Heavy Duty Livestock Gate 16 Ga. Green w/ Fixed Hinge
Heavy Duty Livestock Gate 16 Ga. Green w/ Fixed Hinge
Heavy Duty Livestock Gate 16 Ga. Green w/ Fixed Hinge
Heavy Duty Livestock Gate 16 Ga. Green w/ Fixed Hinge
Heavy Duty Livestock Gate 16 Ga. Green w/ Fixed Hinge
Heavy Duty Livestock Gate 16 Ga. Green w/ Fixed Hinge
Heavy Duty Livestock Gate 16 Ga. Green w/ Fixed Hinge
Heavy Duty Livestock Gate 16 Ga. Green w/ Fixed Hinge
Heavy Duty Livestock Gate 16 Ga. Green w/ Fixed Hinge

Heavy Duty Livestock Gates - 6-Rail - Bolt On Hinge - 2" Red

ileavy Duty Liv	cotock dates o half bolt off fillinge 2 hea
CG650-04 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-06 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-08 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-10 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-12 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-14 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-16 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-18 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Bolt on Hinge
CG650-20 Ft.	2" Heavy Duty Livestock Gate 16 Ga. Red w/ Bolt on Hinge



Utility Gates

Built to model WG specifications • 1 ¾", 20 gauge tubing material for use where economy is important • 6" lag bolts included with hinges • Galvanized chain and snap latch • Powder coated HW Brand old gray iron • All gates are 4" shorter than listed length, allowing for hardware and clearance.



GT550 - 1 3/4" - Gray

Utility Gates - 5-Rail - 1 3/4" Gray


•
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray



GT650 - 1 3/4" - Gray

Utility Gates - 6-Rail - 1 3/4" Gray

1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray
1 ¾" Utility Gate 20 Ga. Gray



Utility Gates - 6-Rail - 1 3/4" Red

•	
GT650-04 Ft.	1 ¾" Utility Gate 20 Ga. Red
GT650-06 Ft.	1 ¾" Utility Gate 20 Ga. Red
GT650-08 Ft.	1 ¾" Utility Gate 20 Ga. Red
GT650-10 Ft.	1 ¾" Utility Gate 20 Ga. Red
GT650-12 Ft.	1 ¾" Utility Gate 20 Ga. Red
GT650-14 Ft.	1 ¾" Utility Gate 20 Ga. Red
GT650-16 Ft.	1 ¾" Utility Gate 20 Ga. Red
GT650-18 Ft.	1 ¾" Utility Gate 20 Ga. Red
GT650-20 Ft.	1 ¾" Utility Gate 20 Ga. Red

^{*}Red GT650 gates comes with 5/8 x 10" hanger bolt and positive lock chain and latching system*



Wire Filled Gates

Tubular gate 50" tall 18 gauge tubing ● WF050 with 6 gauge, 34" wire panel filler ● WX250 with 6 gauge, 2"x4" x 36" wire panel filler ● Top hinge is adjustable, bottom hinge is fixed with 5/8" x 6" wood lag screw and positive lock with chain • Powder coated HW Brand old gray iron • All gates are 4" shorter than listed length, allowing for hardware and clearance • All HW Brand wire filled gates are full frame.

Wire Filled Gates - 1 3/4" Gray w/ Wire Panel

WF050-04 Ft.	1 ¾" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. Wire
WF050-06 Ft.	1 ¾" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. Wire
WF050-08 Ft.	1 ¾" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. Wire
WF050-10 Ft.	1 ¾" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. Wire
WF050-12 Ft.	1 ¾" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. Wire
WF050-14 Ft.	1 ¾" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. Wire
WF050-16 Ft.	1 ¾" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. Wire



WF050 - 1 34"

Wire Filled Gates - 1 3/4" Gray w/ 2x4 Wire Panel

WX250-04 Ft.	1 3/4" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. 2x4 Wire
WX250-06 Ft.	1 3/4" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. 2x4 Wire
WX250-08 Ft.	1 3/4" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. 2x4 Wire
WX250-10 Ft.	1 3/4" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. 2x4 Wire
WX250-12 Ft.	1 3/4" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. 2x4 Wire
WX250-14 Ft.	1 3/4" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. 2x4 Wire
WX250-16 Ft.	1 3/4" Wire Filled Gate 18 Ga. Gray w/ 6 Ga. 2x4 Wire



Equine Gates

6-Rail Equine Gates stand 50" tall and are manufactured from 1 3/4" 18 gauge steel tubing • HW Brand powder coated black • Fixed hinge with hanger bolts • All gates are 4" shorter than listed length, allowing for hardware and clearance.



Equine Gates - 6-Rail - 1 ¾" Black

EG650-04 Ft.	1 ¾" Equine Gate 18 Ga. Black
EG650-06 Ft.	1 ¾" Equine Gate 18 Ga. Black
EG650-08 Ft.	1 ¾" Equine Gate 18 Ga. Black
EG650-10 Ft.	1 ¾" Equine Gate 18 Ga. Black
EG650-12 Ft.	1 ¾" Equine Gate 18 Ga. Black
EG650-14 Ft.	1 ¾" Equine Gate 18 Ga. Black
EG650-16 Ft.	1 ¾" Equine Gate 18 Ga. Black




Heavy Duty Hog Gates

6-Rail Heavy Duty Hog Gates are manufactured from 1 3/4" or 2" 16 gauge high tensile steel tubing • HW Brand powder coated red Positive lock chain and slot latching system Bolt on hinges for wood post hanging All gates are 4" shorter than listed length, allowing for hardware and clearance.


Heavy Duty Hog Gates - 6-Rail - 1 3/4" Red w/ Bolt On Hinge

	<u> </u>
HG633-04 Ft.	1 ¾" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HG633-06 Ft.	1 ¾" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HG633-08 Ft.	1 ¾" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HG633-10 Ft.	1 ¾" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HG633-12 Ft.	1 ¾" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HG633-14 Ft.	1 ¾" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HG633-16 Ft.	1 ¾" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HG633-18 Ft.	1 ¾" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HG633-20 Ft.	1 ¾" Hog Gate 16 Ga. Red w/ Bolt on Hinge



Heavy Duty Hog Gates - 6-Rail - 2" Red w/ Bolt On Hinge

, ,	3
HB633-04 Ft.	2" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HB633-06 Ft.	2" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HB633-08 Ft.	2" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HB633-10 Ft.	2" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HB633-12 Ft.	2" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HB633-14 Ft.	2" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HB633-16 Ft.	2" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HB633-18 Ft.	2" Hog Gate 16 Ga. Red w/ Bolt on Hinge
HB633-20 Ft.	2" Hog Gate 16 Ga. Red w/ Bolt on Hinge



Wildlife Gates

9-bar tubular steel wildlife gates are manufactured from 1 ¾" 16 gauge high tensile steel tubing • HW Brand powder coated green 84" high Z-bar vertical support ● 3 fixed hinges ● 2 chain latches ● All gates are 4" shorter than listed length, allowing for hardware and clearance.

Wildlife Gates - 9-Rail - 84" Height - 1 34" Green

	7 mm
CG984-08 Ft.	1 ¾" Heavy Duty Wildlife Gate 16 Ga. Green
CG984-10 Ft.	1 ¾" Heavy Duty Wildlife Gate 16 Ga. Green
CG984-12 Ft.	1 ¾" Heavy Duty Wildlife Gate 16 Ga. Green
CG984-14 Ft.	1 ¾" Heavy Duty Wildlife Gate 16 Ga. Green
CG984-16 Ft.	1 34" Heavy Duty Wildlife Gate 16 Ga. Green



CG984-1 3/4"

GATE HARDWARE



Gate Hardware

Hinge and Bolt replacements that come standard on every gate.

Hinges

Hanger Bolts

HW-105

HW-108

HW-129 HW-114

HW-119

HW-103	1 ¾" Squeeze Hinge with Nuts & Bolts for Light Duty Gates
HW-104	1 ¾" Weld on Hinge for Light Duty Gates
HW-122	1 ¾" Bolt on Hinge with Nuts & Bolts
HW-123	2" Bolt on Hinge with Nuts & Bolts
HW-106	1 ¾" Fixed Hinge with Nuts & Washers





HW-104

HW-103




HW-122 & HW 123





HW-108







HW-114 & HW-119

Latches & Other Accessories

6" Wood Lag Screw

Latches and wheels that make using our gates even easier.

GW-1	Gate Wheel
R-158-2L	Lockable Two-Way Sure latch
HB-224	Piston Latch
HB-336	Strike Plate Wood Mount for Piston Latch
HW-203	Strike Plate Weld Mount for Piston Latch
HW-204	Wood Gate Closure with Hardware



HW-204



R-158-2L



HB-224

GW-1

HB-336

HW-203

CORRAL PANEL

Western Corral Panels

All panels are 60" high, 6 bar construction with Z-bar verticals and drop pin coupling feature ● Hinge loops are 12 gauge ● Drop pin is 5/8" solid rod • Chain fastens drop pin to panel • Loop legged WP panels are more portable, excellent for penning of calves or show cattle and will work well for horse runs and arenas • Powder coated HW Brand green or red.

Western Corral Panels - 6-Rail - 60" Height - Green

WP660-08 Ft.	1 ¾" Western Corral Panel 18 Ga. Green
WP660-10 Ft.	1 ¾" Western Corral Panel 18 Ga. Green
WP660-12 Ft.	1 ¾" Western Corral Panel 18 Ga. Green
WP660-14 Ft.	1 ¾" Western Corral Panel 18 Ga. Green
WP660-16 Ft.	1 ¾" Western Corral Panel 18 Ga. Green

Western Corral Panels - 6-Rail - 60" Height - Red

WP660-08 Ft.	1 ¾" Western Corral Panel 18 Ga. Red
WP660-10 Ft.	1 ¾" Western Corral Panel 18 Ga. Red
WP660-12 Ft.	1 ¾" Western Corral Panel 18 Ga. Red
WP660-14 Ft.	1 ¾" Western Corral Panel 18 Ga. Red
WP660-16 Ft.	1 ¾" Western Corral Panel 18 Ga. Red



Equine Corral Panels

Equine panels for round pens and arenas in "non-crowding" applications • 1 3/4" 20 gauge tubing, square corners, positive drop pin hookup and positive lock chain latch • Powder coated gray iron and HW Brand black.


Equine Corral Panels - 6-Rail - 72" Height - Gray

72" x 12 Ft. 1 ¾" Square Corner Equine Panel 20 Ga. Gray
6' x 9 Ft. 1 ¾" Equine Arch & Gate 20 Ga. Gray

Equine Corral Panels - 6-Rail - 60" Height - Canyon Tan

EP660-10 Ft.	1 ¾" Equine Panel 20 Ga. Canyon Tan
EP660-12 Ft.	1 ¾" Equine Panel 20 Ga. Canyon Tan
6 Ft. Equine Arch & Gate 20 Ga. Canyon Tan	

^{*}Inquire about Black EP660 Panels and Arch& Gates*



Equine Corral Panels - 6-Rail - 72" - Gray



Equine Corral Panels - 6-Rail - 60" - Canyon Tan

CORRAL PANELS



Corral Panel Hardware

3 and 4 way connectors are T-style connectors for WP660 and CP660 corral panel systems • HW 120 single loop and HW 121 double loop wall brackets for WP660, CP660, & EP660 corral panel systems.

HW-140G	2 Way Hook Up for WP660 Panels - Green
HW-141G	3 Way Hook Up for WP660 Panels - Green
HW-142G	4 Way Hook Up for WP660 Panels - Green
HW-145R	2 Way Hook Up for WP660 Panels - Red
HW-146R	3 Way Hook Up for WP660 Panels - Red
HW-147R	4 Way Hook Up for WP660 Panels - Red
HW-120G	Single Loop Wall Bracket for WP660 Panels - Green
HW-121G	Double Loop Wall Bracket for WP660 Panels - Green
HW-120R	Single Loop Wall Bracket for WP660 Panels - Red
HW-148R	Double Loop Wall Bracket for WP660 Panels - Red
HW-160B	Single Loop Wall Bracket for EP660 Panels - Black
HW-161B	Double Loop Wall Bracket for EP660 Panels - Black
HW-117	Drop Pin Replacement - Pin & Chain Only



Corral Arch & Gate Entry Panels

Arched entry panels are available for all three corral panel styles • Arched entry panels are constructed to meet CP standard specifications with 16 gauge high tensile steel tubing • Standard arch is 4' wide and 84" high • 4' arch openings are comparable to 4' tubular gates • Powder coated HW Brand green or red.

Corral Arch & Gates - 5-Rail - Green

4 Ft. Arch & Gate 1 ¾" 16 Ga. Green
6 Ft. Arch & Gate 1 ¾" 16 Ga. Green
8 Ft. Arch & Gate 1 ¾" 16 Ga. Green
6 Ft. Arch & Gate 1 ¾" 16 Ga. Green 9 Ft. Tall Ride Through

Corral Arch & Gates - 5-Rail - Red

4 Ft. Arch & Gate 1 ¾" 16 Ga. Red
6 Ft. Arch & Gate 1 ¾" 16 Ga. Red


Corral Entry Panel w/ Arch & Gate - 6-Rail - Green

	•	
	CP660-10 Ft.	Panel w/ 4 Ft. Arch & Gate 1 ¾" 16 Ga. Green
	CP660-10 Ft.	Panel w/ 6 Ft. Arch & Gate 1 ¾" 16 Ga. Green
Ì	CP660-12 Ft.	Panel w/ 4 Ft. Arch & Gate 1 ¾" 16 Ga. Green
	CP660-12 Ft.	Panel w/ 6 Ft. Arch & Gate 1 3/4" 16 Ga. Green

Corral Entry Panel w/ Arch & Gate - 6-Rail - Red

CP660-10 Ft.	Panel w/ 4 Ft. Arch & Gate 1 ¾" 16 Ga. Red
CP660-12 Ft.	Panel w/ 4 Ft. Arch & Gate 1 ¾" 16 Ga. Red
CP660-12 Ft.	Panel w/ 6 Ft. Arch & Gate 1 3/4" 16 Ga. Red







Corral Arch & Gate - 5-Rail -1 34" Red



CP660 - Corral Arch & Gate



Corral Arch & Gate - 6- Rail -1 3/4" Red



LIVESTOCK FEEDERS



Feeders

Stack Saver, Feeder panels are constructed of heavy duty 2" 18 gauge tubular steel, and can build a variety of rectangular hay bale feeders • 8' diameter standard skirted or unskirted bale feeders are made of 1 34" 18 gauge high tensile steel tubing, and break down into 3 pieces • Skirt is made of 18 gauge steel • Western Flex feeder for calves, feeder cattle, and breeding stock, is constructed of 1 ¾" 16 gauge high tensile tubing and 16 gauge skirted bottom • 4 flexible sections and loop legs allow the feeder to move as hay is consumed. Add additional panels for square bales and larger herds ● Bull and Stallion Flex Feeder for horses, bulls, and wildlife, is made of 1 ¾" 16 gauge high tensile tubing and 16 gauge skirted bottom • 4 flexible sections and loop legs allow the feeder to move as hay is consumed • Add additional panels for square bales and larger herds.




Feeder Panels

SS660-8 Ft.	2" Stack Saver w/ Hardware 18 Ga. 6-Rail w/ 20 Ga. Skirting
SS660-10 Ft.	2" Stack Saver w/ Hardware 18 Ga. 6-Rail w/ 20 Ga. Skirting
SS660-12 Ft.	2" Stack Saver w/ Hardware 18 Ga. 6-Rail w/ 20 Ga. Skirting
SS660-14 Ft.	2" Stack Saver w/ Hardware 18 Ga. 6-Rail w/ 20 Ga. Skirting
SS660-16 Ft.	2" Stack Saver w/ Hardware 18 Ga. 6-Rail w/ 20 Ga. Skirting

Bale Feeders

RBF-38S	8 Ft. Bale Feeder 3-Piece Round 1 ¾" Skirted Green
HCF-38S	8 Ft. Crown Feeder 3-Piece Round 1 ¾" Skirted Green
RBF-38	8 Ft. Bale Feeder 3-Piece Round 1 ¾" Unskirted Green
WBF	4 8 Ft. Western Flex Feeder 4-Piece 1 ¾" Skirted Green
BSF	4 8 Ft. Bull & Stallion Flex Feeder 1 ¾" Skirted Green





WBF



BSF





Stall Feeders

SWF-1	Single Stall Wall Feeder
SWF-2	Double Stall Wall Feeder
SCF-1	Corner Stall Wall Feeder

LIVESTOCK FEEDERS





Mineral Feeders

	Poly Mineral Feeder - 3 Compartment - 250 lb Capacity
	F-302 Mineral Feeder with Poly Vane
	Large Rubber Flap Replacement for Mineral Feeder
	14" Rubber Flap Replacement for Mineral Feeder

Poly Mineral Feeder

Feed Bunks & Hay Racks

Feed bunks come in a variety of sizes to meet the needs of your livestock • Made of 1 ½", 16 ga steel tubing, and designed with a wide track frame this feeder is designed to stand up to the elements and abuse at mealtime • Feed bunks also feature a poly liner that allows for a smooth, acid free surface for eating • Added V-racks allow for increased capacity.

Feed Bunks & Hay Racks

HB-66	5 ½ Ft. Horse Bunk 1 ½" Frame w/ .125 Mil Poly Liner
	5 ½ Ft. Sheep/Calf Bunk 1 ½" Frame w/ .125 Mil Poly Liner
CB-66	5 ½ Ft. Cattle Bunk 1 ½" Frame w/ 125 Mil Poly Liner
	10 Ft. Medium Duty Feed Bunk 1 ½" Frame w/ .125 Mil Poly Liner
	11 Ft. Heavy Duty Feed Bunk 1 ½" Frame w/ .125 Mil Poly Liner
VR-66	5 ½ Ft. V-Hay Rack for Feed Bunk (End Caps Included)
	10 Ft. V-Hay Rack for Feed Bunk (End Caps Included)
	11 Ft. V-Hay Rack for Feed Bunk (End Caps Included)
	5 ½ Ft. Poly Liner Only – Replacement for Feed Bunk
	10 Ft. Poly Liner Only – Replacement for Feed Bunk
	11 Ft. Poly Liner Only - Replacement for Feed Bunk



VR-66



STEEL STOCK TANKS

Steel Stock Tanks

From the smallest round and round end tank to 11 ft. round units, all are built with the same heavy duty construction for durability. All feature 1 1/4" BIG TOP rims with sidewalls and bottoms made of 20 gauge galvanized metal, fully locked, swedged, corrugated, welded and sealed

- Tank features fully seamed Pittsburgh lock bottom Each tank is completely sealed All sidewalls vertically double welded, swedged and corrugated
- Ideal for mountain meadows, high plains pastures, windmill watering systems, desert water stations, farm pastures, feed lots or corrals.

Round Stock Tanks - 2 Ft. Depth

	• • • • • • • • • • • • • • • • • • •
R32	3 Ft. Round Stock Tank – 80 Gallon Capacity
R42	4 Ft. Round Stock Tank – 170 Gallon Capacity
R52	5 Ft. Round Stock Tank – 275 Gallon Capacity
R62	6 Ft. Round Stock Tank – 395 Gallon Capacity
R72	7 Ft. Round Stock Tank – 560 Gallon Capacity
R82	8 Ft. Round Stock Tank – 718 Gallon Capacity
R92	9 Ft. Round Stock Tank – 920 Gallon Capacity
R102	10 Ft. Round Stock Tank – 1,000 Gallon Capacity
R112	11 Ft. Round Stock Tank – 1,400 Gallon Capacity



R82

Round End Stock Tanks - 2 Ft. Width - 2 Ft. Depth

RE223	3 Ft. Round End Stock Tank - 72 Gallon Capacity
RE224	4 Ft. Round End Stock Tank - 100 Gallon Capacity
RE225	5 Ft. Round End Stock Tank – 135 Gallon Capacity
RE226	6 Ft. Round End Stock Tank – 174 Gallon Capacity
RE2526	6 Ft. Round End Stock Tank (2 ½ Ft. Width) – 190 Gallon Capacity
RE228	8 Ft. Round End Stock Tank – 230 Gallon Capacity
RE328	8 Ft. Round End Stock Tank (3 Ft. Width) – 320 Gallon Capacity
RE3210	10 Ft. Round End Stock Tank (3 Ft. Width) – 406 Gallon Capacity



Round End Stock Tanks

Hog Drinkers For Round End Stock Tanks

	Hog Drink	er Loose
	RE224	4 Ft. Round End Stock Tank w/ 1 Hog Drinker Installed
	RE226	6 Ft. Round End Stock Tank w/ 1 Hog Drinker Installed
	RE226	6 Ft. Round End Stock Tank w/ 2 Hog Drinkers Installed



Hog Drinker for Round End Stock Tanks

Round Sheep Tanks - 1 Ft. Depth

RS31	3 Ft. Round Sheep Tank - 40 Gallon Capacity
RS41	4 Ft. Round Sheep Tank - 64 Gallon Capacity
RS51	5 Ft. Round Sheep Tank – 132 Gallon Capacity
RS61	6 Ft. Round Sheep Tank – 204 Gallon Capacity
RS71	7 Ft. Round Sheep Tank – 277 Gallon Capacity
RS81	8 Ft. Round Sheep Tank – 348 Gallon Capacity



RS31

TEEL STOCK TANKS, POLY TANKS





Round End Sheep Tanks - 2 Ft. Width - 1 Ft. Depth

ST213	3 Ft. Round End Sheep Tank - 32 Gallon Capacity	
ST214	4 Ft. Round End Sheep Tank - 47 Gallon Capacity	
ST215	5 Ft. Round End Sheep Tank - 59 Gallon Capacity	
ST216	6 Ft. Round End Sheep Tank - 70 Gallon Capacity	
ST218	8 Ft. Round End Sheep Tank - 92 Gallon Capacity	
Stock Tank Plug – 2-Piece		



Bottomless Stock Tanks - *Special Order Only*

12 Ft.	10 Gauge Bottomless Stock Tank – 1,690 Gallon Capacity
15 Ft.	10 Gauge Bottomless Stock Tank – 2,640 Gallon Capacity
18 Ft.	10 Gauge Bottomless Stock Tank – 3,810 Gallon Capacity
21 Ft.	10 Gauge Bottomless Stock Tank – 5,175 Gallon Capacity
24 Ft.	10 Gauge Bottomless Stock Tank - 6,750 Gallon Capacity
27 Ft.	10 Gauge Bottomless Stock Tank – 8,550 Gallon Capacity
30 Ft.	10 Gauge Bottomless Stock Tank – 10,603 Gallon Capacity



Poly Stock Tanks - Gray - 2 Ft. Depth

PST214	4 Ft. Round End Poly Tank (1 Ft. Deep) - 50 Gallon Capacity
PST216	6 Ft. Round End Poly Tank (1Ft. Deep) - 80 Gallon Capacity
PRE224	4 Ft. Round End Poly Tank – 100 Gallon Capacity
PRE226	6 Ft. Round End Poly Tank – 150 Gallon Capacity
PR62	6 Ft. Round Poly Tank - 350 Gallon Capacity
PR82	8 Ft. Round Poly Tank - 597 Gallon Capacity
PR92	9 Ft. Roung Poly Tank x 28" Deep - 1000 Gallon Capacity





Rubbermaid Stock Tanks

52" L x 31" W x 12" D – Rubbermaid Stock Tank – 50 Gallon Capacity
53" L x 31" W x 25" D - Rubbermaid Stock Tank - 100 Gallon Capacity
58" L x 39" W x 25" D – Rubbermaid Stock Tank – 150 Gallon Capacity
63.25" L x 69" W x 25" D – Rubbermaid Stock Tank – 300 Gallon Capacity

Rubbermaid Stock Tanks



HW Brand Fire Ring & Corrugated Pans

HW Brand 36" Fire Ring – 36" Round x 12" Deep – Bottomless, No Plug #15 Utility Pan - Corrugated - Powder Coated - Red, Green, Gray, & Brown #15 Utility Pan - Corrugated - Galvanized









