

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: DEEP BLUE (TP0203) 100%

Version:

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier:	DEEP BLUE (Contains:ISO E SUPER, bangalol, geraniol, limonene)
Other identifiers:	None

1.2 Relevant identified uses of the substance of mixture and uses advised against

- Product uses: Fragrances
- 1.3 Details of the supplier of the safety data sheet
- Company name:Truly Personal LtdCompany address:Unit C4 Goldbank Business Park
Wilton Road
Humberston

DN36 4AW, UK

Contact:	Joy Lawson
E-Mail address:	joy@trulypersonal.co.uk
Company phone:	+44 (0)1472 815598
1.4 Emergency telepho	one number
Emergency phone:	+44 (0)7437 190075

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger:	Flammable Liquid, Hazard Category 3
dangen.	Skin Corrosion / Irritation Category 2
	Eye Damage / Irritation Category 2
	Sensitization - Skin Category 1
	Aspiration Hazard Category 1
	Hazardous to the Aquatic Environment - Acute Hazard Category 1
	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
	H226, Flammable liquid and vapour.
	H304, May be fatal if swallowed and enters airways.
	H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.
	H319, Causes serious eye irritation.
	H410, Very toxic to aquatic life with long lasting effects.



In accordance with REACH Regulation EC No.1907/2006

		In accordance with REACH Regulation EC No.1907/2006
Product:	DEEP	BLUE (TP0203) 100%
Version:	1	
		Classification under Directive 1999/45/EC
Hazard symb	ols:	Xn, Harmful.
		N, Dangerous for the environment.
Risk phrases	:	R10, Flammable.
		R38, Irritating to the skin.
		R43, May cause sensitisation by skin contact.
		R65, Harmful: May cause lung damage if swallowed.
		R50/53, Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
2.2 Label eler	ments	
Signal word:		Danger
Hazard stater	ments:	H226, Flammable liquid and vapour.
		H304, May be fatal if swallowed and enters airways.
		H315, Causes skin irritation.
		H317, May cause an allergic skin reaction.
		H319, Causes serious eye irritation.
		H410, Very toxic to aquatic life with long lasting effects.
Supplementa Information:	I	EUH208, Contains 3-carene, alpha iso methyl ionone, citral, citronellol, eugenol, pinenes, (2- methyl-3-(p-isopropylphenyl)propionaldehyde), DELTA DAMASCONE (937856), CASHMERAN, helional, Exaltolide, LIXETONE. May produce an allergic reaction.
Precautionar	у	P210, Keep away from heat, sparks, open flames and hot surfaces No smoking.
statements:		P233, Keep container tightly closed.
		P240, Ground/bond container and receiving equipment.
		P241, Use explosion-proof electrical, ventilating and lighting equipment.
		P242, Use only non-sparking tools.
		P243, Take precautionary measures against static discharge.
		P261, Avoid breathing vapour or dust.
		P264, Wash hands and other contacted skin thoroughly after handling.
		P272, Contaminated work clothing should not be allowed out of the workplace.
		P273, Avoid release to the environment.
		P280, Wear protective gloves/eye protection/face protection.
		P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
		P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
		lenses, if present and easy to do. Continue rinsing. P331, Do not induce vomiting.
		P333/313, If skin irritation or rash occurs: Get medical advice/attention.
		P337/313, If eye irritation persists: Get medical advice/attention.



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: DEEP BLUE (TP0203) 100%

Version:

P362, Take off contaminated clothing and wash before reuse.P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.P391, Collect spillage.P403/235, Store in a well-ventilated place. Keep cool.

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008
ISO E SUPER	54464-57-2	259-174-3		13.30%	Xi-N ; R38-R43-R51/53	SCI 2-SS 1B-EH C1;H315- H317-H410,-
MUSK-G 50% DEP	1222-05-5	214-946-9		11.00%	N ; R50/53	EH A1-EH C1;H410,-
bangalol	28219-61-6	248-908-8		7.58%	Xi-N ; R36-R50/53	EDI 2-EH A1-EH C1;H319- H410,-
limonene	5989-27-5	227-813-5		7.12%	Xn-N ; R10-R38-R43-R65- R50/53	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304- H315-H317-H410,-
DIHYDRO MYRCENOL	18479-58-8	242-362-4		6.70%	Xi ; R38	EDI 2;H319,-
linalool	78-70-6	201-134-4		3.79%	Xi ; R38	SCI 2-EDI 2;H315-H319,-
LIXETONE	32388-55-9	251-020-3		3.20%	Xi-N ; R43-R50/53	SS 1B-EH A1-EH C1;H317- H410,-
ETHYL LINALOL	10339-55-6	233-732-6		2.60%	Xi ; R38	SCI 2-EDI 2;H315-H319,-
helional	1205-17-0	214-881-6		2.60%	Xi-N ; R43-R51/53	SS 1B-EH C2;H317-H411,-
pinenes	80-56-8	201-291-9		1.65%	Xn ; R10-R38-R43-R65	FL 3-SCI 2-SS 1B-AH 1; H226-H304-H315-H317,-
alpha iso methyl ionone	127-51-5	204-846-3		1.50%	Xi-N ; R43-R36/38-R51/53	SCI 2-SS 1B-EH C2;H315- H317-H411,-
ISO BORNYL CYCLO HEXANOL (SHENDANOL SUPER)	3407-42-9	222-294-1		1.44%	Xi ; R36/38-R52/53	SCI 2-EDI 2-EH C3;H315- H319-H412,-
BOISAMBRENE FORTE ex stort / AMBERWOOD F ex symrise b/n2144	58567-11-6			1.10%	Xi ; R38-R52-R53	tine -
Linalyl Acetate	115-95-7	204-116-4		1.10%	Xi ; R38	SCI 2-EDI 2;H315-H319,-



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: DEEP BLUE (TP0203) 100%

Version:

Gamma-Terpinene	99-85-4	202-794-6	0.85%	Xn ; R10-R65	FL 3-AH 1;H226-H304,-
PATCHOULI OIL POGOSTEMON CABLIN	8014-09-3	282-493-4	0.80%	N ; R51/53	AH 1-EH C2;H304-H411,-
citral	5392-40-5	226-394-6	0.74%	Xi ; R38-R43	SCI 2-EDI 2-SS 1B;H315- H317-H319,-
Exaltolide	106-02-5	203-354-6	0.70%	Xi ; R43	SS 1B-EH C2;H317-H411,-
BHT	128-37-0	204-881-4	0.60%	N ; R50/53	EH A1-EH C1;H410,-
CASHMERAN	33704-61-9	251-649-3	0.40%	Xi-N ; R43-R36/38-R51/53	SCI 2-EDI 2-SS 1B-EH C2; H315-H317-H319-H411,-
citronellol	106-22-9	203-375-0	0.38%	Xi-N ; R38-R43-R51/53	SCI 2-EDI 2-SS 1B;H315- H317-H319,-
EBANOL	67801-20-1	267-140-4	0.23%	N ; R51/53	EH C2;H411,-
eugenol	97-53-0	202-589-1	0.20%	Xi ; R36-R43	EDI 2-SS 1B;H317-H319,-
(2-methyl-3-(p- isopropylphenyl) propionaldehyde)	103-95-7	203-161-7	0.20%	Xi-N ; R38-R43-R51/53	SCI 2-SS 1B-EH C3;H315- H317-H412,-
Ocimene	13877-91-3	237-641-2	0.17%	Xn ; R65	FL 3-AH 1;H226-H304,-
Myrcene	123-35-3	204-622-5	0.17%	Xn ; R10-R38-R65	FL 3-SCI 2-EDI 2-AH 1; H226-H304-H315-H319,-
Beta-Caryophyllene	87-44-5	201-746-1	0.13%	Xn ; R65	AH 1;H304,-
geraniol	106-24-1	203-377-1	0.11%	Xi ; R38-R41-R43	SCI 2-EDI 1-SS 1;H315- H317-H318,-
3-carene	13466-78-9	236-719-3	0.10%	Xn ; R10-R38-R43-R65	FL 3-SCI 2-SS 1B-AH 1; H226-H304-H315-H317,-
DELTA DAMASCONE (937856)	57378-68-4	260-709-8	0.10%	Xn-N ; R22-R38-R43- R50/53	ATO 4-SCI 2-SS 1A-EH A1-EH C1;H302-H315- H317-H410,-
PARA CYMENE	99-87-6	202-796-7	0.10%	Xn-N ; R10-R65-R51/53	FL 3-AH 1-EH C2;H226- H304-H411,-
TERPINYL ACETATE	8007-35-0	232-357-5	0.10%	Xi-N ; R38-R51/53	EH C2;H411,-
Phellandrenes	555-10-2	209-081-9	0.09%	Xn ; R10-R65	FL 3-AH 1;H226-H304,-

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
ВНТ	128-37-0	204-881-4	0.60%
DEP	84-66-2	201-550-6	0.60%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Truly Personal Ltd, Unit C4 Goldbank Business Park, Wilton Rd, Humberston, DN36 4AW



In accordance with REACH Regulation EC No.1907/2006

Product: DEEP BLUE (TP0203) 100%

Version:

1

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.



In accordance with REACH Regulation EC No.1907/2006

Product: DEEP BLUE (TP0203) 100%

Version:

7.3 Specific end use(s):

1

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description			Reference
ВНТ 128-37-0	109.27.0	204-881-	Long-term exposure limit (8-hour TWA reference period)	-	10	UK EH40 Oct 2007
	4	Short-term exposure limit (15- minute reference period)	-	-	UK EH40 Oct 2007	
DEP 84-66-2	201-550-	Long-term exposure limit (8-hour TWA reference period)	-	5	UK EH40 Oct 2007	
	⁸⁴⁻⁶⁶⁻² 6	6	Short-term exposure limit (15- minute reference period)	-	10	UK EH40 Oct 2007

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 37 °C
Vapour pressure:	Not determined



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: DEEP BLUE (TP0203) 100%

Version:

Relative density:	Not determined
Solubility(ies):	Not determined
9.2 Other information:	None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Inhalation Route:

Information about hazardous ingredients in the mixture Not Applicable

Refer to Sections 2 and 3 for additional information.

>5000 Not Applicable Not Available Not Available



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: DEEP BLUE (TP0203) 100%

Version:

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

- **12.2 Persistence and degradability:** Not available
- 12.3 Bioaccumulative potential: Not available
- 12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number:	UN1169
14.2 UN Proper Shipping Name:	EXTRACTS, AROMATIC, LIQUID
14.3 Transport hazard class(es):	3
Sub Risk:	-
14.4. Packing Group:	III
14.5 Environmental hazards:	This is an environmentally hazardous substance.
14.6 Special precautions for user:	None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits:	EH A1=84.47% EH C1=58.28% EH C2=5.77% EH C3=0.57707355% EH
	C4=51.61% SCI 2=30.76% EDI 2=41.14% SS 1=7.52% AH 1=91.37%



In accordance with REACH Regulation EC No.1907/2006

Product: DEEP BLUE (TP0203) 100%

Version:

Total Fractional Values:

1

EH A1=1.18 EH C1=1.72 EH C2=17.32 EH C3=173.29 EH C4=1.94 SCI 2=3.25 EDI 2=2.43 SS 1=13.30 AH 1=1.09

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATO 4	Acute Toxicity - Oral Category 4
EDI 1	Eye Damage / Irritation Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
FL 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with

Truly Personal Ltd, Unit C4 Goldbank Business Park, Wilton Rd, Humberston, DN36 4AW



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: DEEP BLUE (TP0203) 100%

Version:

	water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1A	Sensitization - Skin Category 1A
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.