

In accordance with REACH Regulation EC No.1907/2006

Product: KARM (TP0147) 100%

6

i iouuci.

Version:

Section 1. Identification of the substance or the mixture and of the supplier

- 1.1 Product Identifier
- Product identifier:
 KARM (Contains:Methyl Anthranilate, PATCHOULI OIL POGOSTEMON

 Other identifiers:
 CABLIN, geraniol, limonene)

 None
 None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Truly Personal Ltd Company address: Unit C4 Goldbank Business Park Wilton Road Humberston DN36 4AW, UK

Contact:	Joy Lawson	
E-Mail address:	joy@trulypersonal.co.uk	
Company phone:	+44 (0)1472 815598	
1.4 Emergency telephone number		

Emergency phone: +44 (0)7437 190075

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

	- Skin Category 1 zard Category 1
Hazardous to	the Aquatic Environment - Long-term Hazard Category 2
H226, Flamm	able liquid and vapour.
H304, May be	e fatal if swallowed and enters airways.
H315, Cause	s skin irritation.
H317, May ca	ause an allergic skin reaction.
H319, Cause	s serious eye irritation.
H411, Toxic t	o aquatic life with long lasting effects.



In accordance with REACH Regulation EC No.1907/2006

		In accordance with REACH Regulation EC No.1907/2006
Product:	KARM	(TP0147) 100%
Version:	6	
Hazard symb	ols:	Xn, Harmful. N, Dangerous for the environment.
Risk phrases 2.2 Label elei		R43, May cause sensitisation by skin contact. R65, Harmful: May cause lung damage if swallowed. R36/38, Irritating to eyes and skin. R51/53, Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	inento	
Signal word:		Danger
Hazard state	ments:	 H226, Flammable liquid and vapour. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H411, Toxic to aquatic life with long lasting effects.
Supplementa	ıl	EUH208, Contains cinnamic alcohol, citral, citronellol, Geranyl Acetate, hydroxycitronellal, geranyl acetate, KOAVONE (ASTRONE), Ligustral. May produce an allergic reaction.
Precautionar statements:	у	 P210, Keep away from heat, sparks, open flames and hot surfaces No smoking. P233, Keep container tightly closed. P240, Ground/bond container and receiving equipment. P241, Use explosion-proof electrical, ventilating and lighting equipment. P242, Use only non-sparking tools. P243, Take precautionary measures against static discharge. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P303/313, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391, Collect spillage. P403/235, Store in a well-ventilated place. Keep cool.



SAFETY DATA SHEET In accordance with REACH Regulation EC No.1907/2006

Product: KARM (TP0147) 100%

6

FIOUUCI.

Version:

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008
Methyl Anthranilate	134-20-3	205-132-4		20.84%	Xi ; R36	EDI 2;H319,-
PATCHOULI OIL POGOSTEMON CABLIN	8014-09-3	282-493-4		19.06%	N ; R51/53	AH 1-EH C2;H304-H411,-
limonene	5989-27-5	227-813-5		13.96%	Xn-N ; R10-R38-R43-R65- R50/53	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304- H315-H317-H410,-
linalool	78-70-6	201-134-4		7.18%	Xi ; R38	SCI 2-EDI 2;H315-H319,-
Linalyl Acetate	115-95-7	204-116-4		7.15%	Xi ; R38	SCI 2-EDI 2;H315-H319,-
AMYL SALICYLATE	2050-08-0	218-080-2		7.15%	Xn-N ; R22-R50/53	ATO 4-EH A1-EH C1; H302-H410,-
citral	5392-40-5	226-394-6		2.78%	Xi ; R38-R43	SCI 2-EDI 2-SS 1B;H315- H317-H319,-
Ocimene	13877-91-3	237-641-2		1.25%	Xn ; R65	FL 3-AH 1;H226-H304,-
AMYRIS BALSAMIFERA OIL	8015-65-4	291-076-6		1.19%	Xn ; R65-R52/53	AH 1-EH C3;H304-H412,-
citronellol	106-22-9	203-375-0		0.83%	Xi-N ; R38-R43-R51/53	SCI 2-EDI 2-SS 1B;H315- H317-H319,-
hydroxycitronellal	107-75-5	203-518-7		0.83%	Xi ; R36-R43	EDI 2-SS 1B;H317-H319,-
Beta-Caryophyllene	87-44-5	201-746-1		0.76%	Xn ; R65	AH 1;H304,-
geranyl acetate	105-87-3	203-341-5		0.48%	Xi-N ; R38-R43-R51/53	SCI 2-SS 1B-EH C3;H315- H317-H412,-
SANDALMYSORE CORE (BLANOVA SMC)	28219-60-5	248-907-2		0.48%	Xi-N ; R36-R50/53	EDI 2-EH A1-EH C1;H319- H410,-
ETHYLENE BRASSYLATE (MUSK T93)	105-95-3	203-347-8		0.36%	N ; R51/53	-)-,-
Myrcene	123-35-3	204-622-5		0.29%	Xn ; R10-R38-R65	FL 3-SCI 2-EDI 2-AH 1; H226-H304-H315-H319,-
Ligustral	68039-49-6	268-264-1		0.24%	Xi ; R43-R36/38-R52/53	SCI 2-EDI 2-SS 1B-EH C3; H315-H317-H319-H412,-
geraniol	106-24-1	203-377-1		0.14%	Xi ; R38-R41-R43	SCI 2-EDI 1-SS 1;H315- H317-H318,-



SAFETY DATA SHEET In accordance with REACH Regulation EC No.1907/2006

Product: KARM (TP0147) 100%

6

1 1000001

Version:

benzyl benzoate	120-51-4	204-402-9	0.12%	Xn-N ; R22-R51/53	ATO 4-EH A1-EH C2; H302-H400-H411,-
cinnamic alcohol	104-54-1	203-212-3	0.12%	Xi ; R43	SS 1B;H317,-
ALDEHYDE C8 (OCTANAL)	124-13-0	204-683-8	0.12%	Xi-N ; R10-R36/38-R51/53	FL 3-SCI 2-EDI 2-EH C2; H226-H315-H319-H411,-
KOAVONE (ASTRONE)	81786-73-4	279-825-5	0.12%	Xi-N ; R43-R51/53	SS 1B-EH C2;H317-H411,-
Geranyl Acetate	105-87-3		0.10%	Xi-N ; R38-R43-R51/53	SCI 2-SS 1B-EH C3;H315- H317-H412

Substances with Community workplace exposure limits, not listed above:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.



In accordance with REACH Regulation EC No.1907/2006

Product: KARM (TP0147) 100%

6

Flouuci.

Version:

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.



In accordance with REACH Regulation EC No.1907/2006

Product: KARM (TP0147) 100%

6

i iouuoti

Version:

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 55 °C
Vapour pressure:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
9.2 Other information:	None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.



In accordance with REACH Regulation EC No.1907/2006

Product: KARM (TP0147) 100%

. 6

Version:

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity:>5000Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity:>5000Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity:Not AvailableInhalation Route:Not Available

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
AMYL SALICYLATE	2050-08-0	218-080-2	2000	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

- **12.2 Persistence and degradability:** Not available
- **12.3 Bioaccumulative potential:** Not available
- **12.4 Mobility in soil:** Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number:	UN1169
14.2 UN Proper Shipping Name:	EXTRACTS, AROMATIC, LIQUID
14.3 Transport hazard class(es):	3
Sub Risk:	-
14.4. Packing Group:	III
14.5 Environmental hazards:	This is an environmentally hazardous substance.
14.6 Special precautions for user:	None additional
14.7 Transport in bulk according to Anne	ex II of MARPOL73/78 and the IBC Code:
Not applicable	



In accordance with REACH Regulation EC No.1907/2006

Product: KARM (TP0147) 100%

6

i iouuci.

Version:

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits:	EH C2=10.64% EH C3=1.06% EH C4=59.76% SCI 2=32.18% EDI 2=25. 42% SS 1=7.16% AH 1=35.92%
Total Fractional Values:	EH C2=9.40 EH C3=94.02 EH C4=1.67 SCI 2=3.11 EDI 2=3.93 SS 1=13. 96 AH 1=2.78

Key to revisions:

SECTION 3: Composition/information on ingredients

Key to abbreviations:

Abbreviation	Meaning	
AH 1	Aspiration Hazard Category 1	
ATO 4	Acute Toxicity - Oral Category 4	
EDI 1	Eye Damage / Irritation Category 1	
EDI 2	Eye Damage / Irritation Category 2	
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2	
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3	
FL 3	Flammable Liquid, Hazard Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	



In accordance with REACH Regulation EC No.1907/2006

Product: KARM (TP0147) 100%

6

Flouuci.

Version:

P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.