

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SLEIGH RIDE (TP0346) 100%

Version: 4

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: SLEIGH RIDE (Contains:CASHMERAN, ISO E SUPER, SANDALMYSORE CORE (BLANOVA SMC), alpha iso methyl ionone)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Truly Personal Ltd

Company address: Unit C4 Goldbank Business Park
Wilton Road
Humberston
DN36 4AW, UK

Contact: Joy Lawson

E-Mail address: joy@trulypersonal.co.uk

Company phone: +44 (0)1472 815598

1.4 Emergency telephone number

Emergency phone: +44 (0)7437 190075

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Skin Corrosion / Irritation Category 2
Eye Damage / Irritation Category 2
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 1
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H410, Very toxic to aquatic life with long lasting effects.

Classification under Directive 1999/45/EC

Hazard symbols: Xi, Irritant.
N, Dangerous for the environment.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SLEIGH RIDE (TP0346) 100%**Version:** 4**Risk phrases:** R43, May cause sensitisation by skin contact.
R36/38, Irritating to eyes and skin.
R50/53, Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.**2.2 Label elements****Signal word:** Warning**Hazard statements:** H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H410, Very toxic to aquatic life with long lasting effects.**Supplemental Information:** EUH208, Contains ALPHA DAMASCONE, citronellol, eugenol, helional. May produce an allergic reaction.**Precautionary statements:** P261, Avoid breathing vapour or dust.
P264, Wash hands and other contacted skin thoroughly after handling.
P272, Contaminated work clothing should not be allowed out of the workplace.
P273, Avoid release to the environment.
P280, Wear protective gloves/eye protection/face protection.
P302/352, IF ON SKIN: Wash with plenty of soap and water.
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P337/313, If eye irritation persists: Get medical advice/attention.
P362, Take off contaminated clothing and wash before reuse.
P391, Collect spillage.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.**Pictograms:****Other hazards:** None

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SLEIGH RIDE (TP0346) 100%

Version: 4

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008
ISO E SUPER	54464-57-2	259-174-3		38.05%	Xi-N ; R38-R43-R51/53	SCI 2-SS 1B-EH C1;H315-H317-H410,-
SANDALMYSORE CORE (BLANOVA SMC)	28219-60-5	248-907-2		14.75%	Xi-N ; R36-R50/53	EDI 2-EH A1-EH C1;H319-H410,-
MUSK-G 50% DEP	1222-05-5	214-946-9		9.25%	N ; R50/53	EH A1-EH C1;H410,-
alpha iso methyl ionone	127-51-5	204-846-3		5.30%	Xi-N ; R43-R36/38-R51/53	SCI 2-SS 1B-EH C2;H315-H317-H411,-
linalool	78-70-6	201-134-4		5.00%	Xi ; R38	SCI 2-EDI 2;H315-H319,-
Alpha-Cedrene	469-61-4	207-418-4		3.70%	Xn-N ; R65-R50/53	AH 1-EH A1-EH C1;H304-H410,-
Cedrol	77-53-2	201-035-6		3.20%	N ; R51/53	EH C2;H411,-
CASHMERAN	33704-61-9	251-649-3		1.95%	Xi-N ; R43-R36/38-R51/53	SCI 2-EDI 2-SS 1B-EH C2; H315-H317-H319-H411,-
helional	1205-17-0	214-881-6		1.90%	Xi-N ; R43-R51/53	SS 1B-EH C2;H317-H411,-
EBANOL	67801-20-1	267-140-4		1.50%	N ; R51/53	EH C2;H411,-
Phenyl Ethyl Alcohol	60-12-8	200-456-2		1.15%	Xn ; R22-R36	ATO 4-EDI 2;H302-H319,-
citronellol	106-22-9	203-375-0		0.55%	Xi-N ; R38-R43-R51/53	SCI 2-EDI 2-SS 1B;H315-H317-H319,-
eugenol	97-53-0	202-589-1		0.30%	Xi ; R36-R43	EDI 2-SS 1B;H317-H319,-
JAVANOL	198404-98-7	427-900-1		0.30%	N ; R50/53	EH A1-EH C1;H410,-
ALPHA DAMASCONE	43052-87-5	245-845-8		0.10%	Xn ; R22-R43	ATO 4-SS 1B;H302-H317,-

Substances with Community workplace exposure limits, not listed above:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SLEIGH RIDE (TP0346) 100%

Version: 4

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SLEIGH RIDE (TP0346) 100%

Version: 4

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Not determined

Odour: Not determined

pH: Not determined

Initial boiling point / range: Not determined

Flash point: > 60 °C

Vapour pressure: Not determined

Relative density: Not determined

Solubility(ies): Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SLEIGH RIDE (TP0346) 100%

Version: 4

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: >5000

Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: >5000

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available

Inhalation Route: Not Available

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Phenyl Ethyl Alcohol	60-12-8	200-456-2	1610	2500	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SLEIGH RIDE (TP0346) 100%

Version: 4

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: UN3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER, Alpha-Cedrene)

14.3 Transport hazard class(es): 9

Sub Risk: -

14.4. Packing Group: III

14.5 Environmental hazards: This is an environmentally hazardous substance.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:
Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH A1=40.78% EH C1=25.16% EH C2=2.48% EH C3=0.24817591% EH C4=22.08% SCI 2=19.88% EDI 2=43.76% SS 1=2.63%

Total Fractional Values: EH A1=2.45 EH C1=3.97 EH C2=40.29 EH C3=402.94 EH C4=4.53 SCI 2=5.03 EDI 2=2.29 SS 1=38.05

Key to revisions:

Classification under Regulation (EC) No 1272/2008
SECTION 3: Composition/information on ingredients

Key to abbreviations:

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SLEIGH RIDE (TP0346) 100%

Version: 4

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATO 4	Acute Toxicity - Oral Category 4
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.