

MATERIAL SAFETY DATA SHEET

SECTION I Chemical Product and Company Identification

Trade Name Appearing on Label:	Gentle Polish Remover	Chemical Family: Toiletries
Manufacturer/Distributor/Importers:	Orly International, Inc. 7710 Haskell Ave Van Nuys, CA 91406	Revised By: Dan Werner Sr.R&D Chemist 11/17/2008 Updated: 3-14-13 by Dan Werner
Emergency Phone:	(800) 424-9300	
Business Phone:	(818) 994-1001	
Poison Control Center - CHEMTREC:	(800) 424-9300	
Poison Control Center - CHEMTREC International:	(703)527-3887	

SECTION II Potentially Hazardous Ingredients

Chemical Identity	%	CAS Number	OSHA (PEL)	Exposure Limits in Air	
				ACGIH (TLV)	Other
Hazardous Materials:					
Methyl Ethyl Ketone	40-60%	78-93-3	200 ppm	200 ppm	Stel 300 ppm
Isopropyl Alcohol	20-30%	67-63-0	400 ppm	400 ppm	Stel 500 ppm
Ethyl Acetate	5-10%	141-78-6	400 ppm	400 ppm	n/a

SECTION III Hazard Identification

HMIS Rating Scale: 0 = Minimal 1 = Slight 2 = Moderate 4 = Severe

This Products Rating: Health: 1 Flammability: 3 Reactivity: 0

Material Appearance: Clear liquid

Primary Route of Entry: Inhalation X Skin X Ingestion X

Ingredient(s) Listed as Cancer Causing Agents?:

NTP - no LARC Monographs - no OSHA - no

Target Organs Affected: none

Short Term Effects:

Inhalation: may cause dizziness if inhaled for a prolonged time

Eyes: may cause stinging if product gets into open eyes.

Skin: may cause dry skin if exposed repeatedly and over a prolonged period of time.

Signs and Symptoms of Over-Exposure: Unknown

SECTION X Stability and Reactivity

Chemical Stability: This product is stable under the recommended storage conditions.

Conditions to avoid: Storage in temperatures above 35 C.

Contact with Materials to avoid: plastics and synthetic fabrics

Hazardous Decomposition Products: will not occur

Hazardous Polymerization: will not occur.

SECTION XI Toxicological Information

Ingestion: May cause headache
Eyes: This product may be a temporary eye irritant if it gets into the open eye.
Dermal: May cause dry skin if exposed repeatedly and over a prolonged time.
Inhalation May cause dizziness if exposed for a prolonged time
Overexposure: all of the above
Chronic Effects: n/a
Carcinogenity: Not listed as a carcinogen by IARC, NTP, OSHA, or ACGIH
Target Organs: n/a

SECTION XII Ecological Information

Ecotoxicity unknown

SECTION XIII Disposal Considerations

Waste Disposal: Dispose of absorbed material in accordance with local, state and federal regulations.

SECTION XIV Transport Information

Road Transport:		Maritime Transport:	
UN Number:	UN1263	UN Number:	UN1263
Class:	3	Class:	3
Packaging Group:	II	Packaging Group:	II
Label:	ORM-D	Label:	ORM-D

Air Transport:
 UN No. ID8000
 Class: 9
 Packaging Group: II
 Packaging instr.: 910 (passenger)

SECTION XV**Regulatory Information**

Labeling:

Symbol: F

Indication of Danger: Flammable

Risk Phrases: Flammable

SECTION XVI**Other Information**

IMPORTANT NOTICE: The information presented herein is based on experimental data submitted by the manufacturers of the raw materials and is considered scientifically correct, however, no warrant or representation, express or implied, is made as to the accuracy or suitability of this information for application to the purchaser's intended purpose or for consequences of its use. Use these materials only as directed. If you have any questions regarding the proper interoperation of this sheet or the meaning of any terms used, we strongly urge you to speak with your physician. For further information concerning product safety and proper use, call the number listed on the front of the MSDS.

*These Products Are Designed and Formulated for Professional Salon Use.
They Must be Used with Adequate Ventilation and in Accordance with Manufacturers Instructions.*

Abbreviations Used:

NE = Not Established

NKn = Not Known

n/a = Not Applicable

C = Ceiling Limit

TS = Trade Secret

EST = Estimated

N/DA = No Data Available

NTP = National Toxicology Program

IRAC = International Agency for Research on Cancer

CHEMTREC = Chemical Transportation Emergency Center

OSHA = Occupational Safety and Health Administration

IPA = Isopropyl Alcohol (Rubbing Alcohol)

mm Hg = Millimeters of Mercury

PEL = Permissible Exposure Limit

TLV = Threshold Limit Value

STEL = Short Term Exposure Limit

NEGL = Negligible

NF = None Found

CAS = Chemical Abstract Service Number

NR = Not Required