

**NAIL LIQUID** 

Date: November 30, 2009 Former date: New

## 1. INDENTIFICATION OF THE CHEMICAL AND OF MANUFACTURER, IMPORTER OR OTHER UNDERTAKING

## 1.1 Identification of the substance or preparation

Trade name: NAIL LIQUID Code of the preparation: 112509

#### Use of the chemical

- 1.1.1 The intended uses of the chemical: This product is one part of materials to prepare artificial nails.
- Standard industrial classification (SIC): 2821` 1.1.2
- Use categories: Artificial nail work 1.1.3
- 1.1.4 The chemical cannot be used by the general public
- 1.1.5 The chemical is used by the professionals only.

## 1.2 Identification of the manufacture, importer or other undertaking

Young Nails, Inc. 1149 N. Patt Street Anaheim, CA 92801 1-800-777-9170 www.youngnails .com

## 1.4 Emergency telephone

FOR CHEMICAL EMERGENCY OR INGESTION 24/7 CALL INFOTRAC (USA) 1-800-535-5053 OR INTERNATIONAL CALL COLLECT 1-352-323-3500

#### 2. COMPOSTION AND INFORMATION ON INGREDIENTS

#### 2.1 Hazardous Ingredients

2.1.1	2.1.2	2.1.3		
Name	CAS# EINE	CS#	%	
Ethyl methacrylate	97-63-2	202-597-5	75-80	
Hydroxy propyl methacrylate	27813-02-1	248-666-1	10-15	
Tetraethylene glycol dimethyacrylat	e 109-17-1	203-653-1	5-10	
N,N-dimethyl-p-toluidine	99-97-8	202-805-4	<1	

2.1.5	Confidential ingredients: N	lone

A substance not dangerous listed as confidential: D&C Violet #2 & FD&C Blue #1 2.1.6 both less than 1 percent

2.1.7 Other information: None

#### HAZARDOUS IDENTIFICATION



Flammable Kirritant

Human



FLAMMABLE LIQUID & VAPOUR!

WHMIS label

This product may cause eye and skin irritation.

Avoid prolonged or repeated breathing of the vapours.

#### Safety

It may be an irritant to persons with a pre-existing skin conditions and cause aggravation with prolonged exposure. Keep out of eyes. Do not swallow.



**NAIL LIQUID** 

**Ecological** 

This product is likely to under go long term degradation.

## 4. FIRST AID MEASURES

- 4.1 Special instructions: May cause eye irritation, flush with water for at least 15 minutes. Seek medical attention if person is experiencing any irritation.
- 4.2 Inhalation: Maybe a mild irritant to respiratory tract.
- 4.3 Ingestion: May cause irritation, do not induce vomiting, and seek medical attention.
- 4.4 Skin contact: May irritate skin of person with a previous dermatitis problem.

## 5. FIRE-FIGHTING MEASURES

- 5.1 Suitable extinguishing media: Use appropriate method for surrounding fire (dry chemical, and carbon dioxide).
- 5.2 Extinguishing media must not be used for safety reasons: None known.
- 5.3 Special exposure hazards in fire: Oxides of carbon.
- 5.4 Special protective equipment for fire-fighters: Wear full bunker gear with SCBA:
- 5.5 Other instructions: Allow to burn with black smoke.

## 6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions: Wash hands thoroughly after contact.
- 6.2 Environmental precautions: Check with federal, territorial, state and local agencies.
- 6.3 Methods for cleaning up: Absorb liquid with an inert material, pick up using nonsparking dust-pan and dispose in proper container.
- 6.4 Other instructions: Material is a liquid.

#### 7. HANDLING AND STORAGE

- 7.1 Handling: Store in original container with cap tightened when not in use.
- 7.2 Storage: Keep in cool dry area. Keep away from children.
- 7.3 Specific use(s): Artificial nail preparations.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Exposure limit values
  - 8.1.1 Other limit values: OSHA TWA (USA) Ethyl methacrylate 100 ppm
  - 8.1.2 Limit values in other countries: Ethyl methacrylate 100 ppm

#### 8.2 Exposure controls

- 8.2.1 Occupational exposure controls: Work in well-ventilated area.
- 8.2.2 Respiratory protection: Work in well-ventilated area
- 8.2.3 Hand protection: Protective gloves recommended with extended use.
- 8.2.4 Eye protection: Splash proof goggles of safety glasses. If used in production facility have eye wash and shower station.
- 8.2.5 Skin protection: Always protect your skin when working with chemicals.
- 8.2.6 Environmental exposure controls: None

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 General information (physical state, colour and odour). The product is has a violetblue colour and an odour of esters.

9.2 Important health, safety and environmental information			
9.2.1	pH:	NA	
9.2.2	Boiling point/boiling range:	117 °C (242.6 °F)	
9.2.3	Flash point:	21.5 °C (70.7 °F)	
9.2.4	Auto-ignition temperature	392.8 °C (739 °F)	
9.2.5	Flammability :	Liquid with low flash point.	
9.2.5.1	Lower explosive limit:	2.0 %	
9.2.5.2	Upper exposure limit:	2.5 %.	
9.2.6	Oxidising properties:	Not an oxidiser.	



#### (MATERIAL) SAFETY DATA SHEET **NAIL LIQUID** 9.2.7 Vapour pressure: 0.69 torr @ 38 °C (100.4 °F) 9.2.8 Specific gravity: 0.918 9.2.9 Solubility (water): Not to soluble (< 0.5 %). 9.2.9.1 Evapouration rate (butyl acetate=1): 1.5 9.2.10 Partion coefficient: n-octanol/water: 1.25 492 SUS @ 100°F (94.4 Viscosity: 9.2.11 cST@ 40 °C) Vapour density (air=1): 9.2.12 3.9 9.3 Other information

10. STABILI	TY AND REACTIVITY	
10.1	Conditions to avoid:	Do not store above 70 °F or 21.1 °C. Avoid the use of UV light.
10.2	Materials to avoid:	Strong oxidising or reducing agents, and peroxides.
10.3	Hazardous decomposition products:	Oxides of carbon.
10.4	Hazardous polymerization:	May occur.
10.5	Other:	Avoid temperatures above 21.1 °C or
		70 °F.
11. TOXICO	LOGICAL INFORMATION	
	Acute toxicity:	None expected.
11.2	Irritation and corrosiveness:	Not corrosive, a mild-irritant to eyes.

11.1	Acute toxicity:	None expected.
11.2	Irritation and corrosiveness:	Not corrosive, a mild-irritant to eyes.
11.3	Sentisation:	May be sensitive with pre-exiting dermatitis.
11.4	Sub-acute, sub-chronic and prolonged	d toxicity: None known
11.5	Other information on health effects:	Ingestion of liquid or inhalation of vapour may affect respiratory tract.
12. ECOLOG	GICAL INFORMATION	
10.1	Contovinity Mot available	

12.1	cotoxicity: Not available			
12.1	.1 Aquatic toxicity: Bio-degradab	Aquatic toxicity: Bio-degradable long term.		
12.1	.2 Toxic to other organisms: Nor	Toxic to other organisms: None known.		
12.2	Mobility:	Not very mobile in water phase		
12.3	Persistence and degradability:			
12.3	.1 Biodegradation: Yes, long terr	m		
12.3	.2 Chemical degradation:Yes			
12.4	12.4 Bioaccumulation potential: Low to medium			
DOCA	CONCIDED ATIONS			

# 13. DISPOSAL CONSIDERATIONS

Dispose in accord with National regulations.

## 14. TRANSPORTATION INFORMATION

14.1 UN number:		1993	
14.2 Packing group: III		III	
14.3 Land tr	ansport		
14.3.1	Transport class:		3
14.3.2 Risk code:			Flammable
14.3.3 Name according to bill of freight:		of freight:	Nail Liquid

14.3.4 Shipping description: Flammable liquids, N.O.S. (Ethyl methacrylate), 3, UN1993, II

Exception to shipping description: 14.3.5 **Limited Quantity** 

Limited quantity shipping description: 14.3.6 Flammable liquids, N.O.S.

(Ethyl methacrylate), 3, UN1993, II, LTD QTY



**NAIL LIQUID** 

	14.3	3.7	Other information: exceed 5.0 liters or 1.3 gallons	Inner packaging does not s.
	14.4	Sea tra	nsport	
	14.4	.1	IMDG class:	3
	14.4	.2	Correct technical name:	Ethyl methacrylate
	14.4	.3	Shipping description:	UN1993, Flammable liquids, N.O.S.
	14.4	.4	(Ethyl methacrylate), 3, III Packing instructions: gallon for limited quantity exce	Use P001 with a limit of 1 liter or 0.3 eption.
	14.5	Air tran		•
	14.5		ICAO/IATA class:	3
	14.5		Correct technical name:	Ethyl methacrylate
	14.5	5.3	Shipping description:	UN1993, Flammable liquids, N.O.S.
			(Ethyl methacrylate), 3, III	
	14.5	5.4	Packing instruction:	Use 305, maximum capacity 5liter or 1.32 gallons
	14.5	5.5	Other information:	LTD QTY exception available using
				maximum capacity 1 liter or 0.3 gallon.
15. RE			NFORMATION	
			tion on the warning label:	FLAMMABLE
	15.1	.1	preparation: Flammable F	ol and indications of danger for the
	15.1	2		n on the label: Ethyl methacrylate
	15.1		WHMIS: Flammable, F and Iri	
	15.1	-		able; R36, irritating to eyes; R37, irritating
		•		itating to skin and R43, may cause
			sensitization by skin contact.	, and a second s
	15.1	.5		in a well-ventilated place; S16, Keep away
				do not empty into drains; S33, take
			precautionary measures again	nst static charges; S36, wear suitable
			protective clothing; S37, wear	suitable gloves; S39, wear eye/face
			protection; and S45, In case of	f accident or if you feel unwell, seek
			medical advice immediately.	
16. RE	GULAT	ORY II	NFORMATION	
	16.1		National Fire Protection Association	
		Hazard	ous Materials Identification Sys	, ,
			NFPA	HMIS
			0 Lea	
			1 Health 1 Slig	
				derate 3 Fire
			1 Instability 3 Hig 4 Sev	
	16.1	2	List of relevant R phrases: R1	
	16.1			9, S16, S29, S36/37/39 and S45
	16.1		Restrictions on use: Profession	
	16.1			, EEC Directives on the Control of
			Dangerous Substances and P	reparations (67/548/EEC), Council S, NIOSH and OSHA 29 CFR Part
			1910.1200.	
	16.1		This product contains no Prop	
	16.1	.7	This is a new Safety Data She	eet to meet new format.



**NAIL LIQUID** 

16.1.8	Ethyl methacrylate is an ingredient listed in the following inventories: USA (TSCA); China (CI); Korea (ECL); Canada (DSL); Philippines		
	(PICCS); Europe (EINECS); Japan (MITI) and Australia (AICS).		
16.1.9	Ethyl methacrylate listed for right to know in FL, MA, MN, NJ & PA.		
16.1.10	Abbreviations:		
AICS	Australian Inventory of Chemical Substances		
CAS #			
cST	centistokes		
°C	Celsius temperature scale		
CI	China		
DSL	Canada		
ECL	Korean Existing Chemicals List		
EEC	European Economic Commission		
ENCS	Japanese Existing and New Chemical List		
EINEC	CS # European Inventory of Existing Chemical Substances Number		
EU	European Union		
٥F	Fahrenheit		
Israel	2001 proposed list of chemical substances to be regulated		
	under Israel Hazardous Substances Law and Regulations		
	List		
MAC	Netherlands		
MAK	Germany		
MITI	Ministry of International trade and Industry		
NA	Not applicable		
MITI	Japan		
ND	Not determined		
NE	None established		
PICCS	• •		
PPE	Personal Protective Equipment		
Prop.	Proprietary		
SUS	Saybolt Universal Viscosity		
SWIS			
SWIS	,		
TSCA			
(Taiwa			
	Toxic Chemical Substances Control Act of 1086		
UK	United Kingdom		
USA	United States		
16.2 Inform	ation which has been added, deleted or revised: New SDS		

Prepared by Dennis Belau

DBelau@comcast.net

Reviewed by Young Nails, Inc.

www.youngnails.com

## Disclaimer:

This information is furnished without warranty expressed or implied except that it is accurate to the best knowledge of Young Nails, Inc. (Company). The data and information on the Safety Data Sheet relates only to the specific material designated herein. Company assumes no legal responsibility for use or reliance upon the data.