

Your AIR asthma action plan



Fill this in with your doctor, nurse or other healthcare professional.

Name and date:

How to use this plan

- 1. Put it somewhere easy to find** like your fridge door, noticeboard, or bedside table.
- 2. Keep it on your mobile phone or tablet** so you can check it wherever you are.
- 3. Share it with family, friends, or anyone you live with** so they know how to help you.
- 4. Take it to every asthma appointment.**
Ask your doctor, nurse, or healthcare professional to update your plan if their advice for you changes.

Get more advice + support from Asthma + Lung UK

Speak to a respiratory nurse specialist about managing your asthma: **0300 222 5800 (Mon-Fri, 9am-5pm)**

Message our respiratory nurse specialists on WhatsApp: **07999 377 775**

Find out more on our website: **[AsthmaAndLung.org.uk/AIR](https://www.AsthmaAndLung.org.uk/AIR)**

Join one of our online or in-person support groups: **[AsthmaAndLung.org.uk/groups-support](https://www.AsthmaAndLung.org.uk/groups-support)**

Follow us on Facebook, X (formerly known as Twitter), and Instagram for news and tips about your asthma.



Watch our inhaler videos to learn how to use your **AIR inhaler:**
[AsthmaAndLung.org.uk/inhaler-videos](https://www.AsthmaAndLung.org.uk/inhaler-videos)

Asthma questions

Ask our respiratory nurse specialists Call **0300 222 5800**
WhatsApp **07999 377 775**
(Monday-Friday, 9am-5pm)

My asthma triggers

My triggers and what I do to manage them

For example: Hay fever – I take antihistamines; pollution – I avoid busy roads

My asthma review

I should have at least one routine asthma review every year, even if I only have occasional asthma symptoms. I will bring:

- my AIR asthma action plan to see if it needs updating
- my AIR inhaler to check I'm using it correctly
- my peak flow meter if I use one
- my questions about my asthma.

Next asthma review date:

GP/nurse/healthcare professional contact details

Name:

Phone number:

Out-of-hours contact number (ask your GP surgery who to call when they are closed)

Name:

Phone number:

1. Every day asthma care:

My AIR (anti-inflammatory reliever) inhaler contains:

- a steroid medicine to treat inflammation in my airways
- a reliever medicine called formoterol to open up my airways.

My AIR inhaler is called (insert name)

.....

I carry my AIR inhaler with me every day so I can use it if I get asthma symptoms.

I take **one puff** of my AIR inhaler if:

- I'm wheezing
- My chest feels tight
- I'm finding it hard to breathe
- I'm coughing.

If my symptoms have not improved after a few minutes, I can take another puff.

I should not take more than puffs at any one time.

I can continue to use my AIR inhaler as needed if:

- I have few or no asthma symptoms during the day, and none at night.
- I can do everything I normally do (e.g. working, being active, socialising).
- My peak flow score stays at or around
- I only need to use my AIR inhaler occasionally, as advised by my GP or nurse.

Other advice for managing my asthma every day:

2. When I feel worse:

I need to contact my doctor, nurse or other healthcare professional as soon as possible if I feel worse.

I should contact them if I have any of these signs and symptoms:

- My symptoms are getting worse (wheeze, tight chest, feeling breathless, cough).
- My symptoms are waking me up at night.
- My symptoms are affecting my day-to-day life (working, being active, socialising).
- My peak flow score drops to below:

I should also contact my GP, nurse or healthcare professional as soon as possible if:

I regularly need to use puffs or more of my AIR inhaler in a day.

The **maximum daily dose** of my AIR inhaler is **puffs.**

Other advice from my doctor, asthma nurse or healthcare professional about what to do if my asthma is worse:

3. When I have an asthma attack:

I'm having an asthma attack if I'm experiencing any of these:

- My AIR inhaler is not helping.
- I find it difficult to walk or talk.
- I find it difficult to breathe.
- I'm wheezing a lot, or I have a very tight chest, or I'm coughing a lot.
- My peak flow score is below:

What to do in an asthma attack

1. Sit up straight – try to keep calm.
 2. Take one puff of your AIR inhaler **every 1 to 3 minutes up to six puffs.**
 3. If you feel worse at any point **or** you don't feel better after six puffs **call 999 for an ambulance.**
 4. If the ambulance has not arrived after 10 minutes and your symptoms are not improving, **repeat step 2.**
 5. If your symptoms are no better after repeating step 2, and the ambulance has still not arrived, **contact 999 again immediately.**
- If you do not have your AIR inhaler with you, call 999.**

After an asthma attack

Follow this advice to make sure you recover well and to prevent further asthma attacks:

- If you dealt with your asthma attack at home, speak to your doctor or nurse today.
- If you were treated in hospital, speak to your doctor or nurse within 48 hours of being discharged.
- Finish any medicines they prescribe you, even if you start to feel better.
- If you don't improve after treatment, speak to your doctor, nurse or other healthcare professional urgently.