



EventPro-Lite™
A REVOLUTION IN
LIGHTWEIGHT COMMERCIAL FOLDING TABLES

nufurn 
Commercial Furniture Solutions




TABLES

CONFERENCE

BANQUET

EVENT

nufurn.com.au



CONTENTS

DESIGN PRINCIPLES	... pg 5
EVENT PRO – LITE™ TECHNOLOGY	... pg 6
EVENT PRO – LITE™ Key Features and Benefits...	... pg 8
TRESTLE EVENT PRO – LITE™ Table Solutions...	... pg 11
ROUND EVENT PRO – LITE™ Table Solutions...	... pg 14
SPECIALITY EVENT PRO – LITE™ Table Solutions...	... pg 15
FINISHING OPTIONS	... pg 17
SAFE HANDLING SOLUTIONS	... pg 18
WARRANTIES	... pg 20



DESIGN. MANUFACTURE. SUPPLY.

‘Nufurn customers keep coming back for the Service, Range, Experience, Quality & Value’

Join us!



COMPANY PROFILE

Welcome to Nufurn. 100% Australian owned and established in Sydney since 1996, we design, manufacture and supply a specialist range of contract furniture to the Conference/Event, Hospitality, Education, and Healthcare Segments.

We invite you to experience the Nufurn difference today and join our ever growing list of satisfied customers that include: International Hotel Groups, Government Institutions, Corporate Offices, Healthcare Groups, leading Architects and Designers, Bars and Clubs, outstanding Restaurants, Cafés and Franchise Groups.

As market leaders within the banquet and event furniture segment, we travel internationally 3 times a year to offer you the latest collections in commercial furniture design. Perhaps even more importantly, we listen attentively to our customers needs and are meticulous in designing and manufacturing exceptional products accordingly. We offer the most comprehensive range of custom made banquet seating in Australia and have limitless options for creating the right, completely unique chair specifically for your venue. We also offer the most comprehensive range of folding and event tables in Australia, providing high quality choices at every budget level. This of course compliments our complete line of commercial furniture solutions.

With our heritage in designing, manufacturing and supplying furniture to the global event and hospitality market, we truly understand the importance of strength, function and style. Durability is the cornerstone of our design process and is exemplified in the finished quality of our products. Exceptional customer service is our signature.

Please visit our website www.nufurn.com.au and see for yourself the reason that people keep coming back to Nufurn.

We look forward to being of service to you.

We started with a simple

IDEA



to make a better, lighter



stronger folding table

EventPro-Lite™

SUPERIOR, NEXT GENERATION, LIGHTWEIGHT TABLES
MANUFACTURED FOR EVENT PROFESSIONALS

Welcome to a new era of folding event tables. Designed to deliver strength and reliability while being lightweight. Manufactured from 100% recyclable materials. Available exclusively from NUFURN



EventPro-Lite™

DESIGN PRINCIPLES

As our starting point in setting out to simply design and manufacture a superior, lightweight, folding event table to what is traditionally available, we identified **4 key customer needs:**



STRONGER

The table needs to be **robustly designed** to withstand heavy commercial use on a day to day basis, for years to come.



UP TO 50% LIGHTER

The table needs to be **lighter and easier** to handle than conventional tables, thereby saving our clients on operational costs and satisfying all OH&S requirements.



SMARTER

The table needs to be **smart in appearance** thereby being able to be used with or without tablecloths for versatility.



ENVIRONMENTALLY FRIENDLY

The tables need to be manufactured from **100% recyclable** materials & represent a sound environmental choice for our customers.

OUTCOME

We've achieved all that and more. From that simple yet ambitious goal, we proudly present the next generation of durable, light weight, commercial folding tables: **EventPro-Lite™**



NF690011 approved to
BS EN 15372:2008
Level 3, Severe Commercial

EventPro-Lite™

SUPERIOR, NEXT GENERATION,
LIGHTWEIGHT TABLES
MANUFACTURED FOR EVENT PROFESSIONALS



SUPER LIGHT... TECHNOLOGICALLY ADVANCED

100 million years
in the making



Designed by nature more than 100 million years ago - the honeycomb formation is one of the strongest geometric structures known to us today.

We were the first company to offer commercial tables with a honeycomb core to the Australian market in 2004 and have worked with honeycomb core materials ever since.

... environmentally friendly

All EventPro-Lite™ tables are made from 100% recyclable materials, making them the perfect choice for green operators. EventPro-Lite™ represents the next generation of durable and lightweight commercial event tables.



 **EventPro-Lite™**

SUPERIOR, NEXT GENERATION, LIGHTWEIGHT TABLES
MANUFACTURED FOR EVENT PROFESSIONALS

TECHNOLOGICALLY ADVANCED

Our purpose designed, honeycomb fibreboard structure is at the core of our EventPro-Lite™ table range. Bound by a fully welded annealed steel framework and vacuum sandwiched between two sheets of highly impact resistant ABS resin, the honeycomb structure presents an exceptional strength to weight ratio and exhibits intense resistance to shock and stress.

One of the strongest known structural designs to date, honeycomb cores are widely used in aeronautical engineering as well as many everyday commercial applications such as floors, buildings & doors, where high impact strength to weight ratios are essential.


The primary benefits of using our EventPro-Lite™ honeycomb core tables are the significant weight savings and increased strength to weight ratios versus conventional event tables. Complying with OH&S protocols has just become a whole lot simpler, saving you time and money.

Naturally, a fibreboard honeycomb core is also much better for the environment when manufacturing as well as when recycling.



EXCLUSIVE
12
years
NUFURN WARRANTY

Simply a better table. Built to outlast.



- 1 High friction, non-slip stacking bumpers for safety
- 2 Injection moulded, reinforced ABS corners
- 3 17mm high impact resistant 'Pro-Edge' PVC bumper
- 4 100% Recyclable honeycomb fibreboard core
- 5 Frame to frame, 2mm thick, solid steel fixing plates
- 6 Industrial grade polypropylene feet to protect floors
- 7 Nufurn stamp of authenticity to ensure you have the genuine EventPro-Lite™ tables
- 8 Full perimeter, 'Box construction' 16 gauge, internal, annealed steel frame
- 9 All brackets and legs attached to steel plate reinforced contact points
- 10 Industrial grade blind rivets used on leg mechanism for security
- 11 Gravity locking leg mechanism
- 12 Superior quality, industrial grade fixtures and fittings
- 13 Extra deep handrail



NF690011 approved to
BS EN 15372:2008
Level 3, Severe Commercial

EventPro-Lite™ KEY FEATURES AND BENEFITS




High friction rubber bumpers help prevent tables from sliding when stacked and help protect table tops.



Injection moulded, reinforced ABS corners engineered to withstand an accidental drop from 30cm with no structural damage to the table.



17mm thick, high impact resistance 'Pro-Edge' PVC bumper protects the table edge and is also designed for use with tablecloth clips.



100% Recyclable honeycomb fibreboard core for high impact resistance, superior core strength and lightweight benefits.



Frame to frame, 2mm thick, solid steel fixing plate, reinforces contact points for strength and enhanced lateral rigidity.



Industrial grade polypropylene feet to protect all floor surface types and maintain table stability.



Nufurn stamp of authenticity to ensure you have the genuine and original EventPro-Lite™ tables.



Full perimeter, 'Box construction' 16 gauge, internal, annealed steel frame is at the structural core of the table and can hold a static load of 945kgs of evenly distributed weight.*



All brackets and legs attached to 2mm thick, solid steel fixing plates.



Industrial grade blind rivets used on leg mechanism for security and zero maintenance.



1.2mm thick, fully welded steel, gravity leg locking system that automatically and safely locks the legs when extended and placed on ground. Foolproof for added safety.



High quality, industrial grade fixtures and fittings to secure the leg system to the steel reinforced tabletop.




Extra deep handrail allows safe and easy manual handling and conceals legs when folded to protect tabletops.



All EventPro-Lite™ tables come with the exclusive Nufurn 12 year warranty.

*Standard 6ft/1830mm Trestle



STANDARD TRESTLE

Table Style	mm	Height	Weight	Seats
NF690004	1520 x 760	740	17.6kg	6
NF690005	1830 x 760	740	19.6kg	8
NF690006	2440 x 760	740	22.9kg	10

STANDARD TRESTLE

Table Style	inches	Height	Weight	Seats
NF690004	60 x 30	29	38.8lbs	6
NF690005	72 x 30	29	42.2lbs	8
NF690006	96 x 30	29	50.5lbs	10

Standard Leg Style for this table: NF1

PRODUCT SPECIFICATION

Tabletop Material:	Exterior: Lightweight, high impact resistant ABS resin. Heat, scuff and stain resistant
Leg Material	Annealed steel with commercial powdercoat
Structural Core:	Recycled honeycomb fibreboard core inset into a fully welded, 16 gauge, rectangular steel frame
Fixing Plates:	2mm thick steel plate
Edging Material:	Injection moulded, high impact resistant 'Pro-Edge' PVC bumper for ultimate edge protection
Table Edge Thickness:	20mm
Folded Table Height:	60mm
Standard Colour Spec:	Sand top with black 'Pro-Edge' PVC bumper. Custom colours available upon request
Environmental Spec:	All EventPro-Lite™ tables can be disassembled and recycled accordingly if required

SAFETY SPECIFICATION

Load Bearing:	An evenly distributed maximum static load of 945kgs without collapse - based on NF690005
Operational Safety:	Gravity locking folding leg mechanism
Impact Resistance:	Injection moulded, impact resistant, ABS resin corners
Heat Resistance:	Table can withstand direct contact with hot surfaces up to 95°C for up to 5 min
Cleaning:	Suitable for use with regular household, non-abrasive cleaners. Test cleaners on underside first
Intended Usage:	Indoor
Warranty:	12 Year Commercial Warranty. See website for full terms of warranty



EXTRA WIDE TRESTLE

Table Style	mm	Height	Weight	Seats
NF690007 XW	1830 x 915	740	21.9kg	6 to 8

EXTRA WIDE TRESTLE

Table Style	inches	Height	Weight	Seats
NF690007 XW	72 x 36	29	48.2lbs	6 to 8

Standard Leg Style for this table: **NF1**



PRODUCT SPECIFICATION

Tabletop Material:	Exterior: Lightweight, high impact resistant ABS resin. Heat, scuff and stain resistant
Leg Material:	Annealed steel with commercial powdercoat
Structural Core:	Recycled honeycomb fibreboard core inset into a fully welded, 16 gauge, rectangular steel frame
Fixing Plates:	2mm thick steel plate
Edging Material:	Injection moulded, high impact resistant 'Pro-Edge' PVC bumper for ultimate edge protection
Table Edge Thickness:	20mm
Folded Table Height:	60mm
Standard Colour Spec:	Sand top with black 'Pro-Edge' PVC bumper. Custom colours available upon request
Environmental Spec:	All EventPro-Lite™ tables can be disassembled and recycled accordingly if required

SAFETY SPECIFICATION

Load Bearing:	An evenly distributed maximum static load of 945kgs without collapse - based on NF690007
Operational Safety:	Gravity locking folding leg mechanism
Impact Resistance:	Injection moulded, impact resistant, ABS resin corners
Heat Resistance:	Table can withstand direct contact with hot surfaces up to 95°C for up to 5 min
Cleaning:	Suitable for use with regular household, non-abrasive cleaners. Test cleaners on underside first
Intended Usage:	Indoor
Warranty:	12 Year Commercial Warranty. See website for full terms of warranty

SEMINAR

Table Style	mm	Height	Weight	Seats
NF690001 NS	1830 x 460	740	13.6kg	3
NF690002 NS	2440 x 460	740	16.5kg	4
NF690003 NS	1830 x 610	740	16.3kg	3 to 6

SEMINAR

Table Style	inches	Height	Weight	Seats
NF690001 NS	72 x 18	29	29.9lbs	3
NF690002 NS	96 x 18	29	36.4lbs	4
NF690003 NS	72 x 24	29	35.9lbs	3 to 6

Standard Leg Style for this table: **NF3**



PRODUCT SPECIFICATION

Tabletop Material:	Exterior: Lightweight, high impact resistant ABS resin. Heat, scuff and stain resistant
Leg Material:	Annealed steel with commercial powdercoat
Structural Core:	Recycled honeycomb fibreboard core inset into a fully welded, 16 gauge, rectangular steel frame
Fixing Plates:	2mm thick steel plate
Edging Material:	Injection moulded, high impact resistant 'Pro-Edge' PVC bumper for ultimate edge protection
Table Edge Thickness:	20mm
Folded Table Height:	60mm
Standard Colour Spec:	Sand top with black 'Pro-Edge' PVC bumper. Custom colours available upon request
Environmental Spec:	All EventPro-Lite™ tables can be disassembled and recycled accordingly if required

SAFETY SPECIFICATION

Load Bearing:	An evenly distributed maximum static load of 615kgs without collapse - based on NF690003 NS
Operational Safety:	Gravity locking folding leg mechanism
Impact Resistance:	Injection moulded, impact resistant, ABS resin corners
Heat Resistance:	Table can withstand direct contact with hot surfaces up to 95°C for up to 5 min
Cleaning:	Suitable for use with regular household, non-abrasive cleaners. Test cleaners on underside first
Intended Usage:	Indoor
Warranty:	12 Year Commercial Warranty. See website for full terms of warranty



NF690011 approved to
BS EN 15372:2008
Level 3, Severe Commercial

BANQUET ROUND

Table Style	mm	Height	Weight	Seats
NF690009	1520 x 1520	740	23.2kg	6 to 8
NF690011	1830 x 1830	740	29.1kg	10 to 12

BANQUET ROUND

Table Style	mm	Height	Weight	Seats
NF690009	60 x 60	29	51.1lbs	6 to 8
NF690011	72 x 72	29	64.2lbs	10 to 12

Standard Leg Style for this table: **NF60**



PRODUCT SPECIFICATION

Tabletop Material:	Exterior: Lightweight, high impact resistant ABS resin. Heat, scuff and stain resistant
Leg Material:	Annealed steel with commercial powdercoat
Structural Core:	Recycled honeycomb fibreboard core inset into a fully welded, 16 gauge, rectangular steel frame
Fixing Plates:	2mm thick steel plate
Edging Material:	Injection moulded, high impact resistant 'Pro-Edge' PVC bumper for ultimate edge protection
Table Edge Thickness:	20mm
Folded Table Height:	70mm
Standard Colour Spec:	Sand top with black 'Pro-Edge' PVC bumper. Custom colours available upon request
Environmental Spec:	All EventPro-Lite™ tables can be disassembled and recycled accordingly if required

SAFETY SPECIFICATION

Load Bearing:	An evenly distributed maximum static load of 945kgs without collapse - based on NF690011
Operational Safety:	Gravity locking folding leg mechanism
Impact Resistance:	Injection moulded, impact resistant, ABS resin corners
Heat Resistance:	Table can withstand direct contact with hot surfaces up to 95°C for up to 5 min
Cleaning:	Suitable for use with regular household, non-abrasive cleaners. Test cleaners on underside first
Intended Usage:	Indoor
Warranty:	12 Year Commercial Warranty. See website for full terms of warranty



SERPENTINE

Table Style	mm	Height	Weight	Seats
NF690012	1520 x 760	740	20.5kg	5

SERPENTINE

Table Style	inches	Height	Weight	Seats
NF690012	60 x 30	29	45.2lbs	5

Standard Leg Style for this table: **NF5**



PRODUCT SPECIFICATION

Tabletop Material:	Exterior: Lightweight, high impact resistant ABS resin. Heat, scuff and stain resistant
Leg Material:	Annealed steel with commercial powdercoat
Structural Core:	Recycled honeycomb fibreboard core inset into a fully welded, 16 gauge, rectangular steel frame
Fixing Plates:	2mm thick steel plate
Edging Material:	Injection moulded, high impact resistant 'Pro-Edge' PVC bumper for ultimate edge protection
Table Edge Thickness:	20mm
Folded Table Height:	70mm
Standard Colour Spec:	Sand top with black 'Pro-Edge' PVC bumper. Custom colours available upon request
Environmental Spec:	All EventPro-Lite™ tables can be disassembled and recycled accordingly if required

SAFETY SPECIFICATION

Load Bearing:	An evenly distributed maximum static load of 545kgs without collapse - based on NF690012
Operational Safety:	Gravity locking folding leg mechanism
Impact Resistance:	Injection moulded, impact resistant, ABS resin corners
Heat Resistance:	Table can withstand direct contact with hot surfaces up to 95°C for up to 5 min
Cleaning:	Suitable for use with regular household, non-abrasive cleaners. Test cleaners on underside first
Intended Usage:	Indoor
Warranty:	12 Year Commercial Warranty. See website for full terms of warranty



QUARTER ROUND



HALF ROUND



SQUARE



ROUND

Table Style	Shape	mm	Height	Seats
NF690014	Quarter	760 x 760	740	1 - 3
NF690015	Half Round	1520 x 760	740	3 - 6
NF690017	Square	760 x 760	740	4
NF690016	Round	920 x 920	740	4

Table Style	Shape	mm	Height	Seats
NF690014	Quarter	30 x 30	29	1 - 3
NF690015	Half Round	60 x 30	29	3 - 6
NF690017	Square	30 x 30	29	4
NF690016	Round	36.2 x 36.2	29	4



LAYOUT OPTIONS



PRODUCT SPECIFICATION

Tabletop Material:	Exterior: Lightweight, high impact resistant ABS resin. Heat, scuff and stain resistant
Leg Material:	Annealed steel with commercial powdercoat
Structural Core:	Recycled honeycomb fibreboard core inset into a fully welded, 16 gauge, rectangular steel frame
Fixing Plates:	2mm thick steel plate
Edging Material:	Injection moulded, high impact resistant 'Pro-Edge' PVC bumper for ultimate edge protection
Table Edge Thickness:	20mm
Folded Table Height:	60mm - 70mm
Standard Colour Spec:	Sand top with black 'Pro-Edge' PVC bumper. Custom colours available upon request
Environmental Spec:	All EventPro-Lite™ tables can be disassembled and recycled accordingly if required

SAFETY SPECIFICATION


Load Bearing:	An evenly distributed maximum static load of 75kgs without collapse
Impact Resistance:	Injection moulded, impact resistant, ABS resin corners
Heat Resistance:	Table can withstand direct contact with hot surfaces up to 95°C for up to 5 min
Cleaning:	Suitable for use with regular household, non-abrasive cleaners. Test cleaners on underside first
Intended Usage:	Indoor
Warranty:	12 Year Commercial Warranty. See website for full terms of warranty



Impact Resistant ABS table colours:
Sand (stock)
Grey, Wood and Black min order qty's apply



Impact resistant 'Pro-Edge' PVC Bumper colours:
Black (stock)
Grey & Sand min order qty's apply



Leg Frame powdercoat colours:
Black (stock)
Sand & Brown min order qty's apply





Table Leg Styles:
NF60: Round Tables
NF1: Trestle Tables
NF2: Custom Tables
NF3: Seminar Tables
NF5: Serpentine Tables

EventPro-Lite™ SEATING CONFIGURATION





OCCUPATIONAL HEALTH & SAFETY SOLUTIONS

EventPro-Lite™ TRESTLE TABLE TROLLEYS



HORIZONTAL TRESTLE TABLE TROLLEY

	mm	inches
Width:	2015	80"
Depth:	795	31"
Height (without table)	925	36.5"
Height: (with 760mm deep table)	1060	42"
Max Load:	+10 Tables	
Wheels:	4 x Industrial Duty PU Castors, 2 with locking mechanism	
Side Rails:	Removable	



VERTICAL TRESTLE TABLE TROLLEY

	mm	inches
Width:	2015	80"
Depth:	795	31"
Height (without table)	925	36.5"
Height: (with 760mm deep table)	1060	42"
Max Load:	8 Tables	
Wheels:	4 x Industrial Duty PU Castors, 2 with locking mechanism	

We can also custom make trolleys to suit specific requirements.

EventPro-Lite™ ROUND TABLE TROLLEYS



SAFE HANDLING SOLUTIONS

Occupational Health and Safety requirements can vary from organisation to organisation. We recognize that there is no 'one size fits all' solution. Therefore, we offer a wide variety of table trolleys to stack, transport and safely store tables within your venue.

All table trolleys come standard with heavy duty lockable castors to keep the trolley stationary when loading, unloading or for storage.

STANDARD ROUND TABLE TROLLEY

	mm	inches
Width:	1870	74"
Depth:	910	35.8"
Height: (without table)	1055	41.5"
Height: (with 1830mm dia table)	2000	79"
Maximum Load:	8 Tables	
Wheels:	4 x Industrial Duty PU Castors, 2 with locking mechanism	

We can also custom make trolleys to suit specific requirements.



NUFURN MAKES THE FOLLOWING WARRANTY TO THE ORIGINAL PURCHASERS OF ITS PRODUCTS.

THE NUFURN WARRANTY

Subject to the limitations set forth below, we warrant that Nufurn products are free from defects in material and workmanship for the relevant specified warranty period from the date of delivery of the product to you. If any failure should occur resulting from manufacturers defects, we will repair or replace, at our option, the returned product to us. Warranty claims must be made in writing on the Nufurn Warranty Claim Form, within the warranty period and must be made within 14 days of the claimed defect occurring.

LIMITATIONS

The above warranties shall not apply to any part of a product, which in the reasonable judgment of Nufurn has been subjected to misuse, negligent handling, alteration, misapplication, accident or other use beyond normal wear and tear. Excessive or prolonged exposure to sunlight and extreme freezing weather can shorten the normal life of the product. The above warranties do not cover damage from excessive or prolonged exposure to sunlight or extreme freezing temperature to elements such as wind, rain, snow, ice or other extreme weather conditions.

Nufurn offer a back to base warranty. You are responsible for the cost of shipping any defective product or part to and from the Nufurn warehouse. This warranty will be void if you have defaulted in payment or any other obligation owed to Nufurn Pty Ltd.

The above warranties and Nufurn's obligations hereunder are exclusive and in lieu of, and you expressly waive, all other warranties, verbal or written, express or implied, including but not limited to any warranty of merchant ability or fitness for a particular purpose.

We accept no obligations or liabilities for consequential or incidental damages arising out of or in connection with the use or performance of the product or other direct or indirect damages with respect to loss of property, revenues or profit, or for removal, installation or re-installation. No other representative or person is authorized to offer any other warranty or assume any other liabilities on behalf of Nufurn Pty Ltd.

OTHER CONDITIONS:

SOLE TERMS:

These terms and conditions constitute the full understanding and the entire agreement between the parties in regard to the subject matter here or unless hereafter made in writing and signed by the party to be bound.

RISK OF LOSS:

Our Invoice to you will show separately, the cost of product(s), freight and any other charges. However, you assume all risk of loss or damage to the product, once we have made delivery to the carrier for shipment to you, regardless of the terms of payment, or the form of bill of lading, or the mode of shipment.

GOODS DAMAGED IN TRANSIT:

- 1) Despite your assumption of the risk of loss and damage of goods in transit, Nufurn will review claims of loss on concealed damages. All claims must be made in writing.
- 2) Any damages must be reported within 48 hours of delivery in order to file a claim.
- 3) In the event of a concealed damage claim, Nufurn may negotiate a partial payment to help cover the loss.
- 4) Nufurn does not negotiate partial payments for claims of NON-concealed damages. However, you should be aware that damages need to be noted at the time of delivery of goods and noted on the delivery document, for Nufurn to be able to make a claim with the relevant logistic company.

DISCLAIMER:
All measurements and colours in the catalogue are subject to change without notice. Print colours are representative only and actual product colour may vary. Nufurn reserve the right to alter these warranty terms at any time without notification.



LEADING SUPPLIERS IN CONTRACT AND EVENT
CHAIRS AND TABLES





EventPro-Lite™

SUPERIOR, NEXT GENERATION,
LIGHTWEIGHT TABLES
MANUFACTURED FOR EVENT PROFESSIONALS



nufurn 
Commercial Furniture Solutions

ASK US ABOUT OUR **CONTRACT HOSPITALITY** AND **FUNCTION** CATALOGUES

www.nufurn.com.au

FRECALL  1800 650 019

WE DELIVER NATIONWIDE