

polytec

XENOLITH



PROUDLY  
SUPPORTING



Find your local supporting cabinet maker  
[www.polytec.com.au/mcgrath-foundation](http://www.polytec.com.au/mcgrath-foundation)

polytec

[www.polytec.com.au](http://www.polytec.com.au)

p 1300 300 547

ISSUE: 03d



polytec offer an express sample service.  
Visit [www.polytec.com.au](http://www.polytec.com.au) to order your free sample.

Create your look



Reception counter in **XENOLITH** Calacutta Grey Smooth.

Reception counter panelling **STECCAWOOD** Natural Oak Ravine in 31x31mm.



## XENOLITH

**polytec's** innovation continues with the introduction of Xenolith, a 15mm thick premium solid coloured core composite laminate product which can be used in various high-traffic applications.

Xenolith is available for both vertical and horizontal applications. It can be used for benchtops, vanities, cafe tops, wet room partitioning and covered alfresco areas. The unique solid coloured core allows for exposed ends with no join lines caused by a laminated edge, matching the colour of choice. This premium product is available in a variety of edge profiles, machined into the surface to provide a seamless look.

Xenolith is offered in four marble patterns: Calacutta D'oro, Calacutta Grey, Marmo di Torre and Marmo di Monte, each with a touch of high-end luxury. The modern Grey Cement inspired by industrial design and Portland Stone and brand new Solid White create flexible design opportunities. All colours are available in a soft, hygienic and antibacterial Smooth finish in 3660mm x 1830mm full sheets and made-to-order tops.





The surface of **polytec's** Xenolith is made from a stain and water-resistant resin. The toughness and high impermeable properties of this surface mean that polytec's Xenolith should require no more than wiping with a soft cloth, dampened with plain water or a household detergent mix to remove all common household spills.

Visit [www.polytec.com.au](http://www.polytec.com.au) for specific care and cleaning information.



# XENOLITH range

polytec swatches and samples represent a small area of the overall colour structure.  
To view the large colour sample, visit [www.polytec.com.au](http://www.polytec.com.au).



Dark coloured surfaces will show fingerprints and require more care and maintenance than lighter coloured surfaces.  
It is recommended to test a product sample prior to colour selection.



## edge profiles



Shark Nose



Arc



2mm Double Fine Edge



Aris

Waterfall benchtop in **XENOLITH** Calacutta D'oro Smooth.  
Overhead cupboard doors, Bevel Edge drawers and bar panels in **RAVINE** Natural Oak.  
Bevel Edge drawers in **MELAMINE** Blossom White Matt.





Tabletops in **XENOLITH** Calacutta Grey Smooth with a Shark Nose edge.

## ENVIRONMENT & SUSTAINABILITY

**polytec** is committed to an eco-friendly and sustainable environment. It is an intrinsic part of the way we do business daily. Our decisions are made so that they have minimum negative impact on the environment.

We manage waste responsibly through numerous recycling programs including aluminium and metals, used oils and timber waste is recycled back into packaging and energy. We subscribe to local government environmental initiatives and voluntary audits as well as our own internal Energy and Carbon Management Policy (ECM), which aligns with the Australian Government's Energy Efficiency Opportunities (EEO) program.

Our national portfolio of facilities boasts a total of almost 54,000 solar panels with 17.66 million solar kWh generated, the equivalent of 7,377 trees planted saving close to 12,000 tonne of CO2 emissions. The Oberon facility is now Australia's largest rooftop solar system, with 27,000 panels spread across 8 hectares of rooftop. **polytec** continues to improve on sustainability measures in order to build a circular economy and better future for all.

**polytec** doors and benchtops are certified Australian Made & Owned.

## CARE & MAINTENANCE

The surface of **polytec**'s Xenolith is made from a stain-resistant melamine based resin. The toughness and high impermeability of this surface means that **polytec**'s Xenolith should require no more than wiping with a soft cloth, dampened with plain water or a household detergent mix to remove all common household spills.

For more stubborn stains use a mild household cleaning spray. Always ensure you refer to the recommendations provided by the manufacturer of the cleaning product before use.

By following these simple steps you should retain a beautiful surface for many years.

Visit [www.polytec.com.au](http://www.polytec.com.au) for specific care and cleaning information. Darker colours will show superficial wear and tear more readily than lighter coloured surfaces and require more care and maintenance.

The colours and details shown in this brochure are to the highest standards in printing. However, they should only be used as an indication of actual product colour. To order your free colour sample visit [www.polytec.com.au](http://www.polytec.com.au).

**polytec** swatches and samples represent a small area of the overall colour structure, to view a large colour sample or a full sheet design, visit [www.polytec.com.au](http://www.polytec.com.au).

The use of our current samples gives the colour and finish that a customer would expect to receive. Samples are provided for colour and finish selection and **polytec** recommend testing a sample for fingerprint resistance and ease of cleaning. **polytec** does not guarantee exact colour matches across product ranges due to colour variation in each product group.

## COMPLEMENTARY RANGES

**EVOLUTION** range

**MELAMINE** doors & panels

**BENCHTOPS** range

**ULTRAGLAZE & ULTRAMATT** range

**COMMERCIAL** range

**THERMOLAMINATED** doors & panels

**COMPACT** laminate

**ALFRESCO & ALUMINIUM** framed doors

**STECCAWOOD** prefinished decorative battens

**WARDROBE** range

**35mm ARCHITECTURAL** doors