




NT 30/1 TACT TE H *GB 240V

With a guaranteed filtration efficiency of 99.995%, the 30/1 Tact Te H wet and dry vacuum cleaner is the first choice for removing dusts hazardous to health in dust class H.



TECHNICAL DATA AND EQUIPMENT.





NT 30/1 TACT TE H *GB 240V

■ Socket with automatic start-up for electric tools

Technical data		
Order Number		1.148-257.0
EAN code		4054278483672
Air flow	I/s	74
Vacuum	mbar / kPa	254 / 25,4
Container capacity	1	30
Max. rated input power	W	1380
Standard nominal size		35
Sound level	dB(A)	69
Weight	kg	14,4
Dimensions (L x W x H)	mm	560 × 370 × 580

Equipment				
Suction hose	m	4	Filter cleaning	Tact Filter CleanTact Filter Clean- Tact Filter CleanTact Filter Clean
Suction Tube	piece(s) / m	2 × 0,55 / Stainless steel		
Filter bag		Fleece		
Wet and dry floor tool	mm	360		
Crevice nozzle				
Connector for electric tools				
Automatic on/off control for electric power tools		•		
Antistatic system				
Sturdy bumper		•		
Safety class		I		
Caster with brake		•		

■ Included in delivery.

NT 30/1 TACT TE H *GB 240V 1.148-257.0































									_
		Order Number	Quantity	ID	Length	Width	Price	Description	
Plastic bend									
Elbow complete packaged NW35	1	2.889-168.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. Electrically con-	Т
2K								ductive design. Particularly suited to high concentrations of fine dust.	
Elbow packaged NW35 2K	2	2.889-170.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system.	
Elbow packaged NW40 1K	3	2.889-171.0	1 piece(s)	ID 40				Bend for the new clip system in nominal size DN 40.	
Elbow electrically conducting packaged N	4	2.889-172.0	1 piece(s)	ID 40				Bend for the new clip system in nominal size DN 40. Electrically conductive design. Particularly suited to high concentrations of fine dust.	
All-purpose nozzles (wet/dry)			'		<u>'</u>				
Floor tool packaged NW35 360mm	5	2.889-152.0	1 piece(s)	ID 35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	=
Floor tool packaged NW40 360mm	6	2.889-153.0	1 piece(s)	ID 40		360 mm			
Floor tool anthracite packaged NW35	7	2.889-173.0	1 piece(s)	ID 35		300 mm		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	
Floor tool anthracite packaged NW40	8	2.889-174.0						Standard floor nozzle, anthracite, in nominal diameter 40, with brush strips and squeegees. Suitable for all wet and dr applications.	y \square
Crevice nozzles								applications.	
Crevice nozzle wet and dry pa- ckaged NW35	9	2.889-159.0	1 piece(s)	ID 35	225 mm			Crevice nozzle ID 35, for new Tact range.	
Crevice nozzle wet and dry pa- ckaged NW40	10	2.889-160.0	1 piece(s)	ID 40	225 mm			Crevice nozzle ID 40, for new Tact range.	
Suction tubes stainless steel									
Set suction tube stainless steel NW35 55	11	2.889-192.0	1 piece(s)	ID 35	550 mm			Stainless steel suction tube set (2 × 0.55 m)	•
Set suction tube stainless steel NW40 55	12	2.889-194.0	1 piece(s)	ID 40	550 mm				
Suction tube, ID 40	13	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	
Suction hoses complete (Clip-syster	n)								
Electrically conductive suction hose	14		1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener. Electrically conductive.	•
Suction hose	15	2.889-133.0	1 piece(s)	ID 35	2,5 m			2.5 m suction hose with new clip fastener, C 35.	
	16	2.889-135.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener.	
Electrically conductive suction hose	17	2.889-136.0	1 piece(s)	ID 35	2,5 m			Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	
Suction hose	18	2.889-138.0	1 piece(s)	ID 40	4 m			4 m suction hose with new bayonet and clip fastener.	
	19	2.889-139.0	1 piece(s)	ID 40	2,5 m			Suction hose with new bayonet and clip fastener. Length: 2.5 m.	
Suction hose, oil-resistant	20	2.889-140.0	1 piece(s)	ID 40	4 m			Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	
Electrically conductive suction hose	21	2.889-141.0	1 piece(s)	ID 40	4 m			4 m, electrically conductive suction hose with new bayonet and clip fastener.	
	22	2.889-142.0	1 piece(s)	ID 40	2,5 m			Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	
Suction hose	23	2.889-161.0	1 piece(s)	ID 35	2 m				
Adapter for electric power tools, cli	p on,	el.							
Sleeve electrically conducting packaged	24	2.889-151.0	1 piece(s)	ID 35				Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	•
		-		-					

NT 30/1 TACT TE H *GB 240V 1.148-257.0





























									Г
		Order Number	Quantity	ID	Length	Width	Price	Description	
HEPA filter for dust class H		'		•					
Flat pleated filter, PTFE H class	25	6.907-671.0	1 piece(s)					HEPA flat pleated filter made from PTFE. Suitable for dust class H (HEPA 13).	
HEPA surface filter	26	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass- fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	
Plastic sacks for dust-free disposal			,						
Disposal bag 10-parts PE	27	2.889-231.0	10 piece(s)					PU plastic bag for dust-free disposal. Pack of 10.	
	28	2.889-158.0	10 piece(s)					PE plastic sack for dust-free disposal.	
Safety filter sets / sacks									
Safety filter bag 5 piece NT 30/1	29	2.889-183.0	5 piece(s)					Safety filter set with dust disposal bag, for dust class H safe- ty vacuum cleaners. Guarantees the dust-free disposal of dangerous dust.	•
Suction tubes metal									
Set suction tube chromed NW35 550mm	30	2.889-191.0	1 piece(s)	ID 35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	
Repair kits									
Repair set NW35	31	2.889-149.0	1 piece(s)	ID 35				Repair kit ID 35 for the new clip system.	
Repair set NW40	32	2.889-150.0	1 piece(s)	ID 40				Repair kit ID 40 for the new clip system.	
Car cleaning nozzles				_					
Car nozzle DN35	33	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
Suction hoses (Clip-system)				,					
Hose electrically conducting pa- ckaged NW	34	2.889-163.0	1 piece(s)	ID 35	2,5 m				
Extension hoses (Clip-system)									
Extension hose packaged NW35 2.5m	35	2.889-145.0	1 piece(s)	ID 35	2,5 m			Extension hose for new clip system ID 35. Length: 2.5 m.	
Extension hose packaged NW40 2.5m	36	2.889-146.0	1 piece(s)	ID 40	2,5 m			Extension hose for new clip system ID 40. Length: 2.5 m.	
Other									
Drilling dust tool	37	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	

[■] Included in delivery. □ Available accessories.