



NT 22/1 AP TE L

The NT 22/1 Ap is the new Professional entry class of wet and dry vacuum cleaners. It offers professional quality and provides the ideal cleaning solution to tradesmen.



1 Lightweight with compact dimensions

- The machine is easy and convenient to transport and store.

2 Semi-automatic filter cleaning system

- Semi-automatic filter cleaning effectively ensures constantly high suction power.

3 Moisture-resistant PES cartridge filter

- It is possible to change from wet to dry vacuum cleaning easily without having to dry the PES cartridge filter first.

4 Socket for electric tools (with automatic start-up)

- The appliance's socket acts as a „remote control“ for the vacuum cleaner.
- The vacuum cleaner starts automatically when the attached electric tool is started.



NT 22/1 AP TE L

- Efficient semi-automatic filter cleaning
- Socket with automatic start-up for electric tools
- Moisture-resistant PES cartridge filter

Technical data

Order Number	1.378-612.0	
EAN code	4054278290522	
Current type	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	71
Vacuum	mbar / kPa	255 / 25,5
Container capacity	l	22
Container material	Plastic	
Motor rating	W	1350
Standard nominal size	DN 35	
Cable length	m	6
Sound level	dB(A)	72
Quantity of motors	1	
Weight	kg	6,1
Dimensions (L x W x H)	mm	380 × 372 × 503

Equipment

Suction hose	m	1,9 / with bend
Suction Tube	piece(s) × m	2 × 0,5 / Metal
Filter bag	piece(s)	1 / Fleece
Wet and dry floor tool	mm	300
Crevice nozzle	■	
Connector for electric tools	■	
Automatic on/off control for electric power tools	■	
Cartridge filter	PES	
Filter cleaning	ApClean (semi-automatic filter cleaning system)	
Safety class	I	
Caster with brake	■	

■ Included in delivery.

NT 22/1 AP TE L

1.378-612.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Cartridge filter PES									
	1	2.889-219.0	1 piece(s)					Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
Plastic bend									
	2	2.889-199.0	1 piece(s)	35				Plastic elbow, grey, with C-35 clip system.	■
	3	2.889-148.0	1 piece(s)	35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
	4	2.889-168.0	1 piece(s)	35				Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
	5	2.889-170.0	1 piece(s)	35				Ergonomic bend for the new clip system.	□
All-purpose nozzles (wet/dry)									
	6	2.889-263.0	1 piece(s)	35		300 mm		Wet/Dry floor nozzle, NW 35, 300 millimetre wide, grey. Incl. brush strips and squeegees. Easy-to-change inserts.	■
	7	2.889-152.0	1 piece(s)	35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	□
Suction tubes metal									
	8	6.902-074.0	1 piece(s)	35	505 mm			Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	■
Fleece filter bags (3 ply)									
	9	2.889-217.0	5 piece(s)					Fleece filter bag, tear-resistant, for NT 22/1 Ap and NT 22/1 Ap Te machines. Dust class-L-certified.	□
Other									
	10	2.889-312.0							□
	11	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	□
Car cleaning nozzles									
	12	6.906-108.0	1 piece(s)	35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
Crevice nozzles									
	13	2.889-159.0	1 piece(s)	35	225 mm			Crevice nozzle ID 35, for new Tact range.	□
Suction tubes stainless steel									
	14	2.889-175.0	2 piece(s)	35	505 mm			Stainless steel suction tube set, NW 35, 2-part, each 0.55 millimetres.	□
Suction tubes plastic									
	15	2.889-218.0	2 piece(s)	35	505 mm			Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	□

■ Included in delivery. □ Available accessories.


NT 22/1 AP TE L 1.378-612.0



		Order Number	Anzahl	Nennweite	Länge	Price	Description	
Suction hoses complete (Clip-system)								
Suction hose	1	2.889-134.0	1 piece(s)	35	2,5 m			<input type="checkbox"/>
Electrically conductive suction hose	2	2.889-136.0	1 piece(s)	35	2,5 m			<input type="checkbox"/>
Extension hoses (Clip-system)								
Extension hose packaged NW35 2.5m	3	2.889-145.0	1 piece(s)	35	2,5 m			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 22/1 AP TE L 1.378-612.0



		Order Number	Anzahl	Nennweite			Price	Description	
Connecting sleeve C-DN (clip on taper), EL (electroconductive)									
Connection cone NW35	1	5.407-005.0							<input type="checkbox"/>
Connection cone NW40	2	5.407-006.0							<input type="checkbox"/>
Adapter for electric power tools, clip on, el.									
Sleeve electrically conducting packaged	3	2.889-151.0	1 piece(s)	35					<input type="checkbox"/>

■ Included in delivery. □ Available accessories.