



NT 22/1 AP TE L*110v

The NT 22/1 Ap is the new Professional entry class of wet and dry vacuum cleaners. It offers professional quality and provides the ideal cleaning solution to tradesmen.



1 Lightweight with compact dimensions

■ The machine is easy and convenient to transport and store.

3 Moisture-resistant PES cartridge filter

It is possible to change from wet to dry vacuum cleaning easily without having to dry the PES cartridge filter first.

2 Semi-automatic filter cleaning system

Semi-automatic filter cleaning effectively ensures constantly high suction power.

4 Socket for electric tools (with automatic start-up)

- The appliance's socket acts as a "remote control" for the vacuum
- The vacuum cleaner starts automatically when the attached electric tool is started.

TECHNICAL DATA AND EQUIPMENT.





NT 22/1 AP TE L *110v

- Efficient semi-automatic filter cleaning
- Socket with automatic start-up for electric tools
- Moisture-resistant PES cartridge filter

Order Homber		1.570 014.0
EAN code		4054278290546
Current type	Ph / V / Hz	1 / 120 - 120 / 50 - 60
Air flow	I/s	71
Vacuum	mbar / kPa	245 / 24,5
Container capacity	Ţ	22
Container material		Plastic
Motor rating	W	1200
Standard nominal size		DN 35
Cable length	m	6
Sound level	dB(A)	72
Quantity of motors		1
Weight	kg	6,7
Dimensions (L x W x H)	mm	380 × 372 × 503
Equipment		
Suction hose	m	1,9 / with bend
Suction Tube	piece(s) × m	2 × 0,5 / Metal
Filter bag	piece(s)	1 / Fleece
Wet and dry floor tool	mm	300
Crevice nozzle		I .
Connector for electric tools		I .
Automatic on/off control for electric power tools		•
Cartridge filter		PES
Filter cleaning		ApClean (semi-automatic filter cleaning system)
Safety class		
Caster with brake		I .
■ Included in delivery.		

■ Included in delivery.

Technical data

NT 22/1 AP TE L *110V 1.378-614.0































									_
		Order Number	Quantity	ID	Length	Width	Price	Description	
Cartridge filter PES					1	l .			۲
Cartridge filter packaged PES	1	2.889-219.0	1 piece(s)					Moisture-resistant PES cartridge filter for wet and dry vacu- um cleaning. Dust class L-certified.	ı
Plastic bend									
Elbow packaged NW35 1K	2	2.889-199.0	1 piece(s)	35				Plastic elbow, grey, with C-35 clip system.	ı
Elbow electrically conducting packaged N	3	2.889-148.0	1 piece(s)	35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	
Elbow complete packaged NW35 2K	4	2.889-168.0	1 piece(s)	35				Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	
Elbow packaged NW35 2K	5	2.889-170.0	1 piece(s)	35				Ergonomic bend for the new clip system.	[
All-purpose nozzles (wet/dry)									
Floor tool packaged grey DN 35 300mm	6	2.889-263.0	1 piece(s)	35		300 mm		Wet/Dry floor nozzle, NW 35, 300 millimetre wide, grey. Incl. brush strips and squeegees. Easy-to-change inserts.	ı
Floor tool packaged NW35 360mm	7	2.889-152.0	1 piece(s)	35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	[
Suction tubes metal									
Suction tube chromed NW35 - 505mm	8	6.902-074.0	1 piece(s)	35	505 mm			Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	ı
Fleece filter bags (3 ply)									
Filter bags fleece 5ST	9	2.889-217.0	5 piece(s)					Fleece filter bag, tear-resistant, for NT 22/1 Ap and NT 22/1 Ap Te machines. Dust class-L-certified.	[
Other									
Adapter old packaged NW35	10	2.889-312.0							[
Drilling dust tool	11	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	
Car cleaning nozzles		1	1		_				
Car nozzle DN35	12	6.906-108.0	1 piece(s)	35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
Crevice nozzles		1		1					
Crevice nozzle wet and dry pa- ckaged NW35	13	2.889-159.0	1 piece(s)	35	225 mm			Crevice nozzle ID 35, for new Tact range.	[
Suction tubes stainless steel		1							
Suction tube stainless steel two parts N	14	2.889-175.0	2 piece(s)	35	505 mm			Stainless steel suction tube set, NW 35, 2-part, each 0.55 millimetres.	[
Suction tubes plastic									
Set suction tube DN35 505mm	15	2.889-218.0	2 piece(s)	35	505 mm			Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	
■ Included in delivery. □ Ava	ailabl	e accessories.							

[■] Included in delivery.

□ Available accessories

NT 22/1 AP TE L *110V 1.378-614.0









		Order Number	Anzahl	Nennweite	Länge	Price	Description
Suction hoses complete (Clip-syste	m)						
Suction hose	1	2.889-134.0	1 piece(s)	35	2,5 m		
Electrically conductive suction hose	2	2.889-136.0	1 piece(s)	35	2,5 m		
Extension hoses (Clip-system)							
Extension hose packaged NW35 2.5m	3	2.889-145.0	1 piece(s)	35	2,5 m		

[■] Included in delivery.

Available accessories.

NT 22/1 AP TE L *110V 1.378-614.0









									.		
		Order Number	Anzahl	Nennweite			Price	Description			
Connecting sleeve C-DN (clip on tap	Connecting sleeve C-DN (clip on taper), EL (electroconductive)										
Connection cone NW35	1	5.407-005.0									
Connection cone NW40	2	5.407-006.0									
Adapter for electric power tools, cli	ip on, e	el.									
Sleeve electrically conducting packaged	3	2.889-151.0	1 piece(s)	35							

[■] Included in delivery.

Available accessories.