PORCELAIN AND SANDSTONE PAVING

New expanded range | 2021

grsbp.co.uk



New for 2021

Since successfully launching a collection of high quality paving ranges, we are now expanding our offering for 2021 together with further products scheduled for release later in the year.

GRS Building Products Ltd Carlton House I, 66-68 High Street Houghton Regis, Bedfordshire, LU5 5BJ

T: 0845 250 0793 E: info@grsbp.co.uk W: www.grsbuildingproducts.co.uk




Our paving by range

ITALIAN PORCELAIN

P.7

Our ever expanding Porcelain paving range offers a stunning, contemporary feel and the usual high quality you would expect from an Italian product. Available in various sizes and colour options to suit a variety of projects. Suitable for both indoor and outdoor use.



P.17

Note - product images shown here are to scale.

and by colour group....

INDIAN LIMESTONE

With a neat sawn edge, our Limestone products offer a more contemporary finish compared with the Sandstone. Available in patio packs and suitable for both indoor and outdoor use.




INDIAN SANDSTONE

A more traditional, variable hand-cut product which is available in patio packs and suitable for indoor and outdoor use.




-

Black/Dark Grey



Mid Grey



Light Grey/White



Beige



Green/Yellow



Brown/Red





QuartziteTranquilityImage: Strain St







Wood





ITALIAN PORCELAIN >

Porcelain has a number of great properties which make it an ideal material for paving. The main advantage being, the surface exhibits extremely low water absorption and therefore lends itself as an ideal substrate for modern exterior landscaping projects. Due to porcelain versatility it can be laid internally and externally giving a seamless contemporary finish.



"A stunning modern finish that sits beautifully together with more traditional materials."

ITALIAN PORCELAIN - ULTRA ASPEN



ULTRA ASPEN GRIGIO 600x600^{MM}



Thickness:

Italian

20^{MM}

20^{MM}

20^{MM}

600x600^{MM}



ULTRA ASPEN BIANCO

Specification

Colour	Qty per Pallet	Paver Size MM	Pallet Coverage M ²
ANTHRACITE	60	600 x 600	21.60
GRIGIO	60	600 x 600	21.60
BIANCO	60	600 x 600	21.60

Example layouts







"Our popular Ultra Aspen range, in a new rectangular format."

Ultra Aspen Grigio

NEW

ITALIAN PORCELAIN - ULTRA ASPEN (NEW SIZE)









NEW

Thickness:

20^{MM}

20™

Specification

Colour	Qty per Pallet	Paver Size MM	Pallet Coverage M ²
ANTHRACITE	30	600 x 1200	21.60
GRIGIO	30	600 x 1200	21.60

RECTIFIED

INDOOR USE

V2 VARIANCE

Example layouts







GRS BUILDING PRODUCTS LTD | Tel: 0845 250 0793 / Email: info@grsbp.co.uk / www.grsbuildingproducts.co.uk

OUTDOOR USE

"A texture and speckle finish that matches the look of natural granite with all the benefits of Porcelain."

Granite White

ITALIAN PORCELAIN - GRANITE



11

GRANITE BLACK 400x800^{MM}





20^{MM}



GRANITE GREY 400x800^{MM}



20^{MM}

GRANITE WHITE

400x800^{MM}



12.47 我们在自己的问题,我们就是不是自己的问题。 **20**^{MM}

Specification

Colour	Qty per Pallet	Paver Size MM	Pallet Coverage M ²
BLACK	54	400 x 800	17.28
GREY	54	400 x 800	17.28
WHITE	54	400 x 800	17.28

Example layouts

2.00		
		1
		C. Sel
19-20		





"Carmen will add flare and sophistication to any landscaping project."

Carmen Beige

ITALIAN PORCELAIN - CARMEN





Thickness:

22 20^{MM}



20^{MM}

CARMEN BEIGE 400x800^{MM}



CARMEN GREY 400x800^{MM}

Italian

20^{MM}

Specification


Colour	Qty per Pallet	Paver Size MM	Pallet Coverage M ²
ANTHRACITE	54	400 x 800	17.28
BEIGE	54	400 x 800	17.28
GREY	54	400 x 800	17.28

RECTIFIED

INDOOR USE

V3 VARIANCE

Example layouts







GRS BUILDING PRODUCTS LTD | Tel: 0845 250 0793 / Email: info@grsbp.co.uk / www.grsbuildingproducts.co.uk

13

OUTDOOR USE

"Frame is a modern contemporary finish, imitating Limestone with all the benefits of Porcelain."

Frame Gle<u>n</u>

ITALIAN PORCELAIN - FRAME

450x900^{MM}

Italian





Thickness:

20^{MM}

20^{MM}

FRAME RIVER



20^{MM}

FRAME GROOVE 450x900^{MM}



Colour	Qty per Pallet	Paver Size MM	Pallet Coverage M ²
GLEN	48	450 x 900	19.44
RIVER	48	450 x 900	19.44
GROOVE	48	450 x 900	19.44

RECTIFIED

INDOOR USE

V3 VARIANCE

Example layouts







GRS BUILDING PRODUCTS LTD | Tel: 0845 250 0793 / Email: info@grsbp.co.uk / www.grsbuildingproducts.co.uk

OUTDOOR USE

"Brit Stone takes on inspiration from English slate, a stunning design and texture. This range adds an abundance of elegance to any landscaping project."

Stone Ocea

BRIT STONE SAND

600x900^{MM}

Italian



BRIT STONE OCEAN

600x900^{MM}



Example layouts








Italian

Thickness:

20^{MM}

20™

20™



"Quartzite is full of character and elegance, a full-bodied porcelain tile that beautifully replicates its natural form."

Quartzite Sabbia

ITALIAN PORCELAIN - QUARTZITE





Thickness:

20^{MM}

QUARTZITE CENERE 600x1200^{MM}

20^{MM}



QUARTZITE SABBIA

600x1200^{MM}

20^{MM}



Specification

Colour	Qty per Pallet	Paver Size MM	Pallet Coverage M ²
ARGENTO	20	600 x 1200	14.40
CENERE	20	600 x 1200	14.40
SABBIA	20	600 x 1200	14.40

RECTIFIED

INDOOR USE

V2 VARIANCE

Example layouts







GRS BUILDING PRODUCTS LTD | Tel: 0845 250 0793 / Email: info@grsbp.co.uk / www.grsbuildingproducts.co.uk

19

OUTDOOR USE

"Tranquility offers a subtle, yet beautifully modern finish available in a palette of in-vogue greys."


anquility Grey

NEW



NEW

ITALIAN PORCELAIN - TRANQUILITY







Thickness:

20^{мм}

20^{MM}

TRANQUILITY MOON 600x900^{MM}



V3 VARIANCE RECTIFIED INDOOR USE OUTDOOR USE

Specification

Colour	Qty per Pallet	Paver Size MM	Pallet Coverage M ²
SMOKE	50	600 x 900	27
GREY	50	600 x 900	27
MOON	50	600 x 900	27

Example layouts







GRS BUILDING PRODUCTS LTD | Tel: 0845 250 0793 / Email: info@grsbp.co.uk / www.grsbuildingproducts.co.uk

20^{MM}

NEW

"A contemporary paver which offers a level of sophistication to any outdoor space".

NEW

ITALIAN PORCELAIN - JURA





Thickness:

1.1 20^{MM}

NEW JURA GRAPHITE

600x1200^{MM}



20^{MM}

Specification

Colour	Qty per Pallet	Paver Size MM	Pallet Coverage M ²
GREY	30	600 x 1200	21.60
GRAPHITE	30	600 x 1200	21.60

RECTIFIED

INDOOR USE

V3 VARIANCE

Example layouts







GRS BUILDING PRODUCTS LTD | Tel: 0845 250 0793 / Email: info@grsbp.co.uk / www.grsbuildingproducts.co.uk

OUTDOOR USE

NEW

"Create a softer feel to any outdoor area with our wood effect Porcelain pavers. The beauty of timber without the need for year-round maintenance!"

Wood Brown



NEW

WOOD BROWN

PORCELAIN - WOOD



Thickness: 20^{MM} WOOD SAND 300x1200^{MM}



20^{MM}

NEW WOOD GREY 300x1200^{MM}

2816

20^{MM}

1000






25

Specification

Colour	Qty per Pallet	Paver Size MM	Pallet Coverage M ²
BROWN	72	300 x 1200	25.92
SAND	72	300 x 1200	25.92
GREY	72	300 x 1200	25.92

Example layouts









INDIAN LIMESTONE >

This ethically sourced natural finish product will give your landscaping project a unique appearance. Limestone's hard wearing properties make this product suitable for all applications.



"Offering a subtle riven appearance with exceptional beauty."

Kadappa Black Limestone

INDIAN LIMESTONE

KADAPPA BLACK

PATIO PACK (CONSISTING OF 4 SIZES)



Specification

Colour	Pack/Size info	Coverage M ²
BLACK	Patio Pack	15.2*

CALIBRATED

INDOOR USE

SAWN EDGE

*Based on an installation with a 12mm joint.

A GRS Patio Pack consists of 60 pavers in the following size/qty breakdown:

290 x 290^{MM} x 12 Pcs 600 x 290^{MM} x 16 Pcs 600 x 600^{MM} x 16 Pcs 900 x 600^{MM} x 16 Pcs

We go beyond

OUTDOOR USE



INDIAN SANDSTONE >

This calibrated Indian sandstone gives all the benefits of a modern manufactured product but all the characteristics of traditional sandstone.



Kandla Grey Sandstone

INDIAN SANDSTONE

KANDLA GREY

PATIO PACK



600x600^{MM}



600x900^{MM}



600x290^{MM}



290x290^{MM}

Specification

Colour	Pack/Size info	Coverage M ²
KANDLA GREY	PATIO PACK	18.97*

*Based on an installation with a 12mm joint.

Example layout

A GRS **Patio Pack** consists of 60 pavers in the following size/qty breakdown:

 $\begin{array}{c} 290 \times 290^{\text{MM}} \times 12 \; \text{Pcs} \\ 600 \times 290^{\text{MM}} \times 16 \; \text{Pcs} \\ 600 \times 600^{\text{MM}} \times 16 \; \text{Pcs} \\ 900 \times 600^{\text{MM}} \times 16 \; \text{Pcs} \end{array}$



GRS BUILDING PRODUCTS LTD | Tel: 0845 250 0793 / Email: info@grsbp.co.uk / www.grsbuildingproducts.co.uk

Thickness:

22^{мм}





INDIAN SANDSTONE





600x600^{MM}

Thickness:

22[™]



600x900^{MM}



600x290^{MM}



290x290^{MM}

Specification

Colour	F	Pack/Size info	Coverage M ²
MINT		PATIO PACK	18.97*

*Based on an installation with a 12mm joint.

Example layout



A GRS **Patio Pack** consists of 60 pavers in the following size/qty breakdown:

 $\begin{array}{c} 290 \times 290^{\text{MM}} \times 12 \; \text{Pcs} \\ 600 \times 290^{\text{MM}} \times 16 \; \text{Pcs} \\ 600 \times 600^{\text{MM}} \times 16 \; \text{Pcs} \\ 900 \times 600^{\text{MM}} \times 16 \; \text{Pcs} \end{array}$







INDIAN SANDSTONE



PATIO PACK



600x600^{MM}



600x900^{MM}

Thickness:

22^{мм}



600x290^{MM}



290x290^{MM}

Specification

Colour	Pack/Size info	Coverage M ²
RAJ GREEN	PATIO PACK	18.97*

*Based on an installation with a 12mm joint.

Example layout



A GRS **Patio Pack** consists of 60 pavers in the following size/qty breakdown:

290 x 290^{MM} x 12 Pcs 600 x 290^{MM} x 16 Pcs 600 x 600^{MM} x 16 Pcs 900 x 600^{MM} x 16 Pcs







INDIAN SANDSTONE





600x600^{MM}

Thickness:

22^{мм}



600x900^{MM}



600x290^{MM}



290x290^{MM}

Specification

Colour	Pack/Size info	Coverage M ²
BUFF	PATIO PACK	18.97*

*Based on an installation with a 12mm joint.

Example layout



A GRS **Patio Pack** consists of 60 pavers in the following size/qty breakdown:

290 x 290^{MM} x 12 Pcs 600 x 290^{MM} x 16 Pcs 600 x 600^{MM} x 16 Pcs 900 x 600^{MM} x 16 Pcs







INDIAN SANDSTONE

AUTUMN BROWN

PATIO PACK



600x600^{MM}



2

600x900^{MM}

Thickness:

22^{мм}



41

Specification

Colour	Pack/Size info	Coverage M ²
AUTUMN BROWN	PATIO PACK	18.97*

*Based on an installation with a 12mm joint.



290x290^{MM}

600x290^{MM}

Example layout



A GRS **Patio Pack** consists of 60 pavers in the following size/qty breakdown:

 $\begin{array}{c} 290 \times 290^{\text{MM}} \times 12 \; \text{Pcs} \\ 600 \times 290^{\text{MM}} \times 16 \; \text{Pcs} \\ 600 \times 600^{\text{MM}} \times 16 \; \text{Pcs} \\ 900 \times 600^{\text{MM}} \times 16 \; \text{Pcs} \end{array}$



General product information

Sandstone

Sandstone needs to be handled carefully when being installed to minimise staining. All sandstone products have variations of colour and can contain small particles of ironstone within the product creating a darkening of the surface with

natural weathering. GRS accept no responsibility for its occurrence.

Limestone

Indian Black limestone is a UV sensitive product. Over time you may see a lightening of the surface. GRS accept no responsibility for its occurrence. We recommend using a non-acidic based sealer prior to installing or immediately after installing.

Porcelain

All GRS porcelain paving is manufactured to a minimum R11 slip rating, suitable for outdoor use. When installing porcelain paving, we recommend using a slurry primer on the underside of each paver, which provides a bond between the paver and the wet bed underneath. Use of a slurry primer is critical to the overall performance of GRS porcelain. We recommended the newly laid area be thoroughly cleaned/washed to help remove dirt and any grout residue. We also recommend periodic cleaning with a porcelain cleaner to help keep GRS porcelain looking its best.

Efflorescence

Efflorescence is a natural chemical reaction between calcium hydroxide and carbon dioxide resulting in calcium carbonate crystal. Efflorescence can appear on all paving products and can happen at any time and will generally disappear over a period of time. Efflorescence does not cause any detrimental impact to the performance of the paver and GRS accept no responsibility for its occurrence.

Maintenance

Paving materials require periodic cleaning and regular sweeping to maintain their appearance. Sweeping also helps prevent the build-up of dirt and debris. Cleaning agents are widely available. Care should be taken when buying cleaning agents, as some cleaning products contain acid, which can permanently affect the appearance of the paver.

Weathering

Site conditions and weathering can differ and can occasionally cause variations in colour to appear. Natural stone can develop markings and other deposits as mineral oxidises.

All paving products can develop algae and organic growth under environmental conditions and may require cleaning.

GRS accepts no responsibility for any of the above conditions.

Colour/size Variations

Paving colours shown in this brochure are as accurate as photographic and printing processes will allow. We recommend choosing a colour from a physical sample. All natural goods supplied by the Seller are subject to natural and geological variations in markings, colour, texture, cracks and vents, which are beyond the control of the Seller. When purchasing materials for larger quantities, we recommend that they all come from the same batch and are mixed between a minimum of 3 packs. All dimensions given are nominal and subject to manufacturing tolerances.

Installation

The Seller recommends that the Purchaser employ only the services of a qualified and experienced Tiler in the storage, handling, laying and sealing of allnatural stone and porcelain floor tiles. The Seller also recommends that the Purchaser use a good quality flexible adhesive and grout. Natural stone tiles must be sealed using a good quality and reputable branded sealant.

Health and Safety

Installing paving can be dangerous if appropriate health and safety measures are not taken. Paving products are heavy. Ensure that you take care when handling any of the products to limit the risk of personal injury and/or damage to the product.

Goods

All paving should be inspected upon delivery and any concerns raised with GRS prior to installation. Once the goods have been installed, they cannot be returned under any circumstances.

Please refer to GRS Building Products Limited Terms and Conditions of Sale for further detail.



PORCELAIN AND SANDSTONE PAVING

New expanded range | 2021

HIHMAN STRUCT

ALLER REP.

AMANDARMAN Aller Martin

Constants antion

dimman of

GRS Building Products Ltd Carlton House I, 66-68 High Street Houghton Regis, Bedfordshire, LU5 5BJ

T: 0845 250 0793 E: info@grsbp.co.uk W: www.grsbuildingproducts.co.uk



