TRU FLOOR

Roberto Paoli

Floor lamp with body in extruded aluminium, heads and base in diecasted aluminium, diffusers in opal and transparent metacrylate.

Structure painted in matt white, matt black and titan grey. The uplight LED source provides an uplight warm and diffused flood, while the back LED creates an indirect ambient lighting. Double dimmable.



NEMO - www.nemolighting.com

LED 2700K

LAMPING

Source linear LED + LED board

Total power 41W + 16W

Emission up + back, indirect

Switching double dimming, push on board

Tension 110/240V Color temperature 2700K

Luminous flux 4080lm + 2660lm

Typ cri 83 Energy class A+

Materials aluminium + PC

Notes cable lenght 3,3m, push on board

Codes Structure

TRU LGG 25 gold painted
TRU LNN 25 black/white
TRU LWW 25 white/white
TRU LDD 25 titan grey/white

PACKAGE

Package 0128x26x20 cm / Gross weight: 8 KgPackage 0222x17x191 cm / Gross weight: 4 Kg

Certificazioni

C € ERI



LED 3000K

LAMPING

Source linear LED + LED board

Total power 41W + 16W

Emission up + back, indirect

Switching double dimming, push on board

Tension 110/240V Color temperature 3000K

Luminous flux 4080lm + 2660lm

Typ cri 83 Energy class A+

Materials aluminium + PC

Notes cable lenght 3,3m, push on board

Codes Structure

TRU LGG 24 gold painted
TRU LNN 24 black/white
TRU LWW 24 white/white
TRU LDD 24 titan grey/white

PACKAGE

Package 0128x26x20 cm / Gross weight: 8 KgPackage 0222x17x191 cm / Gross weight: 4 Kg

Certificazioni

C € ERI

