



---

## Premium Artificial Hinged Christmas Trees (5ft/150 cm, 6ft/180cm, 7ft/210cm)



### **Model No.s DH44 / DH45 / DH46**

Thank you for purchasing a Dellonda product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

## Important Information

Please read these instructions carefully and note any safe operational requirements, warnings & cautions. Use the product correctly and with care for the purpose for which it is intended. Failure to do so may cause damage and/or personal injury and will invalidate the warranty. Keep these instructions safe for future use.



Refer to  
instructions



Indoor use  
only



Warning:  
Keep away from  
naked flames  
material

### SAFETY

- **WARNING!** Keep item away from naked flames and other heat sources.
- Mount on firm, level and slip-free surface.
- Load tree decorations uniformly to ensure stability.
- **DO NOT** overload branches or force branch sections down.
- **DO NOT** leave young children or pets alone with the tree.

### INTRODUCTION


- Premium Christmas trees. These Christmas trees are made up of **PE/PVC** branch tips giving a natural and realistic look and feel. Features hinged branches making these trees incredibly easy to assemble and store away. The trees also include a strong sturdy metal base, which folds away for easy storage. Suitable for indoor use only.

### SPECIFICATION

	DH44	DH45	DH46
Height	150cm (5ft)	180cm (6ft)	210cm (7ft)
Width	889mm (35")	1092mm (43")	1245mm (49")
Tip Style	PE/PVC Mix	PE/PVC Mix	PE/PVC Mix
No. of Tips	772	1224	1480
Tip Width	5.7cm (2.25")	5.7cm (2.25")	5.7cm (2.25")
Construction	Hinged	Hinged	Hinged
Colour	Green	Green	Green

## OPERATION

- Unpack tree sections and check condition of all parts. If in doubt, **DO NOT** use.
- Unpack metal stand arrangement and open out to form a 90° cross. Engage first few threads of locking screw into tapped hole in stand tube.
- Assemble tree sections into the base, starting with the largest, lowermost section (fig.1).
- Locate square spigot on stem into hole in stand tube. Tighten locking screw to fix tree section in place and to lock the stand in cross form.
- Locate upper section into lower section using the square spigot (fig.1).
- Arrange branches to achieve desired effects by gently arranging, separating and straightening as appropriate.
- When storing the tree, after removing any decorations, unscrew the locking screw at the base and separate the sections. Fold back branches to the stem
- Fold and close the stand and place, along with tree sections and locking screw in original packing.



## Environment Protection

Recycle unwanted packaging materials. When this product is no longer required, or has reached the end of its useful life, please dispose of it in an environmentally friendly way. Drain any fluids (if applicable) into approved containers, in accordance with local regulations. It is our policy to continually improve products and we reserve the right to alter data, specifications and parts without prior notice. No liability is accepted for incorrect use of this product. Guarantee is 12 months from purchase date, proof of which is required for any claim.

## Dellonda Limited

Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR



01284 757575



support@dellonda.co.uk



www.dellonda.co.uk