

Copper Carbonate

SDS Revision Date (mm/dd/yyyy): 08/08/2018

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on th	e label	
	: Copper Carbonate	
Other means of identification	: None reported.	
Recommended use of the ch	emical and restrictions on use	
	: Commercial use Restriction on use: None known	
Chemical family	Inorganic copper compound	
Name, address, and telepl	ione number	Name, address, and telephone number of
of the supplier:		the manufacturer:
World Metal, L.L.C.		Refer to supplier
10701 Corporate Drive Suite 184 Stafford, TX, USA 77477		
Supplier's Telephone #	: 281-491-7474	
24 Hr. Emergency Tel #	: PERS: North America 1-800-63 Contract number: 8027	3-8253; International: +1-801-629-0667

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Light green powder. Odourless.

Most important hazards This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Hazard classification:

Acute toxicity - Oral - Category 4

Label elements

Hazard pictogram(s)



Signal Word

Warning! Hazard statement(s)

Harmful if swallowed.

Precautionary statement(s)

Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth.

Dispose of contents/container in accordance with local regulation.

Page 1 of 9



Copper Carbonate SDS Revision Date (mm/dd/yyyy): 08/08/2018

Page 2 of 9

SAFETY DATA SHEET

Other hazards

Other hazards which do not result in classification:

Ingestion may cause irritation of the mouth, throat and stomach. Ingestion of product may result in metal fume fever, a flu - like illness.

Environmental precautions:

Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

Chemical name	Common name and synonyms	CAS #	Concentration (% by weight)	
Copper Carbonate	Cupric carbonate; Copper (II) Carbonate	12069-69-1	98.0 - 100.0	
SECTION 4. FIRST-AID MEASURES				

Description of first aid measures

Description of first ald meas	ures				
Ingestion	: IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Do not induce vomiting. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person.				
Inhalation	: Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Call a physician if irritation develops or persists.				
Skin contact	: Wash affected areas with soap and water. Get medical attention if irritation develops and persists.				
Eye contact	: Flush with large amounts of water for 15 minutes. If irritation or symptoms develop, seek medical attention.				
Most important symptoms and effects, both acute and delayed					
	: Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of product may result in metal fume fever, a flu - like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath. Direct contact with eyes may cause temporary irritation. Inhalation of dusts may cause respiratory irritation.				
Indication of any immediate medical attention and special treatment needed					

: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

xtinguishing media
Suitable extinguishing media
 Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.
Unsuitable extinguishing media
: Do not use a solid water stream as it may scatter and spread fire.
pecial hazards arising from the substance or mixture / Conditions of flammability
 None known or reported by the manufacturer.
lammability classification (OSHA 29 CFR 1910.106)
: Not flammable.
lazardous combustion products
: Copper oxides, Carbon oxides, and irritating fumes and smoke
pecial protective equipment and precautions for firefighters Protective equipment for fire-fighters



Copper Carbonate SDS Revision Date (mm/dd/yyyy): 08/08/2018

Page 3 of 9

SAFETY DATA SHEET

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. A full-body chemical resistant suit should be worn.

Special fire-fighting procedures

: Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Environmental precautions Methods and material for co	:	For large spills, dike the area to prevent spreading.	
	:	Ventilate the area. Prevent further leakage or spillage if safe to do so. Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Contact the proper local authorities.	
Special spill response proce	Special spill response procedures		
	:	If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone:	

1-800-424-8802).

US CERCLA Reportable quantity (RQ): None reportable.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handlin	g	
	:	Use in a well-ventilated area. Wear chemically resistant protective equipment during handling. Avoid breathing dust and fume. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Keep away from acids and other incompatibles. Label containers appropriately. Wash thoroughly after handling. Keep containers closed when not in use.
Conditions for safe storage	:	Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
Incompatible materials	:	Strong acids.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	ACGIH	<u>rlv</u>	<u>OSHA P</u>	EL
	TWA	<u>STEL</u>	PEL	<u>STEL</u>
Copper Carbonate	0.1 mg/m³ (fume) (as Cu); 1 mg/m³ (dust and mist, as Cu)	N/Av	0.2 mg/m³ (fume) (as Cu); 1 mg/m³ (dust and mist, as Cu)	N/Av

Exposure controls



Copper Carbonate

SDS Revision Date (mm/dd/yyyy): 08/08/2018

Page 4 of 9

SAFETY DATA SHEET

Ventilation and engineering measures

	:	Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapours below their respective threshold limit value.
Respiratory protection	:	Respiratory protection is required if the concentrations exceed the TLV. Use a NIOSH approved dust respirator if dust levels exceed exposure limits. Seek advice from respiratory protection specialists.
Skin protection	:	Where contact is likely, impervious gloves are recommended. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye / face protection	:	Chemical goggles must be worn to prevent dusts from entering the eyes.
Other protective equipment	:	Wear sufficient clothing to prevent skin contact. An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.
General hygiene consideration	on	5
	:	Avoid breathing dust and fume. Avoid contact with skin, eyes and clothing. Do not eat,

Avoid breatning dust and tume. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Light green powder.
Odour	: Odourless.
Odour threshold	: No information available.
рН	: No information available.
Melting Point/Freezing point	: No information available.
Initial boiling point and boilin	g range
	: 333.6°C (632.5°F)
Flash point	Not Applicable (Does not burn)
Flashpoint (Method)	: Not applicable.
Evaporation rate (BuAe = 1)	No information available.
Flammability (solid, gas)	: The product is not flammable.
Lower flammable limit (% by	·
	: Not applicable.
Upper flammable limit (% by	vol.)
	: Not applicable.
Oxidizing properties	: None known.
Explosive properties	: Not explosive
Vapour pressure	: No information available.
Vapour density	: No information available.
Relative density / Specific gra	avity
	: 3.48
Solubility in water	: Insoluble.
Other solubility(ies)	: No information available.
Partition coefficient: n-octane	ol/water or Coefficient of water/oil distribution
	: No information available.
Auto-ignition temperature	: No information available.
Decomposition temperature	: > 200°C (> 392°F)
Viscosity	: No information available.
Volatiles (% by weight)	: No information available.
Volatile organic Compounds	(VOC's)
	: No information available.



Copper Carbonate SDS Revision Date (mm/dd/yyyy): 08/08/2018

Page 5 of 9

SAFETY DATA SHEET

Absolute	pressure	of	container
----------	----------	----	-----------

: Not applicable.

Flame projection length: Not applicable.Other physical/chemical comments

: No additional information.

SECTION 1	10. STABIL	JTY AND	REACTIVITY

Reactivity	:	Not normally reactive.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous rea	cti	ons
	:	Hazardous polymerization does not occur.
Conditions to avoid	:	Ensure adequate ventilation, especially in confined areas. Avoid contact with incompatible materials.
Incompatible materials	:	See Section 7 (Handling and Storage) for further details.
Hazardous decomposition p	ro	ducts
	:	None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation	:	YES
Routes of entry skin & eye	:	YES
Routes of entry Ingestion	:	YES
Routes of exposure skin abs	orp	otion

: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation	
------------------------------	--

	:	Inhalation of dust or fumes may cause irritation of the nose, throat and upper respiratory tract.
Sign and symptoms ingestic	n	
	:	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of product may result in metal fume fever, a flu - like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath.
Sign and symptoms skin	:	Direct contact may cause mild to severe irritation with possible burns.
Sign and symptoms eyes	:	Direct eye contact may cause slight or mild, transient irritation.
Potential Chronic Health Eff	ect	5
	:	Prolonged or repeated contact may cause drying, cracking and defatting of the skin. Prolonged or repeated overexposure may cause liver, kidney and blood system effects.
Mutagenicity	:	Not expected to be mutagenic in humans.
Carcinogenicity	:	No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.
Reproductive effects & Tera	tog	enicity
	:	Not expected to have other reproductive effects.
Sensitization to material	:	Not expected to be a skin or respiratory sensitizer.



Copper Carbonate

SDS Revision Date (mm/dd/yyyy): 08/08/2018

Page 6 of 9

SAFETY DATA SHEET

Specific target organ effect Medical conditions aggra	This material is classified as hazardous under U.S. OSH 1910.1200) (Hazcom 2012) and Canadian WHMIS regu Regulations) (WHMIS 2015).	0 (
	Pre-existing skin, eye and respiratory disorders.	
Synergistic materials	No information available.	
Toxicological data	See below for toxicological data on the substance.	
	LC50(4hr)	D50

	LC₅₀(4hr)	LD	50
Chemical name	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Copper Carbonate	N/Av	1291 mg/kg	> 2000 mg/kg

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Do not release, unmonitored, into the environment.

Ecotoxicity data:

la ura dia ata	040#		Toxicity to Fish				
<u>Ingredients</u>	CAS #	LC50 / 96h	NOEC / 21 day	M Factor			
Copper Carbonate 12069-69-1		N/Av	N/Av	None.			

Ingredients	CAS #	Toxicity to Daphnia			
		EC50 / 48h	NOEC / 21 day	M Factor	
Copper Carbonate	12069-69-1	N/Av	N/Av	None.	

Ingredients	CAS #	То		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Copper Carbonate	12069-69-1	N/Av	N/Av	None.
Persistence and degradabili	•	ailable on the product itse	elf.	
Bioaccumulation potential	: No data is ava	ailable on the product itse	elf.	
<u>Components</u>	Partition coe	fficient n-octanol/water	(log Kow) <u>Bioconcentra</u>	tion factor (BCF)
Mobility in soil Other Adverse Environment	al effects	ailable on the product itse ailable on the product itse		



Copper Carbonate

SDS Revision Date (mm/dd/yyyy): 08/08/2018

Page 7 of 9

SAFETY DATA SHEET

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal	:	Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapour) and can be dangerous.
Methods of Disposal	:	Dispose in accordance with all applicable federal, state, provincial and local regulations.
RCRA	:	If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	None.	Not regulated.	not regulated	none	\bigotimes
TDG Additional information	None.	1			
49CFR/DOT	None.	Not regulated.	not regulated	none	\bigotimes
49CFR/DOT Additional information	None.	<u> </u>			

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: This information is not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

		TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Se 372, Specific To	,	
Ingredients CAS #	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration		
Copper Carbonate	12069-69-1	Yes	N/Ap	N/Av	No	N/Ap	

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes:Acute toxicity.Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.



Copper Carbonate SDS Revision Date (mm/dd/yyyy): 08/08/2018

Page 8 of 9

SAFETY DATA SHEET

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Copper Carbonate	12069-69-1	No	N/Ap	No	No	No	No	No	No

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).Refer to Section 2 for a WHMIS Classification for this product.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Copper Carbonate	12069-69-1	235-113-6	Present	Present	(1)-130	KE-08907	Present	HSR003151

SECTION 16. OTHER INFORMATION

Legend	ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation ERAP: Emergency Response Assistance Plan HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer Inh: Inhalation LC: Lethal Concentration LD: Lethal Dose MSHA: Mine Safety and Health Administration N/Ap: Not Applicable NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible exposure limit RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act & Regulations TLV: Threshold Limit Values TPQ: Threshold Planning Quantity TWA: Time Weighted Average TSCA: Toxic Substance Control Act WHMIS: Workplace Hazardous Materials Identification System



Copper Carbonate

SDS Revision Date (mm/dd/yyyy): 08/08/2018

Page 9 of 9

SAFETY DATA SHEET

References Preparation Date (mm/dd/yyy	 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016 2. International Agency for Research on Cancer Monographs, searched 2017 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2017(Chempendium, HSDB and RTECs). 4. Material Safety Data Sheets from manufacturer. 5. US EPA Title III List of Lists - 2017 version. 6. California Proposition 65 List - 2017 version. 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal,2017.
Reviewed Date SDS (dd/mm/y	: 03/21/2013
Revision No. Revision Information	 08/08/2018 2 (M)SDS sections updated: All sections modified.
Other special considerations	for handling : Provide adequate information, instruction and training for operators.



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by World Metal LLC. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and World Metal LLC expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and World Metal LLC.

END OF DOCUMENT