

## LTS Research Laboratories, Inc. Safety Data Sheet Iron Chromium Oxide

## 1. Product and Company Identification

Trade Name: Iron chromium oxide

Chemical Formula: FeCr<sub>2</sub>O<sub>4</sub>

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

## 2. Hazards Identification

Signal Word: Warning



Hazard Statements: H302+H332: Harmful if swallowed or if inhaled

H317: May cause an allergic skin reaction

Precautionary Statements: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing

P301+P312: IF SWALLOWED: Call a POISON CENTER or

doctor/physician if you feel unwell

P312: Call a POISON CENTER or doctor/physician if you feel unwell

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 2 Flammability: 0 Physical: 1

## 3. Composition

Chemical Family: Ceramic

Additional Names: Chromite, Iron(II) chromite

Iron chromium oxide (FeCr<sub>2</sub>O<sub>4</sub>):

Percentage: 100 wt% CAS #: 1308-31-2 EC #: 215-159-3

4. First Aid Procedures General Treatment: Seek medical attention if symptoms persist. Special Treatment: None Important Symptoms: None Remove victim to fresh air. Supply oxygen if breathing is difficult. Inhalation: Ingestion: Seek Medical Attention. Wash affected area with mild soap and water. Remove any Skin: contaminated clothing. Flush eyes with water, blinking often for several minutes. Remove Eyes: contact lenses if present and easy to do. Continue rinsing 5. Firefighting Measures Flammability: Non-flammable Extinguishing Media: No special restrictions – use suitable extinguishing agent for surrounding material and type of fire. Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products. 6. Accidental Release Measures If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. Isolate runoff to prevent environmental pollution. **Environmental Precautions:** 7. Handling and Storage **Handling Conditions:** Handle under dry protective gas. Wash thoroughly after handling. **Storage Conditions:** Store in a cool dry place in a tightly sealed container. Store under dry inert gas. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before Work/Hygienic Maintenance: eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below Ventilation: threshold limit. 8. Exposure Controls and Personal Protection Permissible Exposure Limits: 0.5 mg/m<sup>3</sup> as Cr, long-term value 0.5 mg/m<sup>3</sup> as Cr, long-term value Threshold Limit Value: Special Equipment: None **Respiratory Protection:** Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protective Gloves: Rubber gloves Safety glasses or goggles Eye Protection: Protective work clothing. Wear close-toed shoes and long **Body Protection:** 

sleeves/pants.

9. Physical and Chemical Characteristics	
Color	Metallic dark grey
Form:	Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	2190 - 2270 °C
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	4.97 g/cc
Molecular weight:	223.83 g/mol
Wiolectiai weight.	223.63 g/moi
	10. Reactivity
Stability:	Stable under recommended storage conditions
Reacts With:	Oxidizing agents
Incompatible Conditions:	None
Hazardous Decomposition Products:	Metal oxide fume
	11. Toxicological Information
Potential Health Effects:	
Eyes:	May cause irritation
Skin:	May cause irritation
Ingestion:	Harmful
Inhalation:	Harmful
Chronic:	N/A
Ciona & Crymptoma	N/A C-Research
Signs & Symptoms:	NUMBRONES INC.
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	N/A
Carcinogen:	N/A
	12. Ecological Information
Aquatic Toxicity:	Low
Persistent Bioaccumulation Toxicity:	No
Very Persistent, Very Bioaccumulative:	No
Notes:	N/A
	13. Disposal Considerations
Dispose of in accordance with local, state,	, national, and international regulations.
	14. Transportation Data
Hazardous:	Not hazardous for transportation.
Hazard Class:	N/A
Packing Group:	N/A
UN Number:	N/A
Proper Chinning Name:	N/A

N/A

Proper Shipping Name:

	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	Yes: Chromium oxide	
	16. Other Information	

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/10/2015

