

Industrial Systems Ltd.

Safety Data Sheet (SDS)

SAFETY DATA SHEET SDS Page 1 of 6

InfernalMelt Standard

Effective Date: 05/01/2016

1. IDENTIFICATION

Trade Name and Synonyms: **InfernalMelt Standard**

Chemical Name and Synonyms: Four Chloride Liquid, Calcium Dichloride, Calcium Chloride, Potassium Chloride, Magnesium Chloride, Sodium Chloride

Recommended Use: Roadway Ice Control, Road Base Stabilization, Dust Control

Product Information Hotline: 1-815-344-5566 (Monday - Friday 8:30 a.m. – 4:30 p.m. CST)

Manufacturer/Supplier: Industrial Systems Ltd.
112 Rand Rd.
Lakemoor, IL 60051 USA

2. HAZARDS IDENTIFICATION

GHS Symbol: Exclamation Mark



Hazard Classification of Chemical:

(GHS-US Eye Irritant)

(GHS-US Skin Irritant)

GHS Health Hazard Statement:

Causes skin irritation

Causes serious eye irritation

GHS Precautionary Statements – Prevention: Wear eye protection. Wear protective gloves.
Wash thoroughly after handling.

GHS Precautionary Statements – Response: If in eyes rinse thoroughly with water for several minutes. Removes contact lenses if present and continue rinsing. If irritation persists seek medical attention.

If on skin wash with water. If skin irritation persists seek medical attention.

GHS Signal Word: WARNING

Uses Advised Against: None identified

InfernalMelt Standard

Effective Date: 05/01/2016

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Weight % Range**
Water	69-76	N/A
Calcium Chloride	10043-18-5	N/A
Sodium Chloride	7647-14-5	N/A
Magnesium Chloride	7786-30-3	N/A
Potassium Chloride	1344-28-1	N/A
Proprietary Ingredient	Trade Secret	N/A

** Weight Range not listed due to composition is proprietary.

4. FIRST AID MEASURES

Inhalation: If respiratory tract irritation develops, move the person to a well ventilated location or open air. Get medical attention if the irritation continues.

Eye Irritation: If eyes become irritated, flush immediately with large amounts of lukewarm water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Do not rub eyes. Get medical attention if irritation persists.

Skin Irritation: If skin becomes irritated, remove soiled clothing. Do not rub or scratch exposed skin. Wash area of contact thoroughly with soap and water. Using a skin cream or lotion after washing may be helpful.

Ingestion: If swallowed rinse mouth with water. Do not induce vomiting. Seek medical attention if discomfort persists.

Most important Symptoms or Effects – Acute and Delayed

Inhalation: Cough, sore throat

Skin: Contact with skin may cause redness, itching, swelling and irritation. Skin that is damp, scratched, cut or covered by contaminated clothing, shoes or gloves may have a more severe reaction.

Ingestion: Sore throat, burning sensation, nausea, vomiting or increased thirst.

Recommendations for Medical Care and Special Treatments when Necessary: Do not induce vomiting. Swallowing may result in burns/ ulceration of mouth, stomach and lower gastrointestinal tract.

InfernalMelt Standard

Effective Date: 05/01/2016

5. FIRE FIGHTING MEASURES

This material does not burn. Use extinguishing agent appropriate for surrounding fire.

This material is not Combustible, Explosive or Flammable.

Firefighters: Use caution when fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protection for non-emergency personnel and emergency responders: Use appropriate protective gear to minimize exposure to skin, eyes and clothing.

Emergency Procedures: Isolate area. Keep non-necessary personnel away from area. Affected area may be slippery.

Methods and Materials for containment and cleanup: Contain spilled material if possible. Absorb spilled material with sand or other inert material and dispose of waste according to local, regional, state, federal and/or international regulations. Rinse residue with plenty of water.

Environmental Precautions: Prevent large spills from entering ditches, sewers, and waterways. See Section 12 for ecological information.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Avoid contact with eyes, skin and clothing. Do not swallow. Wash exposed areas with soap and water immediately after exposure and before eating, drinking, or smoking.

Recommendations for safe storage: Keep containers closed when not in use. Do not store in metal containers for long periods of time.

Incompatible Products: Corrosive bases, corrosive acids. Contact with zinc forms flammable hydrogen gas which can be explosive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Regulatory Exposure Limit: No Occupational Exposure Limits (OELs) have been established for this material or its components.

Engineering Controls: Use local exhaust ventilation or other controls to ensure exposure is below occupational limits, if limits are applicable. Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment: Control exposure with the following equipment

Eyes: Wear protective goggles or safety glasses

Hands and Skin: Wear chemical resistant gloves, such as neoprene, polyvinyl chloride (PVC or vinyl), Nitrile/butadiene (nitrile or NBR). Wear appropriate clothing to avoid skin contact.

InfernalMelt Standard

Effective Date: 05/01/2016

Respiratory: If exposure limits are exceeded or irritation or discomfort is experienced use an approved particulate respirator.

Other Advice: Use good personal hygiene. Do not consume or store food in the work area. Wash hands and skin immediately after handling, before eating or smoking, and at the end of the workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: Clear to light amber

Odor: None

Vapor Pressure: 17mmHg @ 72°F (22.2°C)

pH: 5-7

Relative Density: 1.27± 0.04

Freezing Point: -36°F (-37.8°C)

Water Solubility: Fully miscible

Boiling Point/Range: 212°F (100°C)

Flash Point: Not applicable

Auto-Ignition Temperature: Not applicable

Evaporation Rate: No data available

Decomposition Temperature: No data available

Flammability: Not applicable

Viscosity: No data available

Explosive limits: No data available

Upper/Lower flammability limits: No data available

Hygroscopic: Yes

Melting Point: Not applicable

10. STABILITY AND REACTIVITY

Reactivity: Hygroscopic product. Hazardous reactions will not occur under normal conditions.

Stability: Product is stable under normal ambient temperatures and conditions.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: None known

Incompatibilities / Materials to avoid: Corrosive bases, corrosive acids, oxidizers. Bromine Trifluoride, Methyl Vinyl Ether, Boron Oxide, Calcium Oxide. Contact with zinc when water is present may form flammable hydrogen gas which can be explosive. Calcium chloride will corrode most metals when exposed to air and will attack aluminum and its alloys.

11. TOXICOLOGICAL INFORMATION

Component	LD50 Oral	LD50 Dermal	LD50 Inhalation
Calcium Chloride	1000 mg/kg (rat)	2630 mg/kg (rat)	xxxxxxxxxx
Sodium Chloride	3 mg/kg (rat)	10 mg/kg (rat)	42 mg/kg (rat)
Magnesium Chloride	2800 mg/kg (rat)	xxxxxxxxxx	xxxxxxxxxx
Potassium Chloride	2600 mg/kg (rat)	xxxxxxxxxx	xxxxxxxxxx
Proprietary Ingredient	xxxxxxxxxx	xxxxxxxxxx	xxxxxxxxxx

InfernalMelt Standard

Effective Date: 05/01/2016

Routes of Exposure: Skin, eyes, ingestion

Effects from Short and Long Term Exposure: Immediate, Delayed and Chronic

Eyes: Serious eye irritation, redness, pain

Skin: Brief contact is usually non-irritating to skin. Prolonged contact may cause irritation to skin, possible burning sensation, redness, itching. Damp, abraded or areas covered by clothing may have a more severe response. Chronic exposure may cause dermatitis.

Ingestion: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling are not likely to cause injury. Swallowing larger amounts may cause injury and/or nausea, vomiting, irritation of respiratory tract and mucus membranes.

Signs and Symptoms of Exposure: Solutions may be visible on the skin and/or eyes. Localized redness, irritation and itching may occur.

Acute toxicity: Not classified.

Carcinogenicity: This product is not classified as a carcinogen per GHS criteria. This product is not listed as a carcinogen by NTP, IARC, or OSHA.

Germ Cell Mutagenicity: Not classified as a mutagen.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (single exposure): Not classified

Specific Target Organ Toxicity (repeated exposure): Not classified

Aspiration Hazard: Not classified

12. ECOLOGICAL INFORMATION

Toxicity: InfernalMelt Standard is not classified as hazardous for the environment. InfernalMelt Standard components are normally occurring ions in the entire ecosystem and release to the environment is not thought to have any long term negative effects. However, dissolution of large quantities of chlorides in water may create an elevated level of salinity that may be harmful to fresh water aquatic species and to plants that are not salt-tolerant.

COMPONENT TOXICITY DATA:

Freshwater Fish: Calcium Chloride: LC50 Bluegill (*Lepomis macrochirus*) 8,350-10,650 mg/l

Sodium Chloride: LC50 Rainbow Trout (*Oncorhynchus mykiss*) 96 h: 4,236 mg/l

Magnesium Chloride: LC50 Mosquitofish (*Gambusia affinis*) 4,210 mg/l

Potassium Chloride: LC50 Fathead Minnow (*Pimephales promelas*) 10,610 mg/l

Invertebrate: Calcium Chloride: LC50 Water Flea (*Daphnia magna*) 759 - 3,005 mg/l

Magnesium Chloride: EC50 Water Flea (*Daphnia Magna*) 1400 mg/l

Sodium Chloride: LC50 Water Flea (*Daphnia magna*) 4,571 mg/l

Potassium Chloride: LC 50 Water Flea (*Ceriodaphnia dubia*) 96 h: 3,470 mg/l

EC50 Water Flea (*Daphnia magna*) 24hr, immobilization: 590 mg/l

Persistence and Biodegradation: Material is inorganic and not subject to biodegradation. Chloride salts are highly water soluble.

Bioaccumulative Potential: InfernalMelt Standard - Not established

InfernalMelt Standard components - No bioaccumulation

Mobility in Soil: No information available

Other Adverse Effects: None known

InfernalMelt Standard

Effective Date: 05/01/2016

13. DISPOSAL CONSIDERATION

Contain and reuse material from spills when possible. Report spills in accordance with local and/or state regulations. Waste material and material containers should be disposed of in accordance with all local, regional, state, national, and international regulations.

Do not allow material to enter ditches, sewers or waterways.

Refer to Section 8 for more information on minimizing personal exposures.

14. TRANSPORT INFORMATION

Transport Hazardous Class: Not classified as hazardous material.

Land Transport: Not regulated

Sea Transport: Not regulated

Air Transport: Not regulated

Rail Transport: Not regulated

15. REGULATORY INFORMATION

U.S. Regulations: United States TSCA (Toxic Substances Control Act) inventory lists the following components:

Calcium Chloride CAS 10043-52-4, Magnesium Chloride CAS 7786-30-3, Sodium Chloride CAS 7647-14-5, Potassium Chloride CAS 7447-40-7, Water CAS 7732-18-5

16. OTHER INFORMATION

This document has been revised to be compliant with OSHA Hazard Communication Standard (HCS) rules.

Prepared By: Industrial Systems Ltd

SDS Revision Date: 05/2016

Disclaimer: The information presented herein is presented in good faith and believed to be accurate as of the effective date of this Safety Data Sheet. Employers may use this SDS to supplement other information gathered by them in their efforts to assure the health and safety of their employees and the proper use of the product. This summary of the relevant data reflects professional judgment; employers should note that information perceived to be less relevant has not been included in this SDS. Therefore, given the summary nature of this document, Industrial Systems Ltd. does not extend any warranty (expressed or implied), assume any responsibility, or make any representation regarding the completeness of this information or its suitability for the purposes envisioned by the user.