

# SAFETY DATA SHEET

Issuing Date 30-Jun-2015 Revision Date 23-October-2015 Revision Number 0

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

Product Name Tarconite Coal Tar Pavement Sealer

Other means of identification

Product Code(s) 102

Synonyms Tarconite Coal Tar Cool Weather Formula Pavement Sealer

Tarconite Coal Tar Sand Mix Pavement Sealer

Recommended use of the chemical and restrictions on use

**Recommended Use** Refer to the Product Data Sheet for Additional Information.

Uses advised against No information available

Supplier's details

Supplier Address Neyra Industries, Inc. 10700 Evendale Drive Cincinnati, Ohio 45241 TEL: (513) 733-1000

Emergency telephone number

**Company Emergency Phone** 

Number

(513) 733-1000

# 2. HAZARDS IDENTIFICATION

#### Classification

This product is considered hazardous by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Carcinogenicity Category 1A

#### GHS Label elements, including precautionary statements

# **Emergency Overview**

Signal Word Hazard Statements • May cause cancer Danger



Appearance Brown Physical State Liquid. Odor Slight, Tar like

#### **Precautionary Statements**

#### Prevention

- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.

#### **General Advice**

• If exposed or concerned: Get medical attention/advice

#### Storage

· Store locked up.

#### **Disposal**

• Dispose of contents/container to an approved waste disposal plant.

#### **Hazard Not Otherwise Classified (HNOC)**

Not applicable

#### Other information

1.7% of the mixture consists of ingredient(s) of unknown toxicity.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms Tarconite Coal Tar Cool Weather Formula Pavement Sealer

Tarconite Coal Tar Sand Mix Pavement Sealer

Chemical Name	CAS-No	Weight %	Trade secret
Coal tar	8007-45-2	25-35	*
Kaolin	1332-58-7	15-25	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention if irritation persists.

**Skin Contact** Wash skin with soap and water. Get medical attention if irritation develops and persists.

**Inhalation** If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell

# Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

\_\_\_\_\_\_

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

# **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous Combustion Products** Hydrocarbons. Hydrogen sulfide.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective gloves/clothing and eye/face protection.

Environmental Precautions

**Environmental Precautions** See Section 12 for additional Ecological Information.

# Methods and materials for containment and cleaning up

Methods for Containment Dike far ahead of liquid spill for later disposal.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material. Use personal protective equipment. Sweep

up and shovel into suitable containers for disposal.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Wear personal protective equipment. Wash thoroughly after handling.

#### Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from open

flames, hot surfaces and sources of ignition. Do not freeze. Do not store in direct sunlight or

in temperatures exceeding 120°F (48.9°C).

Incompatible Products Strong oxidizing agents. Do not apply over chip seals or sealers containing gilsonite. Not

recommended for use on portland cement, concrete or for indoor use.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Coal tar	TWA: 0.2 mg/m³ benzene soluble	TWA: 0.2 mg/m <sup>3</sup> benzene	IDLH: 80 mg/m <sup>3</sup>
8007-45-2	aerosol	soluble fraction TWA: 150 μg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
		(vacated) TWA: 0.2 mg/m <sup>3</sup>	Cyclohexane-extractable fraction
		benzene soluble fraction	TWA: 0.2 mg/m <sup>3</sup> Benzene soluble
			fraction
Kaolin	-	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1332-58-7		TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable dust
		fraction	-
		(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	

Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

# **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems

# Individual protection measures, such as personal protective equipment

Eye/Face Protection
Skin and Body Protection

Safety glasses with side-shields. If splashes are likely to occur, wear: Goggles.

Wear protective gloves/clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Liquid. Appearance Brown.

Odor Slight, Tar like. Odor Threshold No information available.

<u>Property</u>	<u>Values</u>	Remarks/ - Method
pH	5.0 - 8.0	None known
Melting Point/Range	No information available.	None known
Boiling Point/Boiling Range	100 °C	None known
Flash Point	> 93.3 °C; (Coal Tar) / > 200 °F	None known
Evaporation rate	No data available No information available.	None known
Flammability (solid, gas)	Flammability (solid, gas) No data available	
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available.	None known
Vapor Density	No data available.	None known
Specific Gravity	1.2	None known
Water Solubility	Partly soluble.	None known

Revision Date 23-October-2015

#### WPS-NEY-016 - Tarconite Coal Tar Pavement Sealer

\_\_\_\_\_

Solubility in other solventsNo data availableNone knownPartition coefficient: n-octanol/waterNo data availableNone knownAutoignition TemperatureNo data availableNone knownDecomposition TemperatureNo data availableNone knownViscosityNo data availableNone known

Flammable Properties Not flammable

Explosive Properties No data available Oxidizing Properties No data available

**Other information** 

VOC Content (%) No data available

VOC (g/l) 49

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

# **Conditions to avoid**

Extreme heat.

#### Incompatible materials

Strong oxidizing agents. Do not apply over chip seals or sealers containing gilsonite. Not recommended for use on portland cement, concrete or for indoor use.

# **Hazardous decomposition products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrocarbons. Sulfur oxides. Hydrogen sulfide.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

InhalationThere is no data available for this product.Eye ContactThere is no data available for this product.Skin ContactThere is no data available for this product.IngestionThere is no data available for this product.

#### **Component Information**

\_\_\_\_\_

Revision Date 23-October-2015

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Sensitization** No information available. **Mutagenic Effects** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Coal tar	A1	Group 1	Known	X

#### ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

#### IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

#### **NTP: (National Toxicity Program)**

Known - Known Carcinogen

#### **OSHA: (Occupational Safety & Health Administration)**

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

#### Numerical measures of toxicity - Product

**Acute Toxicity** 1.7% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

**LD50 Oral**4093 mg/kg; Acute toxicity estimate **LD50 Dermal**38036 mg/kg; Acute toxicity estimate

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Not Classified

Persistence and Degradability No information available.

**Bioaccumulation** No information available.

Chemical Name	Log Pow
Coal tar	6.04

#### **Other Adverse Effects**

No information available.

# 13. DISPOSAL CONSIDERATIONS

# **Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

# 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Complies
DSL Complies

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Coal tar		X		

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# U.S. State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Coal tar	8007-45-2	Carcinogen

#### U.S. State Right-to-Know Regulations

\_\_\_\_\_

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Coal tar	Χ	Χ	Χ	X	X

# U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards	
HMIS	Health Hazard 2*	Flammability 0	Physical Hazard 0	Personal Protection X	

<sup>\*</sup>Indicates a chronic health hazard.

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

 Issuing Date
 30-Jun-2015

 Revision Date
 30-Jun-2015

 Revision Note
 23-October-2015

# General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**